

MS Recreational Facilities

Shapefile



Tags

parks, Mississippi, facilities

Summary

MS State Parks facilities

Description

Locations of facilities at MS State Parks with uses such as: RV Camp Sites (premium and standard), Primitive camping, cottages, battlefields, piers, boat ramps, and other types

Credits

MDWFP, MARIS

Use limitations

There are no access and use limitations for this item.

Extent

West -91.600003 **East** -88.166527
North 34.944419 **South** 30.250300

Scale Range

Maximum (zoomed in) 1:5,000
Minimum (zoomed out) 1:150,000,000

ArcGIS Metadata ►

Topics and Keywords ►

THEMES OR CATEGORIES OF THE RESOURCE environment, location

* CONTENT TYPE Downloadable Data

EXPORT TO FGDC CSDGM XML FORMAT AS RESOURCE DESCRIPTION No

Hide Topics and Keywords ▲

Citation ►

TITLE MS Recreational Facilities
PUBLICATION DATE 2019-01-16 00:00:00

PRESENTATION FORMATS * digital map

[Hide Citation ▲](#)

Citation Contacts ►

RESPONSIBLE PARTY

INDIVIDUAL'S NAME Mike Hankins
ORGANIZATION'S NAME MS Dept. of Wildlife Fisheries and Parks
CONTACT'S POSITION GIS Analyst
CONTACT'S ROLE originator

CONTACT INFORMATION ►

PHONE
VOICE 601-432-2160

ADDRESS

DELIVERY POINT 1505 Eastover Drive
CITY Jackson
ADMINISTRATIVE AREA MS
POSTAL CODE 39211
COUNTRY US
E-MAIL ADDRESS mikehankins@mdwfp.state.ms.us

[Hide Contact information ▲](#)

RESPONSIBLE PARTY

INDIVIDUAL'S NAME Steve Walker
ORGANIZATION'S NAME MARIS
CONTACT'S POSITION GIS Operations Manager
CONTACT'S ROLE distributor

CONTACT INFORMATION ►

PHONE
VOICE 601-432-6149

ADDRESS

TYPE physical
DELIVERY POINT 3825 Ridgewood Rd
CITY Jackson
ADMINISTRATIVE AREA MS
POSTAL CODE 39211
COUNTRY US
E-MAIL ADDRESS swalker@mississippi.edu

HOURS OF SERVICE

M-F 7-3 CDT

[Hide Contact information ▲](#)

[Hide Citation Contacts ▲](#)

Resource Details ►

DATASET LANGUAGES * English (UNITED STATES)
DATASET CHARACTER SET utf8 - 8 bit UCS Transfer Format

STATUS completed
SPATIAL REPRESENTATION TYPE * vector

* PROCESSING ENVIRONMENT Version 6.2 (Build 9200) ; Esri ArcGIS 10.6.1.9270

CREDITS
MDWFP, MARIS

ARCGIS ITEM PROPERTIES
* NAME MS_Rec_Facils
* SIZE 0.069
* LOCATION file:///\\DESKTOP-TP9LNVL\F\$\DATA\00_CULTURAL\MS_Rec_Facils.shp
* ACCESS PROTOCOL Local Area Network

[Hide Resource Details ▲](#)

Extents ►

EXTENT
GEOGRAPHIC EXTENT
BOUNDING RECTANGLE
EXTENT TYPE Extent used for searching
* WEST LONGITUDE -91.600003
* EAST LONGITUDE -88.166527
* NORTH LATITUDE 34.944419
* SOUTH LATITUDE 30.250300
* EXTENT CONTAINS THE RESOURCE Yes

EXTENT IN THE ITEM'S COORDINATE SYSTEM
* WEST LONGITUDE 330991.554686
* EAST LONGITUDE 644650.436482
* SOUTH LATITUDE 1051908.888015
* NORTH LATITUDE 1571083.516408
* EXTENT CONTAINS THE RESOURCE Yes

[Hide Extents ▲](#)

Resource Maintenance ►

RESOURCE MAINTENANCE
UPDATE FREQUENCY as needed

[Hide Resource Maintenance ▲](#)

Spatial Reference ►

ARCGIS COORDINATE SYSTEM
* TYPE Projected
* GEOGRAPHIC COORDINATE REFERENCE GCS_North_American_1983
* PROJECTION NAD_1983_Mississippi_TM
* COORDINATE REFERENCE DETAILS
PROJECTED COORDINATE SYSTEM

WELL-KNOWN IDENTIFIER 102609
X ORIGIN -5122200
Y ORIGIN -12297100
XY SCALE 450339697.45066422
Z ORIGIN -100000
Z SCALE 10000
M ORIGIN -100000
M SCALE 10000
XY TOLERANCE 0.001
Z TOLERANCE 0.001
M TOLERANCE 0.001
HIGH PRECISION true
LATEST WELL-KNOWN IDENTIFIER 3814
WELL-KNOWN TEXT
PROJCS["NAD_1983_Mississippi_TM",GEOGCS["GCS_North_American_1983",DATUM["D_North_American_1983",SPHEROID["GRS_1980",6378137.0,298.257222101]],PRIMEM["Greenwich",0.0],UNIT["Degree",0.0174532925199433]],PROJECTION["Transverse_Mercator"],PARAMETER["False_Easting",500000.0],PARAMETER["False_Northing",1300000.0],PARAMETER["Central_Meridian",-89.75],PARAMETER["Scale_Factor",0.9998335],PARAMETER["Latitude_Of_Origin",32.5],UNIT["Meter",1.0],AUTHORITY["EPSG",3814]]

REFERENCE SYSTEM IDENTIFIER

- * VALUE 3814
- * CODESPACE EPSG
- * VERSION 6.17.1(10.0.0)

[Hide Spatial Reference ▲](#)

Spatial Data Properties ►

VECTOR ►

- * LEVEL OF TOPOLOGY FOR THIS DATASET geometry only

GEOMETRIC OBJECTS

- FEATURE CLASS NAME MS_Rec_Facils
- * OBJECT TYPE point
 - * OBJECT COUNT 2584

[Hide Vector ▲](#)

ARCGIS FEATURE CLASS PROPERTIES ►

- FEATURE CLASS NAME MS_Rec_Facils
- * FEATURE TYPE Simple
 - * GEOMETRY TYPE Point
 - * HAS TOPOLOGY FALSE
 - * FEATURE COUNT 2584
 - * SPATIAL INDEX TRUE
 - * LINEAR REFERENCING FALSE

[Hide ArcGIS Feature Class Properties ▲](#)

Geoprocessing history ►

PROCESS

PROCESS NAME

DATE 2012-12-21 09:53:49

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data Management Tools.tbx\AssignDomainToField

COMMAND ISSUED

AssignDomainToField "Database

Connections\MDWFPgis.sde\mdwfpgis.DBO.PARKS_POINT_FEATURES" TYPE "PARK POINT FEATURES" #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2013-02-11 12:27:57

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" TYPE "14" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2013-02-11 12:30:09

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" TYPE "PARKING" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2013-02-11 12:38:20

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" COMMENT "<Null>" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2013-05-14 11:13:10

TOOL LOCATION c:\program files\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" TYPE "PREMIUM" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2013-05-14 11:13:40

TOOL LOCATION c:\program files\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" TYPE "P" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2013-05-14 11:20:33
TOOL LOCATION c:\program files\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" TYPE 11 VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2013-05-14 11:21:04
TOOL LOCATION c:\program files\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" TYPE 12 VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2013-05-14 13:03:28
TOOL LOCATION c:\program files\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" RESERVE "CLICK TO RESERVE SITE" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2013-05-14 13:09:03
TOOL LOCATION c:\program files\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" RESERVE
"http://mississippi.stateparks.reserveamerica.com/camping/Percy_Quin/r/campsi
teCalendar.do?page=calendar&search=site&contractCode=MS&parkId=155847&topTab
Index=CampingSpot" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2013-05-16 11:34:12
TOOL LOCATION c:\program files\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" COMMENT "Cabin" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2013-05-16 12:22:43
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" TYPE "22" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2013-05-16 12:47:53

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" TYPE "22" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2013-05-20 08:30:33

TOOL LOCATION c:\program files\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" TO_RESERVE [RESERVE] VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2013-05-20 08:40:29

TOOL LOCATION c:\program files\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" BLDG_USE [COMMENT] VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2013-05-20 08:44:40

TOOL LOCATION c:\program files\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" BLDG_USE [COMMENT] VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2013-05-20 08:46:35

TOOL LOCATION c:\program files\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" BLDG_NUM [COMMENT] VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2013-05-20 08:48:34

TOOL LOCATION c:\program files\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" BLDG_NUM [COMMENT] VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2013-05-20 08:49:38
TOOL LOCATION c:\program files\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" COMMENT "" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2013-05-20 08:50:38
TOOL LOCATION c:\program files\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" COMMENT "" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2013-05-20 08:51:42
TOOL LOCATION c:\program files\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" RESERVE "CLICK TO RESERVE" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2013-05-20 08:53:05
TOOL LOCATION c:\program files\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" RESERVE "" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2013-05-20 09:06:23
TOOL LOCATION c:\program files\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" RESERVE "CLICK TO RESERVE" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2013-05-20 09:08:52
TOOL LOCATION c:\program files\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" TO_RESERVE
"http://mississippi.stateparks.reserveamerica.com/camping/Percy_Quin/r/campgr
oundDetails.do?contractCode=MS&parkId=155847&topTabIndex=CampingSpot" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2013-05-20 09:10:34

TOOL LOCATION c:\program files\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" PHOTO "CLICK FOR PHOTO" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2013-05-20 10:21:47
TOOL LOCATION c:\program files\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" RESERVE "[TO_RESERVE]" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2013-05-20 12:12:14
TOOL LOCATION c:\program files\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" TYPE 22 VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2013-05-20 12:12:38
TOOL LOCATION c:\program files\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" TYPE 23 VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2013-05-20 12:18:08
TOOL LOCATION c:\program files\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" TYPE 23 VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2013-05-21 09:31:23
TOOL LOCATION c:\program files\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" COMMENT "" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2013-05-21 10:10:02
TOOL LOCATION c:\program files\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" COMMENT "B" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2013-05-21 10:40:16

TOOL LOCATION c:\program files\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" COMMENT "" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2013-05-21 12:41:09

TOOL LOCATION c:\program files\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" BLDG_NUM "6190000" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2013-05-21 12:47:38

TOOL LOCATION c:\program files\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" COMMENT "B" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2013-05-22 15:14:41

TOOL LOCATION c:\program files\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" BLDG_USE "B" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2013-05-23 10:15:26

TOOL LOCATION c:\program files\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" CFS_KEY [DES_NUM] VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2013-05-23 10:30:43

TOOL LOCATION c:\program files\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" CFS_KEY "N/A" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2013-05-23 10:31:52
TOOL LOCATION c:\program files\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" COMMENT "SITES NOT REBUILT, SEEMS ABANDONED" VB

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2013-05-24 08:08:24
TOOL LOCATION c:\program files\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" COMMENT "flo" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2013-05-24 08:15:34
TOOL LOCATION c:\program files\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" COMMENT "" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2013-05-24 08:16:58
TOOL LOCATION c:\program files\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" TYPE 13 VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2013-05-24 08:52:58
TOOL LOCATION c:\program files\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" RESERVE "<a
href=""http://mississippistateparks.reserveamerica.com/camping//Buccaneer_St
ate_Park/r/campgroundDetails.do?contractCode=MS&parkId=157850&topTabIndex=Ca
mpingSpot"">Click to Reserve" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2013-05-24 08:57:02
TOOL LOCATION c:\program files\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" RESERVE "<a
href=""http://mississippistateparks.reserveamerica.com/camping/Buccaneer_Sta
te_Park/r/campgroundDetails.do?contractCode=MS&parkId=157850&topTabIndex=Cam
pingSpot"">Click to Reserve" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2013-05-24 13:53:53

TOOL LOCATION c:\program files\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" BLDG_USE [TYPE] VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2013-05-24 14:09:23

TOOL LOCATION c:\program files\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" TYPE 13 VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2013-05-24 14:09:34

TOOL LOCATION c:\program files\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" TYPE 12 VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2013-05-24 14:10:16

TOOL LOCATION c:\program files\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" TYPE 12 VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2013-05-28 07:55:46

TOOL LOCATION c:\program files\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" TYPE 12 VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2013-05-28 07:58:58

TOOL LOCATION c:\program files\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" RESERVE

"http://mississippi.stateparks.reserveamerica.com/camping/Roosevelt_State_Park/r/campgroundDetails.do?contractCode=MS&parkId=154848&topTabIndex=CampingSpot" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2013-05-28 08:01:16

TOOL LOCATION c:\program files\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

```
CalculateField "PARK POINTS" RESERVE "<a href=""http://mississippi.stateparks.reserveamerica.com/camping/Roosevelt_State_Park/r/campgroundDetails.do?contractCode=MS&parkId=154848&topTabIndex=CampingSpot" VB #
```

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2013-05-28 08:02:19

TOOL LOCATION c:\program files\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

```
CalculateField "PARK POINTS" RESERVE "<a href=""http://mississippi.stateparks.reserveamerica.com/camping/Roosevelt_State_Park/r/campgroundDetails.do?contractCode=MS&parkId=154848&topTabIndex=CampingSpot"">Click to Reserve</a>" VB #
```

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2013-05-28 09:24:18

TOOL LOCATION c:\program files\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

```
CalculateField "PARK POINTS" TO_PHOTO "<img width=200px height=133px alt=""File"" src=""http://www.mdwfp.com/media/23991/1.jpg""/>" VB #
```

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2013-05-28 10:48:31

TOOL LOCATION c:\program files\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

```
CalculateField "PARK POINTS" TYPE 23 VB #
```

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2013-05-28 10:52:50

TOOL LOCATION c:\program files\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

```
CalculateField "PARK POINTS" CFS_KEY [DES_NUM] VB #
```

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2013-05-28 15:21:14

TOOL LOCATION c:\program files\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

```
CalculateField "PARK POINTS" TYPE 11 VB #
```

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2013-05-28 15:21:25

TOOL LOCATION c:\program files\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" TYPE 12 VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2013-05-28 15:21:37

TOOL LOCATION c:\program files\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" TYPE 13 VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2013-05-28 15:24:52

TOOL LOCATION c:\program files\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" CFS_KEY [DES_NUM] VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2013-05-28 17:04:04

TOOL LOCATION c:\program files\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" CFS_KEY [DES_NUM] VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2013-05-29 08:53:31

TOOL LOCATION c:\program files\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" TYPE 2 VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2013-05-29 08:53:47

TOOL LOCATION c:\program files\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" TYPE 1 VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2013-05-29 09:00:59

TOOL LOCATION c:\program files\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

```
CalculateField "PARK POINTS" RESERVE "<a href=""http://mississippi.stateparks.reserveamerica.com/camping/Trace/r/campgroundDetails.do?contractCode=MS&parkId=151818&topTabIndex=CampingSpot"">Click to Reserve</a>" VB #
```

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2013-05-29 11:16:20

TOOL LOCATION c:\program files\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

```
CalculateField "PARK POINTS" TYPE 13 VB #
```

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2013-05-29 11:16:31

TOOL LOCATION c:\program files\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

```
CalculateField "PARK POINTS" TYPE 23 VB #
```

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2013-05-29 11:23:33

TOOL LOCATION c:\program files\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

```
CalculateField "PARK POINTS" TYPE 23 VB #
```

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2013-05-29 15:20:21

TOOL LOCATION c:\program files\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

```
CalculateField "PARK POINTS" TYPE 23 VB #
```

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2013-05-29 15:20:29

TOOL LOCATION c:\program files\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

```
CalculateField "PARK POINTS" TYPE 13 VB #
```

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2013-05-29 15:56:40

TOOL LOCATION c:\program files\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

```
CalculateField "PARK POINTS" RESERVE  
"http://mississippi.stateparks.reserveamerica.com/camping/Holmes_County/r/campgroundDetails.do?contractCode=MS&parkId=153824&topTabIndex=CampingSpot" VB  
#
```

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2013-05-29 15:57:50

TOOL LOCATION c:\program files\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

```
CalculateField "PARK POINTS" RESERVE "<a  
href=""http://mississippi.stateparks.reserveamerica.com/camping/Holmes_County  
/r/campgroundDetails.do?contractCode=MS&parkId=153824&topTabIndex=CampingSpot  
"">Click to Reserve</a>" VB #
```

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2013-06-06 09:46:35

TOOL LOCATION c:\program files\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

```
CalculateField "PARK POINTS" RESERVE "<a  
href=""http://mississippi.stateparks.reserveamerica.com/camping/Lake_Lincoln/  
r/campgroundDetails.do?contractCode=MS&parkId=153824&topTabIndex=CampingSpot  
"">Click to Reserve</a>" VB #
```

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2013-06-06 09:51:32

TOOL LOCATION c:\program files\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

```
CalculateField "PARK POINTS" TO_PHOTO "No Photo Available" VB #
```

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2013-06-08 07:51:22

TOOL LOCATION c:\program files\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

```
CalculateField "PARK POINTS" BLDG_ID [BLDG_NUM] VB #
```

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2013-06-08 07:55:02

TOOL LOCATION c:\program files\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

```
CalculateField "PARK POINTS" BLDG_NUM Replace( [BLDG_NUM], "0000","00##") VB #  
#  
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No
```

PROCESS

```
PROCESS NAME  
DATE 2013-06-08 07:55:41  
TOOL LOCATION c:\program files\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data  
Management Tools.tbx\CalculateField  
COMMAND ISSUED  
CalculateField "PARK POINTS" BLDG_ID Replace( [BLDG_ID], "0000","00##") VB #  
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No
```

PROCESS

```
PROCESS NAME  
DATE 2013-06-08 08:00:36  
TOOL LOCATION c:\program files\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data  
Management Tools.tbx\CalculateField  
COMMAND ISSUED  
CalculateField "PARK POINTS" BLDG_NUM Mid( [BLDG_NUM],5,7 ) VB #  
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No
```

PROCESS

```
PROCESS NAME  
DATE 2013-06-08 08:14:30  
TOOL LOCATION c:\program files\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data  
Management Tools.tbx\CalculateField  
COMMAND ISSUED  
CalculateField "PARK POINTS" BLDG_NUM ""0"+ [BLDG_NUM]" VB #  
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No
```

PROCESS

```
PROCESS NAME  
DATE 2013-06-08 08:17:23  
TOOL LOCATION c:\program files\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data  
Management Tools.tbx\CalculateField  
COMMAND ISSUED  
CalculateField "PARK POINTS" BLDG_NUM ""0"+ [BLDG_NUM]" VB #  
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No
```

PROCESS

```
PROCESS NAME  
DATE 2013-06-08 08:18:36  
TOOL LOCATION c:\program files\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data  
Management Tools.tbx\CalculateField  
COMMAND ISSUED  
CalculateField "PARK POINTS" BLDG_USE "" VB #  
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No
```

PROCESS

```
PROCESS NAME  
DATE 2013-06-08 08:18:45  
TOOL LOCATION c:\program files\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data  
Management Tools.tbx\CalculateField  
COMMAND ISSUED  
CalculateField "PARK POINTS" BLDG_ID "" VB #  
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No
```

PROCESS

PROCESS NAME

DATE 2013-06-08 08:20:00

TOOL LOCATION c:\program files\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" BLDG_USE " " VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2013-06-08 08:20:29

TOOL LOCATION c:\program files\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" BLDG_ID "" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2013-06-08 08:20:43

TOOL LOCATION c:\program files\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" BLDG_ID [ASSET_NUMB] VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2013-06-08 08:20:50

TOOL LOCATION c:\program files\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" BLDG_USE [ASSET_NUMB] VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2013-06-08 08:21:49

TOOL LOCATION c:\program files\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" BLDG_ID [BLDG_NUM] VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2013-06-08 08:22:18

TOOL LOCATION c:\program files\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" BLDG_NUM Mid([BLDG_NUM],5,7) VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2013-06-08 08:23:13

TOOL LOCATION c:\program files\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" CFS_KEY [DES_NUM] VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2013-06-08 09:05:52

TOOL LOCATION c:\program files\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" TYPE 23 VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2013-06-08 09:07:10

TOOL LOCATION c:\program files\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" RESERVE "Click to Reserve" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2013-06-10 08:21:56

TOOL LOCATION c:\program files\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" COMMENT "SHEPPARD STATE PARK" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2013-06-10 08:25:43

TOOL LOCATION c:\program files\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" RESERVE "Click to Reserve" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2013-06-10 16:40:53

TOOL LOCATION c:\program files\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" TYPE 23 VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2013-06-10 16:41:25
TOOL LOCATION c:\program files\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" COMMENT "CLARKCO SP" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2013-06-11 10:47:20
TOOL LOCATION c:\program files\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" COMMENT "CLARKO STATE PARK" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2013-06-11 10:53:10
TOOL LOCATION c:\program files\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" RESERVE "<a
href=""http://mississippi.stateparks.reserveamerica.com/camping/Clarkco/r/cam
pgroundDetails.do?contractCode=MS&parkId=154842&topTabIndex=CampingSpot"">Cl
ick to Reserve" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2013-06-18 16:05:18
TOOL LOCATION c:\program files\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" RESERVE "<a
href=""http://mississippi.stateparks.reserveamerica.com/camping/Tishomingo_Stat
e_Park/r/campgroundDetails.do?contractCode=MS&parkId=151816&topTabIndex=Ca
mpingSpot"">Click to Reserve" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2013-06-19 16:41:52
TOOL LOCATION c:\program files\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" RESERVE "<a
href=""http://mississippi.stateparks.reserveamerica.com/camping/Tombigbee/r/c
ampgroundDetails.do?contractCode=MS&parkId=151817&topTabIndex=CampingSpot"">
Click to Reserve" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2013-06-20 10:31:31
TOOL LOCATION c:\program files\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField

COMMAND ISSUED

```
CalculateField "PARK POINTS" RESERVE "<a href=""http://mississippi.stateparks.reserveamerica.com/camping/Lefleurs_Bluff/r/campgroundDetails.do?contractCode=MS&parkId=155844&topTabIndex=CampingSpot"">Click to Reserve</a>" VB #
```

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2013-06-21 17:03:01

TOOL LOCATION c:\program files\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

```
CalculateField "PARK POINTS" RESERVE "<a href=""http://mississippi.stateparks.reserveamerica.com/ms/Legion_State_Park/Campground/r/campgroundDetails.do?contractCode=MS&parkId=151831"">Click to Reserve</a>" VB #
```

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2013-07-18 08:55:23

TOOL LOCATION c:\program files\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

```
CalculateField "PARK POINTS" RESERVE "<a href=""http://mississippi.stateparks.reserveamerica.com/ms/George_P_Cossar/Campground/r/campgroundDetails.do?contractCode=MS&parkId=152811"">Click to Reserve</a>" VB #
```

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2013-07-19 11:05:47

TOOL LOCATION c:\program files\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

```
CalculateField "PARK POINTS" RESERVE "<a href=""http://mississippi.stateparks.reserveamerica.com/camping/Great_River_Road/r/campgroundDetails.do?contractCode=MS&parkId=153823"">Click to Reserve</a>" VB #
```

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2013-07-19 11:05:59

TOOL LOCATION c:\program files\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

```
CalculateField "PARK POINTS" TO_PHOTO "" VB #
```

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2013-07-29 15:17:52

TOOL LOCATION c:\program files\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" DES_NUM [CFS_KEY] VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2013-07-30 09:24:12
TOOL LOCATION c:\program files\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" RESERVE "<a
href=""http://mississippi.stateparks.reserveamerica.com/camping/Hugh_White/r/
campgroundDetails.do?contractCode=MS&parkId=152812&topTabIndex=CampingSpot"
>Click to Reserve" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2013-08-21 10:49:58
TOOL LOCATION c:\program files\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" TYPE "CABIN" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2013-08-23 12:21:34
TOOL LOCATION c:\program files\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_ID ""6090"+ [BLDG_NUM]" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2013-08-23 16:17:37
TOOL LOCATION c:\program files\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" RESERVE "<a
href=""http://mississippi.stateparks.reserveamerica.com/camping/Jp_Coleman/r/
campgroundDetails.do?contractCode=MS&parkId=151814&topTabIndex=CampingSpot"
>Click to Reserve" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2013-09-17 15:42:47
TOOL LOCATION c:\program files\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" RESERVE "<a
href=""http://mississippi.stateparks.reserveamerica.com/ms/Paul_B_Johnson/Cam
pground/r/campgroundDetails.do?contractCode=MS&parkId=156846&topTabIndex=Cam
pingSpot"">Click to Reserve" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2013-10-01 10:22:11
TOOL LOCATION c:\program files\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_NUM ""C"+ [BLDG_NUM]" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2013-10-09 08:22:53
TOOL LOCATION c:\program files\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" COMMENT "JOHN W. KYLE" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2013-10-09 08:25:11
TOOL LOCATION c:\program files\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" RESERVE "<a
href=""http://mississippi.stateparks.reserveamerica.com/camping/John_W_Kyle_S
tate_Park/r/campgroundDetails.do?contractCode=MS&parkId=152813&topTabIndex=C
ampingSpot"">Click to Reserve" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2013-10-17 08:31:02
TOOL LOCATION c:\program files\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_USE [COMMENT] VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2013-10-17 08:31:22
TOOL LOCATION c:\program files\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" COMMENT "PAUL B JOHNSON" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2013-10-21 15:01:41
TOOL LOCATION c:\program files\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_USE "Cabin" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME

DATE 2013-10-28 13:46:14
TOOL LOCATION c:\program files\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" COMMENT "JOHN W KYLE" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2013-10-31 13:50:33
TOOL LOCATION c:\program files\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" COMMENT "JOHN W KYLE" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2013-11-01 07:53:30
TOOL LOCATION c:\program files\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" COMMENT "JOHN W KYLE" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2013-11-01 11:27:39
TOOL LOCATION c:\program files\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" COMMENT "JOHN W KYLE" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2013-11-01 12:21:06
TOOL LOCATION c:\program files\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" COMMENT "JOHN W KYLE" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2013-11-04 09:39:08
TOOL LOCATION c:\program files\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" COMMENT "JOHN W KYLE" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2013-12-18 09:41:37
TOOL LOCATION c:\program files\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED

```
CalculateField "PARK POINTS" RESERVE "<a href=""http://mississippi.stateparks.reserveamerica.com/camping/Lake_Lowndes/r/campgroundDetails.do?contractCode=MS&parkId=151815&topTabIndex=CampingSpot"">Click to Reserve</a>" VB #
```

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2014-01-15 12:51:23

TOOL LOCATION c:\program files\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

```
CalculateField "PARK POINTS" COMMENT "HOLMES COUNTY SP" VB #
```

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2014-01-15 14:21:23

TOOL LOCATION c:\program files\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

```
CalculateField "PARK POINTS" SITE_PLAN "YES" VB #
```

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2014-01-15 14:25:21

TOOL LOCATION c:\program files\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

```
CalculateField "PARK POINTS" BLDG_USE [TYPE] VB #
```

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2014-02-09 09:05:12

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

```
CalculateField "PARK POINTS" COMMENT "LEROY PERCY SP" VB #
```

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2014-02-09 13:13:16

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

```
CalculateField "PARK POINTS" RESERVE "<a href=""http://mississippi.stateparks.reserveamerica.com/camping/map_of_Wall_Doxy_State_Park_Holly_Springs/r/campgroundMap.do?page=map&search=site&contractCode=MS&parkId=152819&topTabIndex=CampingSpot"">Click to Reserve</a>" VB #
```

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2014-02-09 13:13:36

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" COMMENT "WALL DOXEY SP" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2014-06-10 09:12:35
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" SITE_PLAN "N" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2014-06-10 09:26:33
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_NUM Mid([BLDG_ID],5,7) VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2014-08-19 10:26:44
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" COMMENT [BLDG_USE] VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2014-09-26 09:17:00
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_USE Replace(UCCase([BLDG_USE]), "_", " ")
VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-04-09 11:07:47
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" COMMENT "PAUL B JOHNSON" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-04-21 08:57:23
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED

CalculateField "PARK POINTS" COMMENT "TOMBIGBEE" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-04-22 10:39:14
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_NUM ""P"+ [BLDG_NUM]" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-05-04 15:52:50
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" COMMENT "LEGION LAKE" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-05-12 08:43:13
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_USE [COMMENT] VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-05-12 08:44:08
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" COMMENT "Buccaneer" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-05-12 13:35:31
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" SITE_PLAN "BB" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-05-12 13:48:23
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" SITE_PLAN "CCC" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-05-13 15:40:26
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" COMMENT "PERCY QUINN" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2015-05-13 16:22:02
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_NUM ""P"+ [BLDG_NUM]" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2015-05-13 16:32:13
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_NUM ""."+ [BLDG_NUM]" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2015-05-14 10:56:40
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_NUM [BLDG_NUM]+"A" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2015-05-14 10:59:38
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_NUM [BLDG_NUM]+"B" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2015-05-14 11:00:05
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" SITE_PLAN "N" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2015-05-14 11:25:12
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED
CalculateField "PARK POINTS" COMMENT " JP COLEMAN" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-05-14 14:11:49
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" SITE_PLAN "NO" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-05-20 10:52:43
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" COMMENT "LAKE LINCOLN" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-05-20 10:58:57
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_NUM ""."+ [BLDG_NUM]" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-05-27 09:44:34
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" COMMENT "ROOSEVELT" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-06-04 09:34:39
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" SITE_PLAN "YES" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-06-08 10:27:00
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" COMMENT "Tishomingo" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-06-08 10:47:50

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" BLDG_NUM Right([BLDG_ID],3) VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-06-08 10:48:26

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" BLDG_ID "62000##" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-06-08 10:52:18

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" CFS_KEY "P1ZB0##" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-06-08 10:52:29

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" DES_NUM "P1ZB0##" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-06-08 10:52:51

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" BLDG_NUM Right([BLDG_ID],3) VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-06-08 10:53:31

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" ASSET_NUMB "464-B0P1ZB-0##" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-06-08 10:56:36

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_NUM "" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-06-08 10:56:41
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" DES_NUM "" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-06-08 10:56:47
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" ASSET_NUMB "" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-06-08 10:56:52
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" CFS_KEY "" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-06-08 10:56:57
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_ID "" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-06-08 12:51:02
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" ASSET_NUMB "464-B0P1ZD-0##" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-06-08 12:51:14
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" CFS_KEY "P1ZD0##" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-06-08 12:51:25

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" BLDG_ID "62200##" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-06-08 13:03:52

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" CFS_KEY "P1ZF0##" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-06-08 13:04:04

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" ASSET_NUMB "464-B0P1ZF-0##" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-06-08 13:05:07

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" BLDG_ID "6330##" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-06-08 13:09:13

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" ASSET_NUMB "464-B0P2ZH-0##" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-06-08 13:09:25

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" CFS_KEY "P2ZH0##" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-06-08 13:09:39
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_ID "62400##" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2015-06-08 13:15:27
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" COMMENT "JOHN W. KYLE" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2015-06-08 13:27:40
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" ASSET_NUMB "464-B0P2YT-0##" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2015-06-08 13:27:56
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" CFS_KEY "P2YT0##" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2015-06-08 13:28:17
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_ID "61100##" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2015-06-08 13:28:44
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" DES_NUM [CFS_KEY] VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2015-06-08 13:29:33
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED

CalculateField "PARK POINTS" BLDG_NUM Right([BLDG_ID],3) VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-06-10 08:19:39
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_USE [COMMENT] VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-06-10 08:20:34
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" COMMENT "GEORGE P COSSAR" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-06-10 08:21:46
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_USE "CAMPGROUND" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-06-10 09:02:15
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_NUM Right([BLDG_ID],3) VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-06-10 09:09:15
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" COMMENT "GREAT RIVER ROAD" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-06-10 14:06:20
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_USE "CAMPGROUND" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-06-10 14:13:56
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_USE "CABIN, DUPLEX" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2015-06-10 14:14:12
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" COMMENT "HUGH WHITE" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2015-06-10 14:42:44
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_NUM Right([BLDG_ID],3) VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2015-06-10 14:43:17
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" COMMENT "HUGH WHITE" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2015-06-10 14:50:47
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" ASSET_NUMB "464-B0P3YJ-0##" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2015-06-10 14:50:58
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" CFS_KEY "P3YJ0##" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2015-06-10 14:51:18
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" BLDG_USE [COMMENT] VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-06-10 14:52:21

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" COMMENT "FLOREWOOD RIVER PLANTATION" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-06-10 14:53:06

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" BLDG_USE [COMMENT] VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-06-10 14:53:14

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" COMMENT "FLOREWOOD RIVER PLANTATION" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-06-10 14:53:47

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" DES_NUM [CFS_KEY] VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-06-10 14:56:24

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" BLDG_USE "CAMPGROUND" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-06-10 14:57:12

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" BLDG_USE "PRIMITIVE CAMPING" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-06-10 14:58:01

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" COMMENT "LEROY PERCY" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-06-10 15:03:21

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" BLDG_NUM ""C"+ [BLDG_NUM]" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-06-10 15:05:28

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" BLDG_NUM Right([BLDG_ID],3) VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-06-10 15:42:44

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" BLDG_USE UCase([BLDG_USE]) VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-06-10 15:43:17

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" BLDG_USE "CAMPGROUND" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-06-10 15:43:33

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" BLDG_USE "PRIMITIVE CAMPING" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-06-10 15:49:27

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_ID [BLDG_NUM] VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-06-10 15:55:09
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_USE UCase([BLDG_USE]) VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-06-10 15:56:15
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" COMMENT "HOLMES COUNTY" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-06-11 10:22:55
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" DES_NUM [CFS_KEY] VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-06-11 10:54:06
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_NUM Right([BLDG_ID],3) VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-06-11 10:54:41
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_USE "CAMPGROUND" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-06-11 10:55:13
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_USE "PRIMITIVE CAMPING" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-06-12 16:35:33

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" COMMENT "LAKE LOWNDES" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-06-12 16:39:41

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" BLDG_USE "CAMPGROUND" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-06-12 16:45:51

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" BLDG_USE UCase([BLDG_USE]) VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-06-16 10:03:57

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" TYPE 31 VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-06-16 13:14:04

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" TYPE 31 VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-06-18 15:52:57

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" TYPE 13 VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-06-18 15:53:39
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" TYPE 13 VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2015-06-22 14:36:33
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" COMMENT "TRACE" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2015-06-23 11:25:36
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_NUM ""P"+ [BLDG_NUM]" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2015-06-26 12:38:44
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_USE ""Green "+ [COMMENT]" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2015-06-26 12:39:16
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" COMMENT ""LEFLEUR'S BLUFF"" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2015-06-26 13:01:48
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_NUM RIGHT([BLDG_ID],3) VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2015-06-30 08:31:30
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED

CalculateField "PARK POINTS" COMMENT "GOLDEN MEMORIAL" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-06-30 08:32:14
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" COMMENT "NATCHEZ" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-06-30 08:34:11
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" COMMENT "CLARK CREEK NA" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-06-30 08:34:49
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" COMMENT "SHEPARD" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-06-30 15:24:29
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_USE "GROUP CABIN" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-06-30 15:25:36
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_NUM ""." + [BLDG_NUM]" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-06-30 15:44:44
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_NUM ""P" + [BLDG_NUM]" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-06-30 15:51:11
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_NUM ""." + [BLDG_NUM]" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2015-07-01 11:27:55
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_USE "Motel Rooms" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2015-07-01 15:14:24
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_USE "RV SITE" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2015-07-01 15:15:44
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_ID "230201" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2015-07-01 15:16:14
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_ID "[BLDG_ID]+ [BLDG_NUM]" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2015-07-01 15:18:01
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_NUM Right([BLDG_NUM],3) VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2015-07-01 15:18:49
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" BLDG_ID "230201" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-07-01 15:20:20

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" BLDG_ID [BLDG_ID]+Right([BLDG_NUM],2) VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-07-01 15:20:50

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" BLDG_ID [BLDG_ID]+"5"+Right([BLDG_NUM],2) VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-07-01 15:24:30

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" COMMENT "BUCCANEER" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-07-01 15:37:12

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" BLDG_ID "2302013"+Right([BLDG_NUM],2) VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-07-01 15:44:27

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" BLDG_ID "2302018" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-07-01 15:45:03

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" BLDG_ID "2302018"+Right([BLDG_NUM],2) VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-07-01 15:52:41

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" BLDG_NUM "" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-07-01 15:53:23

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" BLDG_NUM "" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-07-01 15:55:25

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" DES_NUM "" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-07-01 15:55:47

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" ASSET_NUMB "" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-07-01 15:55:55

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" CFS_KEY "" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-07-01 15:56:22

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" DES_NUM "" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-07-01 15:56:26

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" ASSET_NUMB "" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-07-01 15:56:30
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" CFS_KEY "" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-07-01 15:56:35
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_ID "" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-07-01 15:56:49
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_USE "" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-07-01 15:56:53
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" SITE_PLAN "" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-07-01 15:57:37
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_USE "" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-07-01 15:58:02
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" SITE_PLAN "" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-07-01 15:58:27

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" BLDG_USE "" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-07-01 15:58:58

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" BLDG_USE UCase([BLDG_USE]) VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-07-01 16:00:07

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" BLDG_USE "TENT CAMPING" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-07-01 16:01:29

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" BLDG_USE [TYPE] VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-07-01 16:10:03

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" COST_CENTER "1464 60 0201" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-07-01 16:53:48

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" COST_CENTER "1464 60 0202" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-07-02 09:26:52
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_USE UCase([BLDG_USE]) VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2015-07-02 10:31:41
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" COMMENT "CLARKCO" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2015-07-02 10:34:06
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" COST_CENTER "1464 60 0203" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2015-07-02 10:38:56
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_ID ""120203"+ [BLDG_NUM]" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2015-07-02 10:45:16
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_ID "1202033" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2015-07-02 10:46:40
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_ID "[BLDG_ID]+ Right([BLDG_NUM],2)" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2015-07-02 10:55:44
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED

CalculateField "PARK POINTS" BLDG_USE "CABIN" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-07-02 10:57:24
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_ID "1202034"+Right([BLDG_NUM],2) VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-07-02 10:59:21
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_ID "" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-07-02 11:01:32
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_ID "" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-07-02 11:03:10
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_USE UCase([BLDG_USE]) VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-07-02 11:09:27
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_NUM "M" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-07-02 11:19:38
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_ID ""1202038"+ [BLDG_NUM]" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-07-02 11:19:51
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_NUM "" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2015-07-02 11:20:14
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_NUM "" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2015-07-02 11:20:42
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_USE "" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2015-07-02 11:21:22
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" SITE_PLAN "" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2015-07-02 11:22:37
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_NUM ""P" + [BLDG_NUM]" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2015-07-02 13:40:51
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" COST_CENTER "1464 60 0204" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2015-07-02 16:46:51
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" BLDG_ID ""810204"+ [BLDG_NUM]" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-07-02 16:47:13

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" SITE_PLAN "" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-07-02 16:57:54

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" BLDG_ID "8102044"+Right([BLDG_NUM],2) VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-07-02 16:58:50

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" SITE_PLAN "" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-07-06 09:44:51

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" BLDG_NUM "" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-07-06 09:45:57

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" BLDG_ID "810204701" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-07-06 09:49:04

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" BLDG_ID "810204801" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-07-06 10:04:48

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" SITE_PLAN "" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-07-06 10:05:03

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" BLDG_USE "" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-07-06 10:14:08

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" BLDG_ID "620205###" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-07-06 10:39:59

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" BLDG_NUM "" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-07-06 10:40:38

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" BLDG_NUM Right([BLDG_ID],3) VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-07-06 10:41:55

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" COST_CENTER "1464 60 0205" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-07-06 10:42:25

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" SITE_PLAN "" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-07-06 10:47:06
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_USE UCase([BLDG_USE]) VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-07-06 11:20:34
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" COST_CENTER "1464 60 0207" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-07-06 11:22:54
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_ID ""260207"+ [BLDG_NUM]" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-07-06 11:24:06
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_ID "2602073"+Right([BLDG_NUM],2) VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-07-06 11:27:06
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_ID "2602074"+Right([BLDG_NUM],2) VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-07-06 11:30:34
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_ID "26020770#" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-07-06 11:30:57

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" BLDG_NUM "" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-07-06 11:31:51

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" BLDG_NUM "" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-07-06 11:32:25

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" BLDG_ID "26020780#" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-07-06 11:40:53

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" SITE_PLAN "" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-07-06 11:41:18

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" SITE_PLAN "" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-07-06 11:41:54

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" BLDG_ID "" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-07-06 11:41:59
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_NUM "" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2015-07-06 13:43:29
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_ID ""220208"+ [BLDG_NUM]" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2015-07-06 13:46:00
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_ID "" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2015-07-06 13:46:39
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_ID "2202084" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2015-07-06 13:59:43
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_NUM "" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2015-07-06 14:06:20
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_ID "2202088" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2015-07-06 14:06:38
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED

CalculateField "PARK POINTS" BLDG_ID "2202088" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-07-06 14:07:01
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_ID "2202088" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-07-06 14:07:31
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_ID "2202088" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-07-06 14:17:28
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_ID "2202088" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-07-06 14:19:55
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" SITE_PLAN "" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-07-06 14:20:34
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" COST_CENTER "1464 60 0208" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-07-06 14:20:56
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_ID "" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-07-06 14:51:42
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" COST_CENTER "1464 60 0209" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2015-07-06 14:53:54
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_USE "CAMPGROUND" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2015-07-06 14:54:22
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_ID ""710209"+ [BLDG_NUM]" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2015-07-06 15:01:13
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_ID "7102094"+Right([BLDG_NUM],3) VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2015-07-06 15:02:53
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_ID "71020941"+Right([BLDG_NUM],2) VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2015-07-06 15:04:53
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_ID "71020942#" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2015-07-06 15:06:15
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_ID "7102093"+Right([BLDG_NUM],3) VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-07-06 15:10:18
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_ID "7102095"+Right([BLDG_NUM],2) VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-07-06 15:11:33
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_NUM "" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-07-06 15:11:48
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_USE UCase([BLDG_USE]) VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-07-06 15:12:33
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_ID "7102098##" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-07-06 15:19:28
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" SITE_PLAN "" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-07-06 16:43:32
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_USE "STANDARD" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-07-07 08:36:45

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" BLDG_ID ""540210"+ [BLDG_NUM]" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-07-07 08:55:01

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" COST_CENTER "1464 60 0210" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-07-07 08:55:43

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" COST_CENTER "1464 60 0302" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-07-07 08:57:31

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" BLDG_USE UCase([BLDG_USE]) VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-07-07 08:59:40

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" BLDG_ID "5402108" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-07-07 09:03:27

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" BLDG_NUM "" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-07-07 11:34:53

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_ID "5402104"+RIGHT([BLDG_NUM],3) VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-07-07 11:36:24
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_ID "54021041"+RIGHT([BLDG_NUM],2) VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-07-07 11:46:41
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_ID "540302401" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-07-07 11:47:12
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_USE UCase([BLDG_USE]) VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-07-07 11:48:10
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_USE UCase([BLDG_USE]) VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-07-07 11:48:51
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_ID "540302801" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-07-07 11:51:20
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_NUM "" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-07-07 11:51:43

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" SITE_PLAN "" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-07-07 11:54:01

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" BLDG_USE UCase([BLDG_USE]) VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-07-07 11:54:18

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" SITE_PLAN "" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-07-07 11:54:57

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" BLDG_NUM "0##" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-07-07 11:56:31

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" BLDG_ID "54021080" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-07-07 12:02:36

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" BLDG_NUM "" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-07-07 12:03:24
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" SITE_PLAN "" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2015-07-07 12:03:50
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_USE "" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2015-07-07 13:59:28
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_USE "PREMIUM" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2015-07-07 14:00:25
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_USE "STANDARD" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2015-07-07 14:01:46
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_ID ""430211"+ [BLDG_NUM]" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2015-07-07 14:02:14
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" COST_CENTER "1464 60 0211" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2015-07-07 14:04:00
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED

CalculateField "PARK POINTS" BLDG_ID "430211401" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-07-07 14:05:35
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_USE UCase([BLDG_USE]) VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-07-07 14:06:10
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_NUM "" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-07-07 14:10:54
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_NUM "XX" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-07-07 14:11:59
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_ID "4302118" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-07-07 14:19:12
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_ID "" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-07-07 14:45:02
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_USE "PREMIUM" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-07-07 14:45:51
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_USE "STANDARD" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2015-07-07 14:46:17
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" COST_CENTER ""440212"+ [BLDG_NUM]" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2015-07-07 14:46:47
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" COST_CENTER "1464 60 0212" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2015-07-07 14:53:47
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_ID ""440212"+ [BLDG_NUM]" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2015-07-07 14:57:17
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_ID "44021240" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2015-07-07 14:58:16
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" SITE_PLAN "" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2015-07-07 14:58:44
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" SITE_PLAN "" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-07-07 14:59:09

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" BLDG_ID "" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-07-07 14:59:14

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" BLDG_NUM "" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-07-07 15:09:04

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" BLDG_NUM "XX" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-07-07 15:10:27

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" BLDG_ID "4402128" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-07-07 15:36:48

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" BLDG_NUM "" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-07-08 08:50:06

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" COST_CENTER "1464 60 0213" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-07-08 08:54:44

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" BLDG_ID ""250213"+ [BLDG_NUM]" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-07-08 08:56:08

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" BLDG_NUM "" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-07-08 08:57:49

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" BLDG_ID "250213701" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-07-08 09:07:38

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" BLDG_USE UCase([BLDG_USE]) VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-07-08 09:10:50

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" BLDG_ID "2402138" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-07-08 09:11:20

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" BLDG_NUM "XX" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-07-08 09:21:41

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" COST_CENTER "1464 60 0301" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-07-08 09:23:29
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_ID "250301801" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-07-08 09:25:35
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_ID "" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-07-08 09:25:55
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_NUM "XX" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-07-08 09:26:17
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_NUM "" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-07-08 09:27:20
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_ID "25030180"+Right([BLDG_NUM],1) VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-07-08 09:27:38
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_ID "25030180"+Right([BLDG_USE],1) VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-07-08 09:28:26

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" BLDG_NUM Right([BLDG_USE],1) VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-07-08 09:32:27

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" BLDG_NUM "" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-07-08 09:32:33

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" BLDG_ID "" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-07-08 09:32:55

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" BLDG_USE UCase([BLDG_USE]) VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-07-08 09:33:15

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" BLDG_USE "STANDARD" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-07-08 09:34:59

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" BLDG_NUM "" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-07-08 09:35:15
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" SITE_PLAN "" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2015-07-08 09:41:06
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_USE UCase([BLDG_USE]) VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2015-07-08 09:44:25
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_ID ""800214"+ [BLDG_NUM]" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2015-07-08 09:44:53
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_USE "STANDARD" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2015-07-08 09:48:28
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_USE "PRIMITIVE" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2015-07-08 09:49:12
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_ID "8002143"+Right([BLDG_NUM],2) VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2015-07-08 09:49:37
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED

CalculateField "PARK POINTS" COST_CENTER "1464 60 0214" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-07-08 09:54:46
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_ID "8002144"+Right([BLDG_NUM],2) VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-07-08 09:55:29
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_NUM "XX" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-07-08 09:56:37
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_ID "8002148" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-07-08 09:59:02
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_NUM "" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-07-08 09:59:19
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" SITE_PLAN "" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-07-08 10:05:21
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" COST_CENTER "1464 60 0215" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-07-08 10:53:05
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_USE "SRANDARD" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2015-07-08 10:53:42
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_ID ""760215"+ [BLDG_NUM]" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2015-07-08 10:54:19
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_USE "PRIMITIVE" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2015-07-08 10:55:17
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_ID "7602153"+Right([BLDG_NUM],2) VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2015-07-08 11:09:49
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_ID "7602154"+Right([BLDG_NUM],3) VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2015-07-08 11:10:54
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_ID "76021541" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2015-07-08 11:11:58
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" BLDG_NUM "XX" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-07-08 11:12:40

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" BLDG_ID "7602158" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-07-08 11:21:25

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" BLDG_ID "" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-07-08 11:21:33

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" SITE_PLAN "" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-07-08 11:22:11

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" BLDG_NUM "" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-07-08 11:22:26

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" SITE_PLAN "" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-07-08 13:13:38

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" COST_CENTER "1464 60 0216" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-07-08 13:16:03

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" BLDG_USE "STANDARD" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-07-08 13:16:25

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" BLDG_ID ""010216"+ [BLDG_NUM]" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-07-08 13:34:17

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" BLDG_USE "PRIMITIVE" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-07-08 13:34:53

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" BLDG_ID "0102163"+Right([BLDG_NUM],2) VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-07-08 13:35:21

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" BLDG_NUM ""P"+ [BLDG_NUM]" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-07-08 13:52:15

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" BLDG_ID "0102164"+Right([BLDG_NUM],2) VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-07-08 13:56:03

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_NUM "XX" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-07-08 13:56:27
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_ID "" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-07-08 14:01:11
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_ID "0102168" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-07-08 14:09:19
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_NUM "" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-07-08 14:09:43
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_NUM "" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-07-08 14:09:55
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_ID "" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-07-08 14:10:56
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" SITE_PLAN "" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-07-08 14:21:15

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" COST_CENTER "1464 60 0217" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-07-08 15:37:57

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" BLDG_USE "PREMIUM" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-07-08 15:39:00

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" BLDG_USE "PREMIUM" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-07-08 15:53:23

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" BLDG_ID ""180217"+ [BLDG_NUM]" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-07-08 15:53:56

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" BLDG_USE "PRIMITIVE" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-07-08 15:54:38

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" BLDG_ID "1802173"+Right([BLDG_NUM],2) VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-07-08 16:03:12
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_ID "1802174"+Right([BLDG_NUM],2) VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2015-07-08 16:09:34
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_NUM "PAVILION" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2015-07-08 16:10:34
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_ID "18021770" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2015-07-08 16:20:44
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_ID "1802178" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2015-07-08 16:21:23
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_NUM "XX" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2015-07-09 08:30:17
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_NUM "" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2015-07-09 08:30:43
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED

CalculateField "PARK POINTS" BLDG_NUM "" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-07-09 08:31:05
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_NUM "" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-07-09 08:31:25
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_ID "" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-07-09 08:32:01
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" SITE_PLAN "" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-07-09 08:55:10
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_NUM "" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-07-09 08:55:15
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_ID "" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-07-09 09:12:37
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" COST_CENTER "1464 60 2018" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-07-09 09:32:00
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" COST_CENTER "1464 60 0303" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2015-07-09 09:34:00
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_ID "57030340"+Right([BLDG_NUM],1) VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2015-07-09 09:34:53
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_ID "57030380" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2015-07-09 09:35:19
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_NUM "" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2015-07-09 09:39:38
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_USE ""GREEN ""+ [BLDG_NUM]" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2015-07-09 09:40:22
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_ID ""57030300"+ [BLDG_NUM]" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2015-07-09 09:40:56
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_NUM "" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-07-09 09:46:45
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_USE "PREMIUM" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-07-09 09:48:35
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_USE "STANDARD" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-07-09 09:49:15
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_ID ""570218"+ [BLDG_NUM]" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-07-09 09:49:47
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_USE "PRIMITIVE" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-07-09 09:55:18
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_ID "5702183"+Right([BLDG_NUM],2) VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-07-09 09:59:32
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_USE "COTTAGE" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-07-09 10:14:12

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" BLDG_ID "5702184"+Right([BLDG_NUM],2) VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-07-09 10:14:45

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" BLDG_ID "57021843"+Right([BLDG_NUM],1) VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-07-09 10:15:16

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" BLDG_ID "57021845"+Right([BLDG_NUM],1) VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-07-09 10:16:03

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" BLDG_USE "GC CABIN" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-07-09 10:26:37

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" BLDG_NUM "" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-07-09 10:26:57

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" BLDG_ID "57021870" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-07-09 10:41:42

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_NUM "XX" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-07-09 10:42:09
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_NUM "" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-07-09 10:42:47
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_ID "5702188" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-07-09 11:10:36
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_USE "MEETING ROOM" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-07-09 11:13:54
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_NUM "" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-07-09 11:14:20
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_NUM "" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-07-09 11:14:25
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_ID "" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-07-09 11:15:54

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" SITE_PLAN "" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-07-09 13:04:45

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" COST_CENTER "1464 60 0219" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-07-09 13:08:26

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" BLDG_USE "PREMIUM" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-07-09 13:08:55

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" BLDG_USE "STANDARD" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-07-09 13:30:56

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" BLDG_ID ""620219"+ [BLDG_NUM]" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-07-09 13:32:12

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" BLDG_NUM "" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-07-09 13:32:18
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_ID "" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2015-07-09 14:00:50
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_ID "6202194"+Right([BLDG_NUM],2) VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2015-07-09 14:09:54
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_USE "GC CABIN" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2015-07-09 14:10:12
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_NUM "GC0" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2015-07-09 14:12:16
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_ID "62021943"+Right([BLDG_NUM],1) VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2015-07-09 14:31:59
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_NUM "M2"+Right([BLDG_NUM],2) VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2015-07-09 14:33:28
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED

CalculateField "PARK POINTS" BLDG_ID "62021952"+Right([BLDG_ID],1) VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-07-09 14:35:29
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" SITE_PLAN "" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-07-09 15:34:21
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_NUM "XX" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-07-09 15:37:11
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_NUM "" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-07-09 15:37:26
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_ID "620219701" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-07-09 15:38:57
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_ID "6202198" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-07-09 16:03:49
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_ID "" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-07-09 16:06:35
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_NUM "" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2015-07-09 16:28:26
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" COMMENT UCase([COMMENT]) VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2015-07-09 16:28:49
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" COST_CENTER "1464 60 0221" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2015-07-09 16:42:17
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_USE "STANDARD" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2015-07-09 16:42:44
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_ID ""710221"+ [BLDG_NUM]" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2015-07-10 08:32:24
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_ID ""7102214"+ Right([BLDG_NUM],2)" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2015-07-10 08:34:05
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField

COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_ID "71022142" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-07-10 09:01:27
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_USE "GROUP CAMP CABIN" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-07-13 08:34:43
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_NUM "HUT "+Right([BLDG_ID],2) VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-07-13 08:46:52
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_ID "71022170" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-07-13 08:48:16
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_ID "71022180" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-07-13 08:48:30
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_NUM "XX" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-07-13 09:28:37
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_NUM "" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-07-13 09:28:55

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" SITE_PLAN "" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-07-13 13:13:18

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" COST_CENTER "1464 60 0222" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-07-13 13:15:07

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" BLDG_ID ""410222"+ [BLDG_NUM]" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-07-13 13:15:26

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" BLDG_USE "STANDARD" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-07-13 13:20:28

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" BLDG_ID "41022230"+Right([BLDG_NUM],1) VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-07-13 13:23:33

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" BLDG_ID "41022245"+Right([BLDG_NUM],1) VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-07-13 13:24:22

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_USE "CABIN" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-07-13 13:24:54
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_ID "41022240"+Right([BLDG_NUM],1) VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-07-13 13:26:02
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_ID "410222701" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-07-13 13:26:59
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_NUM "XX" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-07-13 13:28:33
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_ID "4102228" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-07-13 14:17:04
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_NUM "" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-07-13 14:17:33
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" SITE_PLAN "" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-07-13 14:17:54

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" BLDG_NUM "" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-07-13 14:29:04

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" COST_CENTER "1464 60 0223" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-07-13 14:29:28

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" SITE_PLAN "" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-07-13 14:29:49

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" BLDG_USE "" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-07-13 14:34:56

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" BLDG_USE "PREMIUM" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-07-13 14:42:34

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" BLDG_USE "STANDARD" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-07-13 14:43:34
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_ID "580223"+Right([BLDG_NUM],3) VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2015-07-13 14:49:07
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_ID "5802233"+Right([BLDG_NUM],2) VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2015-07-13 14:51:49
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_ID "5802238"+Right([BLDG_NUM],2) VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2015-07-13 14:57:35
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_USE "GROUP PRIMITIVE ? LOC." VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2015-07-13 14:59:44
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_NUM "XX" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2015-07-13 15:17:38
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_ID "5802238" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2015-07-13 15:24:44
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED

CalculateField "PARK POINTS" BLDG_ID "" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-07-13 15:26:14
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_NUM "" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-07-13 15:26:37
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_NUM "" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-07-13 15:32:01
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" COMMENT "WALL DOXEY" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-07-13 15:49:19
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" COST_CENTER "1464 60 0224" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-07-13 15:49:51
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_ID ""470224"+ [BLDG_NUM]" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-07-13 15:50:43
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_ID "4702243"+Right([BLDG_NUM],2) VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-07-13 15:52:40
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_ID "47022440" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2015-07-13 16:00:53
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_ID ""4702244"+ Right([BLDG_NUM],2)" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2015-07-13 16:04:06
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_ID "47022470" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2015-07-13 16:05:15
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_ID "" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2015-07-13 16:09:30
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_NUM "XX" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2015-07-13 16:13:33
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_ID "4702248" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2015-07-13 16:15:24
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" BLDG_NUM "XX" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-07-13 16:15:36

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" BLDG_ID "4702248" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-07-13 16:20:22

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" BLDG_ID "4702248"+Right([BLDG_NUM],2) VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-07-13 16:20:32

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" BLDG_NUM "" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-07-13 16:21:07

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" BLDG_NUM "GC"+Right([BLDG_ID],2) VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-07-13 16:21:29

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" BLDG_NUM "" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-07-13 16:21:44

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" SITE_PLAN "" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-07-13 16:22:03

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" BLDG_ID "" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-07-13 16:22:22

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" BLDG_USE "SURVEY CONTROL" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-07-13 16:22:44

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" BLDG_USE "PRIMITIVE" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-07-13 16:23:08

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" BLDG_USE "STANDARD" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-07-14 08:35:46

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" BLDG_USE "PARKING" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-07-14 08:37:41

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" BLDG_USE "PRIMITIVE" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-07-14 08:39:34

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_USE "STANDARD" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-07-14 08:43:29
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_USE "PRIMITIVE" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-07-14 08:43:52
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_ID "" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-07-14 08:48:45
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_USE "PREMIUM" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-07-14 08:50:13
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_USE "STANDARD" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-07-14 08:52:49
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_USE "STANDARD" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-07-14 08:53:28
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_USE "PREMIUM" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-07-14 08:54:49

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" BLDG_USE "STANDARD" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-07-14 08:55:35

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" BLDG_USE "STANDARD" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-07-14 08:56:36

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" BLDG_USE "STANDARD" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-07-14 09:53:57

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" COST_CENTER "1464 60 0206" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-07-14 09:54:19

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" BLDG_ID "06020680" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-07-14 10:06:34

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" BLDG_USE "PREMIUM" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-07-14 10:07:09
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_USE "STANDARD" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2015-07-14 10:08:47
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_USE "STANDARD" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2015-07-14 10:09:48
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_USE "STANDARD" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2015-07-14 10:46:50
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" COST_CENTER "1464 60 0220" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2015-07-14 10:51:02
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_ID ""300220"+ [BLDG_NUM]" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2015-07-14 10:53:04
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_USE "STANDARD" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2015-07-14 10:53:52
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED

CalculateField "PARK POINTS" BLDG_ID "3002203"+Right([BLDG_NUM],2) VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-07-14 10:55:48
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_NUM "XX" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-07-14 10:56:10
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_ID "3002208" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-07-14 11:01:07
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_ID [BLDG_ID]+Right([BLDG_NUM],2) VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-07-14 11:01:16
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_NUM "" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-07-14 11:13:08
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_ID "2202084"+Right([BLDG_NUM],3) VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-07-14 11:18:53
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_ID "5402104"+Right([BLDG_NUM],3) VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-07-14 11:21:57
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_ID "7102094"+Right([BLDG_NUM],3) VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2015-09-01 08:14:21
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "2 PARK POINTS" PARK_EXTENT
"https://mdwfp.maps.arcgis.com/apps/Viewer/index.html?appid=a536e95bb92940d8
b199f538fb5abf51&extent=" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2015-09-01 08:14:55
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "2 PARK POINTS" PARK_EXTENT [PARK_EXTENT]+ "-89.4161,30.2586,-
89.3899,30.2741" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2015-09-01 08:19:19
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "2 PARK POINTS" BLDG_NUM Right(3, [BLDG_ID]) VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2015-09-01 08:20:19
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "2 PARK POINTS" BLDG_NUM Right([BLDG_ID],3) VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2015-09-01 08:47:27
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "2 PARK POINTS" PARK_EXTENT
"https://mdwfp.maps.arcgis.com/apps/Viewer/index.html?appid=a536e95bb92940d8
b199f538fb5abf51&extent=" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-09-01 08:47:53

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "2 PARK POINTS" PARK_EXTENT [PARK_EXTENT]+"-89.4122,32.5677,-89.4004,32.574" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-09-01 08:48:48

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "2 PARK POINTS" BLDG_NUM Right([BLDG_ID],3) VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-09-01 08:54:17

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "2 PARK POINTS" PARK_EXTENT
"https://mdwfp.maps.arcgis.com/apps/Viewer/index.html?appid=a536e95bb92940d8b199f538fb5abf51&extent=" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-09-01 08:54:45

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "2 PARK POINTS" PARK_EXTENT [PARK_EXTENT]+"-89.9293,33.0248,-89.9162,33.0326" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-09-01 09:01:59

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "2 PARK POINTS" BLDG_NUM Right([BLDG_ID],3) VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-09-01 09:04:16

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "2 PARK POINTS" TITLE [BLDG_NUM] VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-09-01 09:04:53

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "2 PARK POINTS" TITLE ""CS "+ [TITLE]" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-09-01 09:05:26

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "2 PARK POINTS" TITLE ""PC "+ [TITLE]" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-09-01 09:05:57

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "2 PARK POINTS" TITLE ""CA "+ [TITLE]" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-09-01 09:10:15

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "2 PARK POINTS" TITLE [BLDG_NUM] VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-09-01 09:12:23

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "2 PARK POINTS" TITLE [BLDG_ID] VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-09-01 09:12:36

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "2 PARK POINTS" TITLE [BLDG_NUM] VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-09-01 09:13:13

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "2 PARK POINTS" TITLE ""PC "+ [TITLE]" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-09-01 09:13:54
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "2 PARK POINTS" TITLE ""CS "+ [TITLE]" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-09-01 09:34:56
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "2 PARK POINTS" PARK_EXTENT
"https://mdwfp.maps.arcgis.com/apps/Viewer/index.html?appid=a536e95bb92940d8b199f538fb5abf51&extent=" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-09-01 09:35:18
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "2 PARK POINTS" PARK_EXTENT "-89.2509,31.1302,-89.2291,31.1552" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-09-01 09:35:52
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "2 PARK POINTS" PARK_EXTENT
""https://mdwfp.maps.arcgis.com/apps/Viewer/index.html?appid=a536e95bb92940d8b199f538fb5abf51&extent="" "+ [TITLE]" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-09-01 09:36:12
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "2 PARK POINTS" PARK_EXTENT
"https://mdwfp.maps.arcgis.com/apps/Viewer/index.html?appid=a536e95bb92940d8b199f538fb5abf51&extent=" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-09-01 09:37:08

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "2 PARK POINTS" PARK_EXTENT [PARK_EXTENT]+"-89.2509,31.1302,-89.2291,31.1552" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-09-01 09:38:34

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "2 PARK POINTS" BLDG_NUM Right([BLDG_ID],3) VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-09-01 09:39:24

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "2 PARK POINTS" TITLE "'PV '+ [BLDG_NUM]" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-09-01 09:40:42

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "2 PARK POINTS" TITLE "'BH '+ [BLDG_NUM]" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-09-01 09:41:19

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "2 PARK POINTS" TITLE "'BR '+ [BLDG_NUM]" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-09-01 09:42:07

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "2 PARK POINTS" TITLE "'CA '+ [BLDG_NUM]" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-09-01 09:42:42

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "2 PARK POINTS" TITLE ""CS "+ [BLDG_NUM]" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-09-01 09:43:19
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "2 PARK POINTS" TITLE ""PC "+ [BLDG_NUM]" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-09-01 09:44:38
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "2 PARK POINTS" TITLE [BLDG_NUM] VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-09-01 09:49:51
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "2 PARK POINTS" TITLE "NA" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-09-01 09:50:24
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "2 PARK POINTS" TITLE [BLDG_USE] VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-09-01 09:59:45
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "2 PARK POINTS" BLDG_NUM [BLDG_ID] VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-09-01 10:00:09
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "2 PARK POINTS" BLDG_NUM Right([BLDG_NUM],3) VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-09-01 10:00:44

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "2 PARK POINTS" PARK_EXTENT
"https://mdwfp.maps.arcgis.com/apps/Viewer/index.html?appid=a536e95bb92940d8
b199f538fb5abf51&extent=" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-09-01 10:01:11

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "2 PARK POINTS" PARK_EXTENT [PARK_EXTENT]+"-89.6884,32.3131,-
89.6697,32.3245" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-09-01 10:03:26

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "2 PARK POINTS" PARK_EXTENT
"https://mdwfp.maps.arcgis.com/apps/Viewer/index.html?appid=a536e95bb92940d8
b199f538fb5abf51&extent=" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-09-01 10:03:53

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "2 PARK POINTS" PARK_EXTENT [PARK_EXTENT]+"-89.6907,32.3108,-
89.6659,32.3285" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-09-01 10:06:11

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "2 PARK POINTS" TITLE "CS "+[BLDG_NUM] VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-09-01 10:06:43

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "2 PARK POINTS" TITLE "CA "+[BLDG_NUM] VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-09-01 10:07:51

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "2 PARK POINTS" TITLE [BLDG_NUM] VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-09-01 10:30:00

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "2 PARK POINTS" PARK_EXTENT
"https://mdwfp.maps.arcgis.com/apps/Viewer/index.html?appid=a536e95bb92940d8
b199f538fb5abf51&extent=" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-09-01 10:30:28

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "2 PARK POINTS" PARK_EXTENT [PARK_EXTENT]+"-90.5417,31.1714,-
90.4945,31.204" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-09-01 10:31:12

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "2 PARK POINTS" BLDG_NUM Right([BLDG_ID],3) VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-09-01 10:33:04

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "2 PARK POINTS" BLDG_NUM ""GR "+ [BLDG_NUM]" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-09-01 10:33:21

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "2 PARK POINTS" TITLE [BLDG_NUM] VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-09-01 10:37:55
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "2 PARK POINTS" TITLE [BLDG_NUM] VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-09-01 10:39:32
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "2 PARK POINTS" TITLE "BH "+[BLDG_NUM] VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-09-01 10:40:36
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "2 PARK POINTS" TITLE "CA "+[BLDG_NUM] VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-09-01 10:41:22
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "2 PARK POINTS" TITLE "CS "+[BLDG_NUM] VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-09-01 10:44:11
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "2 PARK POINTS" TITLE "PC "+[BLDG_NUM] VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-09-01 10:45:11
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "2 PARK POINTS" TITLE [BLDG_NUM] VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-09-01 12:13:53
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "2 PARK POINTS" TITLE ""PC "+ [BLDG_NUM]" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2015-09-01 12:14:39
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "2 PARK POINTS" TITLE ""CS "+ [BLDG_NUM]" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2015-09-01 12:19:58
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "2 PARK POINTS" PARK_EXTENT
"https://mdwfp.maps.arcgis.com/apps/Viewer/index.html?appid=a536e95bb92940d8b199f538fb5abf51&extent=" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2015-09-01 12:20:23
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "2 PARK POINTS" PARK_EXTENT [PARK_EXTENT]+"-88.9108,34.2456,-88.8773,34.2675" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2015-09-01 12:23:26
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "2 PARK POINTS" TITLE ""CA "+ [BLDG_NUM]" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2015-09-01 12:25:31
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "2 PARK POINTS" BLDG_NUM Right([BLDG_ID],3) VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME

DATE 2015-09-01 12:25:44
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "2 PARK POINTS" TITLE Right([BLDG_ID],3) VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2015-09-01 12:36:19
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "2 PARK POINTS" PARK_EXTENT
"https://mdwfp.maps.arcgis.com/apps/Viewer/index.html?appid=a536e95bb92940d8b199f538fb5abf51&extent=" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2015-09-01 12:37:06
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "2 PARK POINTS" PARK_EXTENT [PARK_EXTENT]+"-88.7045,32.0952,-88.6844,32.107" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2015-09-01 12:38:17
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "2 PARK POINTS" BLDG_NUM Right([BLDG_ID],3) VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2015-09-01 12:38:32
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "2 PARK POINTS" TITLE Right([BLDG_ID],3) VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2015-09-01 12:42:26
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "2 PARK POINTS" TITLE ""CA "+ [BLDG_NUM]" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2015-09-01 12:43:00

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "2 PARK POINTS" TITLE ""CA "+ [BLDG_NUM]" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-09-01 12:47:36
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "2 PARK POINTS" BLDG_NUM Right([BLDG_ID],3) VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-09-01 12:47:48
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "2 PARK POINTS" TITLE Right([BLDG_ID],3) VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-09-01 12:52:18
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "2 PARK POINTS" PARK_EXTENT
"https://mdwfp.maps.arcgis.com/apps/Viewer/index.html?appid=a536e95bb92940d8b199f538fb5abf51&extent=" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-09-01 12:52:33
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "2 PARK POINTS" PARK_EXTENT [PARK_EXTENT]+"-89.7936,33.7818,-89.7153,33.8159" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-09-01 12:57:56
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "2 PARK POINTS" BLDG_ID ""600208"+ [BLDG_NUM]" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-09-01 13:00:22

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "2 PARK POINTS" TITLE ""CA "+ [BLDG_NUM]" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-09-01 13:00:47
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "2 PARK POINTS" TITLE ""CA "+ [BLDG_NUM]" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-09-01 13:04:20
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "2 PARK POINTS" BLDG_NUM Right([BLDG_ID],3) VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-09-01 13:04:28
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "2 PARK POINTS" TITLE Right([BLDG_ID],3) VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-09-01 13:19:20
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "2 PARK POINTS" TITLE [BLDG_NUM] VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-09-01 13:19:48
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "2 PARK POINTS" BLDG_ID "[BLDG_ID]+ [BLDG_NUM]" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-09-01 13:24:00
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED

CalculateField "2 PARK POINTS" PARK_EXTENT
"https://mdwfp.maps.arcgis.com/apps/Viewer/index.html?appid=a536e95bb92940d8
b199f538fb5abf51&extent=" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-09-01 13:24:17

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "2 PARK POINTS" PARK_EXTENT [PARK_EXTENT]+"-89.8176,34.4041,-
89.792,34.446" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-09-01 13:27:12

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "2 PARK POINTS" TITLE [BLDG_NUM] VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-09-01 13:28:26

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "2 PARK POINTS" TITLE Right([BLDG_ID],3) VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-09-01 13:28:34

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "2 PARK POINTS" BLDG_NUM Right([BLDG_ID],3) VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-09-01 13:43:34

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "2 PARK POINTS" BLDG_ID "[BLDG_ID]+ [BLDG_NUM]" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-09-01 13:44:13

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "2 PARK POINTS" TITLE [BLDG_NUM] VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-09-01 13:49:08

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "2 PARK POINTS" TITLE "CA "+[BLDG_NUM] VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-09-01 13:49:54

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "2 PARK POINTS" BLDG_NUM Right([BLDG_ID],3) VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-09-01 13:50:00

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "2 PARK POINTS" TITLE Right([BLDG_ID],3) VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-09-01 13:52:12

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "2 PARK POINTS" BLDG_NUM Right([BLDG_ID],3) VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-09-01 13:52:17

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "2 PARK POINTS" TITLE Right([BLDG_ID],3) VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-09-01 13:56:34

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "2 PARK POINTS" PARK_EXTENT

"https://mdwfp.maps.arcgis.com/apps/Viewer/index.html?appid=a536e95bb92940d8b199f538fb5abf51&extent=" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-09-01 13:56:51

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "2 PARK POINTS" PARK_EXTENT [PARK_EXTENT]+"-90.3475,31.671,-90.3266,31.6837" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-09-01 13:59:35

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "2 PARK POINTS" BLDG_NUM Right([BLDG_ID],3) VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-09-01 13:59:42

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "2 PARK POINTS" TITLE Right([BLDG_ID],3) VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-09-01 14:04:58

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "2 PARK POINTS" PARK_EXTENT
"https://mdwfp.maps.arcgis.com/apps/Viewer/index.html?appid=a536e95bb92940d8b199f538fb5abf51&extent=" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-09-01 14:05:16

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "2 PARK POINTS" PARK_EXTENT [PARK_EXTENT]+"-88.3091,33.4187,-88.2857,33.4437" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-09-01 14:07:21

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "2 PARK POINTS" TITLE ""CA ""+ [BLDG_NUM]" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-09-01 14:07:59

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "2 PARK POINTS" BLDG_NUM Right([BLDG_ID],3) VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-09-01 14:08:04

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "2 PARK POINTS" TITLE Right([BLDG_ID],3) VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-09-01 14:15:43

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "2 PARK POINTS" PARK_EXTENT
"https://mdwfp.maps.arcgis.com/apps/Viewer/index.html?appid=a536e95bb92940d8b199f538fb5abf51&extent=" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-09-01 14:15:58

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "2 PARK POINTS" PARK_EXTENT [PARK_EXTENT]+"-90.1623,32.3197,-90.1363,32.3351" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-09-01 14:17:29

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "2 PARK POINTS" COST_CENTER "1464 50 0301" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-09-01 14:19:04

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "2 PARK POINTS" COST_CENTER "1464 25 0301" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-09-01 14:23:14
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "2 PARK POINTS" COST_CENTER "1464 60 0301" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2015-09-01 14:24:07
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "2 PARK POINTS" BLDG_NUM ""GR "+ [BLDG_NUM]" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2015-09-01 14:24:16
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "2 PARK POINTS" TITLE ""GR "+ [BLDG_NUM]" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2015-09-01 14:24:26
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "2 PARK POINTS" TITLE [BLDG_NUM] VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2015-09-01 14:26:26
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "2 PARK POINTS" BLDG_ID "" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2015-09-01 14:26:33
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "2 PARK POINTS" COST_CENTER "" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2015-09-01 14:27:18
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "2 PARK POINTS" TITLE "'CA "+ [BLDG_NUM]" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-09-01 14:28:34

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "2 PARK POINTS" BLDG_NUM Right([BLDG_ID],3) VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-09-01 14:28:42

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "2 PARK POINTS" TITLE Right([BLDG_ID],3) VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-09-01 14:31:30

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "2 PARK POINTS" BLDG_NUM Right([BLDG_ID],3) VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-09-01 14:31:40

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "2 PARK POINTS" TITLE Right([BLDG_ID],3) VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-09-01 14:37:01

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "2 PARK POINTS" PARK_EXTENT
"https://mdwfp.maps.arcgis.com/apps/Viewer/index.html?appid=a536e95bb92940d8
b199f538fb5abf51&extent=" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-09-01 14:37:16

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "2 PARK POINTS" PARK_EXTENT [PARK_EXTENT]+"-89.0568,33.1453,-89.0329,33.1591" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-09-01 14:39:14

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "2 PARK POINTS" TITLE "'CA "+ [BLDG_NUM]" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-09-01 14:40:17

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "2 PARK POINTS" BLDG_NUM Right([BLDG_ID],3) VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-09-01 14:40:23

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "2 PARK POINTS" TITLE Right([BLDG_ID],3) VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-09-01 14:44:09

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "2 PARK POINTS" PARK_EXTENT
"https://mdwfp.maps.arcgis.com/apps/Viewer/index.html?appid=a536e95bb92940d8b199f538fb5abf51&extent=" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-09-01 14:44:26

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "2 PARK POINTS" PARK_EXTENT [PARK_EXTENT]+"-90.9548,33.1587,-90.9147,33.1767" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-09-01 14:54:05

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "2 PARK POINTS" TITLE ""CA "+ [BLDG_NUM]" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-09-01 14:55:59
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "2 PARK POINTS" BLDG_NUM Right([BLDG_ID],3) VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-09-01 14:56:33
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "2 PARK POINTS" TITLE Right([BLDG_ID],3) VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-09-01 15:00:02
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "2 PARK POINTS" PARK_EXTENT
"https://mdwfp.maps.arcgis.com/apps/Viewer/index.html?appid=a536e95bb92940d8b199f538fb5abf51&extent=" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-09-01 15:00:20
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "2 PARK POINTS" PARK_EXTENT [PARK_EXTENT]+"-91.2436,31.5688,-91.1843,31.6189" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-09-01 15:02:20
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "2 PARK POINTS" TITLE ""CA "+ [BLDG_NUM]" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-09-01 15:02:59
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "2 PARK POINTS" TITLE ""CA "+ [BLDG_NUM]" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-09-01 15:05:28

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "2 PARK POINTS" BLDG_NUM Right([BLDG_ID],3) VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-09-01 15:05:36

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "2 PARK POINTS" TITLE Right([BLDG_ID],3) VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-09-01 15:08:35

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "2 PARK POINTS" PARK_EXTENT

"https://mdwfp.maps.arcgis.com/apps/Viewer/index.html?appid=a536e95bb92940d8b199f538fb5abf51&extent=" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-09-01 15:08:50

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "2 PARK POINTS" PARK_EXTENT [PARK_EXTENT]+"-88.2123,34.5898,-88.1685,34.6239" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-09-01 15:11:59

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "2 PARK POINTS" TITLE ""CA "+ [BLDG_NUM]" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-09-01 15:12:54

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "2 PARK POINTS" BLDG_NUM Right([BLDG_ID],3) VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-09-01 15:13:07

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "2 PARK POINTS" TITLE Right([BLDG_ID],3) VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-09-01 16:05:40

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "2 PARK POINTS" PARK_EXTENT

"https://mdwfp.maps.arcgis.com/apps/Viewer/index.html?appid=a536e95bb92940d8b199f538fb5abf51&extent=" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-09-01 16:05:58

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "2 PARK POINTS" PARK_EXTENT [PARK_EXTENT]+"-88.6326,34.2278,-88.6133,34.2398" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-09-01 16:09:12

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "2 PARK POINTS" PARK_EXTENT

"https://mdwfp.maps.arcgis.com/apps/Viewer/index.html?appid=a536e95bb92940d8b199f538fb5abf51&extent=" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-09-01 16:09:28

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "2 PARK POINTS" PARK_EXTENT [PARK_EXTENT]+"-88.6331,34.2248,-88.6133,34.2398" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-09-01 16:39:10

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "2 PARK POINTS" TITLE ""CA "+ [BLDG_NUM]" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-09-01 16:41:35

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "2 PARK POINTS" BLDG_NUM Right([BLDG_ID],3) VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-09-01 16:42:22

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "2 PARK POINTS" TITLE Right([BLDG_ID],3) VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-09-01 16:46:57

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "2 PARK POINTS" PARK_EXTENT
"https://mdwfp.maps.arcgis.com/apps/Viewer/index.html?appid=a536e95bb92940d8
b199f538fb5abf51&extent=" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-09-01 16:47:15

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "2 PARK POINTS" PARK_EXTENT [PARK_EXTENT]+"-89.4721,34.6545,-
89.4537,34.6712" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-09-01 16:49:09

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "2 PARK POINTS" TITLE ""CA "+ [BLDG_NUM]" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-09-01 16:51:35

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "2 PARK POINTS" BLDG_NUM Right([BLDG_ID],3) VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-09-01 16:51:41

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "2 PARK POINTS" TITLE Right([BLDG_ID],3) VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-09-02 08:16:54

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "2 PARK POINTS" PARK_EXTENT

"https://mdwfp.maps.arcgis.com/apps/Viewer/index.html?appid=a536e95bb92940d8b199f538fb5abf51&extent=" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-09-02 08:17:10

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "2 PARK POINTS" PARK_EXTENT [PARK_EXTENT]+"-89.8932,34.1199,-89.8686,34.1397" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-09-02 08:18:30

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "2 PARK POINTS" TITLE "'CA "+ [BLDG_NUM]" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-09-02 08:19:57

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "2 PARK POINTS" BLDG_NUM Right([BLDG_ID],3) VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-09-02 08:20:03

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "2 PARK POINTS" TITLE Right([BLDG_ID],3) VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-09-02 08:24:41

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "2 PARK POINTS" PARK_EXTENT
"https://mdwfp.maps.arcgis.com/apps/Viewer/index.html?appid=a536e95bb92940d8b199f538fb5abf51&extent=" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-09-02 08:24:56

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "2 PARK POINTS" PARK_EXTENT [PARK_EXTENT]+"-88.1767,34.919,-88.1641,34.9357" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-09-02 08:26:29

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "2 PARK POINTS" TITLE "'CA "+ [BLDG_NUM]" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-09-02 08:37:18

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "2 PARK POINTS" BLDG_NUM Right([BLDG_ID],3) VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-09-02 08:37:23

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "2 PARK POINTS" TITLE Right([BLDG_ID],3) VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-09-02 08:43:41

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "2 PARK POINTS" PARK_EXTENT
"https://mdwfp.maps.arcgis.com/apps/Viewer/index.html?appid=a536e95bb92940d8b199f538fb5abf51&extent=" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-09-02 08:43:54

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "2 PARK POINTS" PARK_EXTENT [PARK_EXTENT]+"-90.2545,33.522,-90.2428,33.5291" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-09-02 08:46:32

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "2 PARK POINTS" PARK_EXTENT "https://mdwfp.maps.arcgis.com/apps/Viewer/index.html?appid=a536e95bb92940d8b199f538fb5abf51&extent=" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-09-02 08:46:44

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "2 PARK POINTS" PARK_EXTENT [PARK_EXTENT]+"-88.644,30.3672,-88.6168,30.3836" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-09-02 08:47:30

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "2 PARK POINTS" BLDG_NUM Right([BLDG_ID],3) VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-09-02 08:47:37

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "2 PARK POINTS" TITLE Right([BLDG_ID],3) VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-09-02 08:51:59

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "2 PARK POINTS" PARK_EXTENT "https://mdwfp.maps.arcgis.com/apps/Viewer/index.html?appid=a536e95bb92940d8b199f538fb5abf51&extent=" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-09-02 08:52:19

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "2 PARK POINTS" PARK_EXTENT [PARK_EXTENT]+"-91.5352,31.0505,-91.5098,31.0734" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-09-02 08:53:31

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "2 PARK POINTS" TITLE [BLDG_USE] VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-09-02 08:56:06

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "2 PARK POINTS" BLDG_NUM Right([BLDG_ID],3) VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-09-02 08:56:10

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "2 PARK POINTS" TITLE Right([BLDG_ID],3) VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-09-02 09:02:01

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "2 PARK POINTS" PARK_EXTENT "https://mdwfp.maps.arcgis.com/apps/Viewer/index.html?appid=a536e95bb92940d8b199f538fb5abf51&extent=" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-09-02 09:02:15

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "2 PARK POINTS" PARK_EXTENT [PARK_EXTENT]+"-91.5408,31.0468,-91.5038,31.0786" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-11-03 10:57:27

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" FAC_TYPE 1002 VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-11-03 10:59:11

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" FAC_TYPE 1004 VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-11-03 11:03:38

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" FAC_TYPE 1003 VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-11-03 11:06:35

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" FAC_TYPE 1001 VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-11-03 11:23:26

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" FAC_TYPE 1009 VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-11-03 11:24:40

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" FAC_TYPE 1001 VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-11-03 11:25:01
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" FAC_TYPE 1001 VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2015-11-03 11:26:41
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" FAC_TYPE 9999 VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2015-11-03 11:39:44
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" FAC_TYPE 9999 VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2015-11-03 11:45:36
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" FAC_TYPE 9000 VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2015-11-03 11:47:16
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" FAC_TYPE 1012 VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2015-11-03 11:51:27
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_USE "HOTEL ROOMS" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2015-11-03 11:51:43
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED

CalculateField "PARK POINTS" FAC_TYPE 1001 VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-11-03 14:24:47
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" FAC_TYPE 1016 VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-11-03 14:26:06
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" FAC_TYPE 1017 VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-11-03 14:28:17
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" FAC_TYPE 1008 VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-11-03 14:29:45
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_USE "MAINTENANCE BUILDING" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-11-03 14:33:42
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" FAC_TYPE 9001 VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-11-03 14:34:37
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" FAC_TYPE 9002 VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-11-03 14:42:23
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" FAC_TYPE 1000 VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2015-11-03 14:43:28
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_USE "GATEHOUSE" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2015-11-03 14:48:24
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" FAC_TYPE 9003 VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2015-11-03 14:59:21
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" COMMENT "JP COLEMAN" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2015-11-03 14:59:53
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" COMMENT "JP COLEMAN" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2015-11-03 15:01:45
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" FAC_TYPE 9004 VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2015-11-03 15:06:14
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_USE "MOTEL ROOM" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-11-03 15:06:41
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" FAC_TYPE 9005 VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-11-03 15:08:48
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" FAC_TYPE 9005 VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-11-03 15:09:51
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" FAC_TYPE 9999 VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-11-03 15:18:51
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" FAC_TYPE 9006 VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-11-03 15:23:17
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" FAC_TYPE 9007 VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2015-11-03 15:26:20
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" FAC_TYPE 9008 VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-11-03 15:28:05

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" FAC_TYPE 9009 VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-11-03 15:37:16

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" FAC_TYPE 9011 VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-11-03 15:38:27

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" FAC_TYPE 9012 VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-11-03 15:40:44

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" FAC_TYPE 9013 VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2015-11-03 15:47:27

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" FAC_TYPE 9999 VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2016-03-01 08:39:21

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" COST_CENTER "1464 60 0218" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2016-03-01 08:41:18

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" COST_CENTER "1464 60 0218" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2016-03-25 09:53:45
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_ID [BLDG_ID]-1 VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2016-03-25 09:55:30
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_ID [BLDG_ID]-1 VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2016-03-25 09:57:44
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_NUM Right([BLDG_ID],3) VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2016-03-25 10:06:17
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_ID [BLDG_ID]-2 VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2016-03-25 10:06:43
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_ID [BLDG_ID]-1 VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2016-03-25 10:07:40
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_ID [BLDG_ID]-1 VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2016-03-25 10:08:49

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" BLDG_NUM Right([BLDG_ID],3) VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2016-03-25 10:26:43

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" BLDG_NUM Right([BLDG_ID],3) VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2016-03-25 14:13:36

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" COST_CENTER "1464 00 0000" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2016-03-31 13:37:34

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "2 PARK POINTS" BLDG_ID [BLDG_ID]-1 VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2016-03-31 13:37:53

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "2 PARK POINTS" BLDG_NUM "[BLDG_NUM] -1" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2016-05-26 10:58:57

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK POINTS" BLDG_ID [BLDG_ID]-1 VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2016-05-26 10:59:15
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_NUM "[BLDG_NUM] -1" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2016-05-26 11:16:44
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_NUM [BLDG_NUM]-1 VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2016-05-26 11:16:59
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK POINTS" BLDG_ID "[BLDG_ID] -1" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2017-08-17 09:54:05
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.4\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField GIS_Data.DBO.PARKS_POINT_FEATURES COMMENT UCase([COMMENT])
VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2019-01-22 09:48:14
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.4\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField recreational_facilities PARK [COMMENT] VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2019-01-22 09:49:02
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.4\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField recreational_facilities USE [BLDG_USE] VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2019-01-22 09:52:43
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.4\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED
CalculateField recreational_facilities USE "BATHHOUSE" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2019-01-22 10:00:39
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.4\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField recreational_facilities USE "PRIMITIVE CAMPING" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2019-01-22 10:01:18
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.4\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField recreational_facilities USE "GOLF VILLAS" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2019-01-22 10:02:41
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.4\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField recreational_facilities USE "STANDARD RV SITE" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2019-01-22 10:03:18
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.4\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField recreational_facilities USE "PREMIUM RV SITE" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

Hide Geoprocessing history ▲

Distribution ►

DISTRIBUTION FORMAT
* NAME Shapefile

TRANSFER OPTIONS
* TRANSFER SIZE 0.069

Hide Distribution ▲

Fields ►

DETAILS FOR OBJECT MS_Rec_Facils ►

* TYPE Feature Class
* ROW COUNT 2584
DEFINITION
Facilities at MS State Parks

DEFINITION SOURCE
MDFWP

FIELD FID ►

* ALIAS FID
* DATA TYPE OID
* WIDTH 4
* PRECISION 0
* SCALE 0
* FIELD DESCRIPTION
Internal feature number.

* DESCRIPTION SOURCE
Esri

* DESCRIPTION OF VALUES
Sequential unique whole numbers that are automatically generated.

Hide Field FID ▲

FIELD OBJECTID ►

* ALIAS OBJECTID
* DATA TYPE Integer
* WIDTH 10
* PRECISION 10
* SCALE 0
* FIELD DESCRIPTION
Internal feature number.

* DESCRIPTION SOURCE
Esri

* DESCRIPTION OF VALUES
Sequential unique whole numbers that are automatically generated.

Hide Field OBJECTID ▲

FIELD SHAPE ►

* ALIAS Shape
* DATA TYPE Geometry

- * WIDTH 0
- * PRECISION 0
- * SCALE 0
- * FIELD DESCRIPTION
Feature geometry.

- * DESCRIPTION SOURCE
Esri

- * DESCRIPTION OF VALUES
Coordinates defining the features.

Hide Field SHAPE ▲

FIELD PARK ►

- * ALIAS PARK
- * DATA TYPE String
- * WIDTH 50
- * PRECISION 0
- * SCALE 0

FIELD DESCRIPTION
name of park

DESCRIPTION SOURCE
MDWFP

Hide Field PARK ▲

FIELD USE ►

- * ALIAS USE
- * DATA TYPE String
- * WIDTH 250
- * PRECISION 0
- * SCALE 0

FIELD DESCRIPTION
use of facility including:
RV camp sites (premium and standard)
Primitive camping
Cottages
Battlefields
Piers
Boat Ramps
Playground
Tennis courts
Multi-purpose field
Amptheater
Observation Tower
Wading Pool
Water slide
Swimming Pool

Disc Golf
Golf Cart storage shed
Pro Shop
Golf Cabin
Golf Villas
Bathhouse
Ranger Station
Pavilion
Picnic Shed
Hotel Rooms
Cabins
Group Camp Kitchen/Dining Room
Camp Store
Boathouse
Museum
Train Depot
Well Shelter
Carriage House
Smoke House
General Store
Blacksmith Shop
Wagon Shop
Shingle Mill
Saw Mill
Hospital
Comfort Station
Restroom
Office
Picnic Area
Clubhouse
Barn
Lodge
Motel
Restaurant
Bike Trail
Golf Course
Marina
other....

DESCRIPTION SOURCE
MDWFP

Hide Field USE ▲

FIELD LONG ►

* ALIAS LONG
* DATA TYPE Double
* WIDTH 19
* PRECISION 0
* SCALE 0

FIELD DESCRIPTION

Longitude in decimal degrees

DESCRIPTION SOURCE
MDWFP

[Hide Field LONG ▲](#)

FIELD LAT ►

* ALIAS LAT
* DATA TYPE Double
* WIDTH 19
* PRECISION 0
* SCALE 0

FIELD DESCRIPTION
Latitude in decimal degrees

DESCRIPTION SOURCE
MDWFP

[Hide Field LAT ▲](#)

[Hide Details for object MS_Rec_Facils ▲](#)

[Hide Fields ▲](#)

Metadata Details ►

* METADATA LANGUAGE English (UNITED STATES)

SCOPE OF THE DATA DESCRIBED BY THE METADATA * dataset
SCOPE NAME * dataset

* LAST UPDATE 2019-01-22

ARCGIS METADATA PROPERTIES

METADATA FORMAT ArcGIS 1.0
METADATA STYLE FGDC CSDGM Metadata
STANDARD OR PROFILE USED TO EDIT METADATA FGDC

CREATED IN ARCGIS FOR THE ITEM 2019-01-22 10:27:29
LAST MODIFIED IN ARCGIS FOR THE ITEM 2019-01-22 10:51:26

AUTOMATIC UPDATES

HAVE BEEN PERFORMED Yes
LAST UPDATE 2019-01-22 10:28:34

[Hide Metadata Details ▲](#)

Metadata Contacts ►

METADATA CONTACT

INDIVIDUAL'S NAME Steve Walker
ORGANIZATION'S NAME MARIS
CONTACT'S POSITION GIS Operations Manager
CONTACT'S ROLE distributor

CONTACT INFORMATION ▶

PHONE
VOICE 601-432-6149

ADDRESS

TYPE physical
DELIVERY POINT 3825 Ridgewood Rd
CITY Jackson
ADMINISTRATIVE AREA MS
POSTAL CODE 39211
COUNTRY US
E-MAIL ADDRESS swalker@mississippi.edu

HOURS OF SERVICE
M-F 7-3 CDT

[Hide Contact information ▲](#)

[Hide Metadata Contacts ▲](#)

Metadata Maintenance ▶

MAINTENANCE
UPDATE FREQUENCY as needed

[Hide Metadata Maintenance ▲](#)

Thumbnail and Enclosures ▶

THUMBNAIL
THUMBNAIL TYPE JPG

[Hide Thumbnail and Enclosures ▲](#)

FGDC Metadata (read-only) ▼

DETAILED DESCRIPTION
ENTITY TYPE
ENTITY TYPE LABEL MS_Rec_Facils
ENTITY TYPE DEFINITION
Facilities at MS State Parks
ENTITY TYPE DEFINITION SOURCE MDFWP

ATTRIBUTE
ATTRIBUTE LABEL FID
ATTRIBUTE DEFINITION
Internal feature number.
ATTRIBUTE DEFINITION SOURCE Esri

ATTRIBUTE DOMAIN VALUES
UNREPRESENTABLE DOMAIN
Sequential unique whole numbers that are automatically generated.

ATTRIBUTE
ATTRIBUTE LABEL OBJECTID
ATTRIBUTE DEFINITION
Internal feature number.
ATTRIBUTE DEFINITION SOURCE Esri
ATTRIBUTE DOMAIN VALUES
UNREPRESENTABLE DOMAIN
Sequential unique whole numbers that are automatically generated.

ATTRIBUTE
ATTRIBUTE LABEL SHAPE
ATTRIBUTE DEFINITION
Feature geometry.
ATTRIBUTE DEFINITION SOURCE Esri
ATTRIBUTE DOMAIN VALUES
UNREPRESENTABLE DOMAIN
Coordinates defining the features.

ATTRIBUTE
ATTRIBUTE LABEL PARK
ATTRIBUTE DEFINITION
name of park
ATTRIBUTE DEFINITION SOURCE MDWFP

ATTRIBUTE
ATTRIBUTE LABEL USE
ATTRIBUTE DEFINITION
use of facility including: RV camp sites (premium and standard) Primitive camping Cottages Battlefields Piers Boat Ramps Playground Tennis courts Multi-purpose field Amphheater Observation Tower Wading Pool Water slide Swimming Pool Disc Golf Golf Cart storage shed Pro Shop Golf Cabin Golf Villas Bathhouse Ranger Station Pavilion Picnic Shed Hotel Rooms Cabins Group Camp Kitchen/Dining Room Camp Store Boathouse Museum Train Depot Well Shelter Carriage House Smoke House General Store Blacksmith Shop Wagon Shop Shingle Mill Saw Mill Hospital Comfort Station Restroom Office Picnic Area Clubhouse Barn Lodge Motel Restaurant Bike Trail Golf Course Marina other....
ATTRIBUTE DEFINITION SOURCE MDWFP

ATTRIBUTE
ATTRIBUTE LABEL LONG
ATTRIBUTE DEFINITION
Longitude in decimal degrees
ATTRIBUTE DEFINITION SOURCE MDWFP

ATTRIBUTE
ATTRIBUTE LABEL LAT
ATTRIBUTE DEFINITION
Latitude in decimal degrees
ATTRIBUTE DEFINITION SOURCE MDWFP

[Hide Entities and Attributes ▲](#)