

MS_EPAATTAINS_areas_2024

Shapefile



Tags

Water, Management, Natural Resources, Monitoring, Estuary, Environment, Land, Regulatory, Ecosystem, water quality, Ground Water, United States, Surface Water

Summary

MS EPA ATTAINS areas

Description

State water quality assessment decisions reported to EPA under the Integrated Report (IR), and Clean Water Act Sections 303(d) and 305(b). This service provides summary information for each Assessment Unit. For more detailed data, please reference the Assessment Total Maximum Daily Load (TMDL) Tracking and Implementation System (ATTAINS) web services. Information on those web services is provided on the public ATTAINS website: <https://www.epa.gov/waterdata/attains>.

On July 2024, MARIS staff download and extracted the MS portion of this data set.

For more information see:

<https://catalog.data.gov/dataset/attains-assessments2>

https://gispub.epa.gov/arcgis/rest/services/OW/ATTAINS_Assessment/MapServer

Credits

EPA, MS DEQ, MARIS

Use limitations

Although these data have been processed successfully on a computer system at the Environmental Protection Agency, no warranty expressed or implied is made regarding the accuracy or utility of the data on any other system or for general or scientific purposes, nor shall the act of distribution constitute any such warranty. It is strongly recommended that careful attention be paid to the contents of the metadata file associated with these data to evaluate data set limitations, restrictions or intended use. The U.S. Environmental Protection Agency shall not be held liable for improper or incorrect use of the data described and/or contained herein.

Extent

West -91.656596 **East** -88.161250

North 35.008394 **South** 30.396073

Scale Range

Maximum (zoomed in) 1:5,000

Minimum (zoomed out) 1:150,000,000

ArcGIS Metadata ▶

Topics and Keywords ▶

THEMES OR CATEGORIES OF THE RESOURCE inlandWaters, environment

* CONTENT TYPE Downloadable Data
EXPORT TO FGDC CSDGM XML FORMAT AS RESOURCE DESCRIPTION No

PLACE KEYWORDS United States

THESAURUS ▶

TITLE None

[Hide Thesaurus ▲](#)

THEME KEYWORDS Water, Management, Natural Resources, Monitoring, Estuary, Environment, Land, Regulatory, Ecosystem, Ground Water, Surface Water

THESAURUS ▶

TITLE EPA GIS Keyword Thesaurus

[Hide Thesaurus ▲](#)

THEME KEYWORDS water quality

THESAURUS ▶

TITLE User keywords

[Hide Thesaurus ▲](#)

[Hide Topics and Keywords ▲](#)

Citation ▶

* TITLE MS_EPAATTAINS_areas_2024
PUBLICATION DATE 2020-06-08 00:00:00

EDITION 20200608

PRESENTATION FORMATS digital map

[Hide Citation ▲](#)

Citation Contacts ▶

RESPONSIBLE PARTY
ORGANIZATION'S NAME EPA Office of Water

CONTACT'S ROLE resource provider

CONTACT INFORMATION ►

ADDRESS

TYPE

CITY Washington

ADMINISTRATIVE AREA DC

[Hide Contact information ▲](#)

[Hide Citation Contacts ▲](#)

Resource Details ►

DATASET LANGUAGES eng; USA (UNITED STATES)

STATUS completed

SPATIAL REPRESENTATION TYPE * vector

SUPPLEMENTAL INFORMATION

None

* PROCESSING ENVIRONMENT Version 6.2 (Build 9200) ; Esri ArcGIS 10.9.1.28388

CREDITS

EPA, MS DEQ, MARIS

ARCGIS ITEM PROPERTIES

* NAME MS_EPAATTAINS_areas_2024

* SIZE 0.589

* LOCATION file:///\\DESKTOP-

TP9LNV\F\$\DATA\00_HYDROLOGY\ATTAIN\MS_ATTAINS\MS_EPAATTAINS_areas_2024.sh

p

* ACCESS PROTOCOL Local Area Network

[Hide Resource Details ▲](#)

Extents ►

EXTENT

GEOGRAPHIC EXTENT

BOUNDING RECTANGLE

WEST LONGITUDE -180

EAST LONGITUDE 180

SOUTH LATITUDE -90

NORTH LATITUDE 90

EXTENT

GEOGRAPHIC EXTENT

BOUNDING RECTANGLE

EXTENT TYPE Extent used for searching

* WEST LONGITUDE -91.656596

* EAST LONGITUDE -88.161250

* NORTH LATITUDE 35.008394

- * SOUTH LATITUDE 30.396073
- * EXTENT CONTAINS THE RESOURCE Yes

EXTENT IN THE ITEM'S COORDINATE SYSTEM

- * WEST LONGITUDE 325954.335870
- * EAST LONGITUDE 645019.864881
- * SOUTH LATITUDE 1068153.445145
- * NORTH LATITUDE 1578179.809764
- * EXTENT CONTAINS THE RESOURCE Yes

[Hide Extents ▲](#)

Resource Points of Contact ►

POINT OF CONTACT

INDIVIDUAL'S NAME **ATTAINS**
ORGANIZATION'S NAME U.S. Environmental Protection Agency, Office of Water
CONTACT'S POSITION **ATTAINS Manager**
CONTACT'S ROLE **resource provider**

CONTACT INFORMATION ►

PHONE
VOICE 202-566-1705

ADDRESS

TYPE
DELIVERY POINT 1200 Pennsylvania Avenue, N.W., Mail Code 4503T
CITY **States**
ADMINISTRATIVE AREA **US**
POSTAL CODE 23456
E-MAIL ADDRESS attains@epa.gov

[Hide Contact information ▲](#)

[Hide Resource Points of Contact ▲](#)

Resource Maintenance ►

RESOURCE MAINTENANCE

UPDATE FREQUENCY **irregular**

[Hide Resource Maintenance ▲](#)

Resource Constraints ►

LEGAL CONSTRAINTS

ACCESS CONSTRAINTS **other restrictions**

OTHER CONSTRAINTS

Access Constraints: **None**

LEGAL CONSTRAINTS

USE CONSTRAINTS **other restrictions**

OTHER CONSTRAINTS

Use Constraints: None. Please check sources, scale, accuracy, correctness and other available information. Please confirm that you are using the most recent copy of both data and metadata.

SECURITY CONSTRAINTS

CLASSIFICATION SYSTEM https://edg.epa.gov/EPA_Data_License.html

ADDITIONAL RESTRICTIONS

Standard Technical Controls

CONSTRAINTS

LIMITATIONS OF USE

Although these data have been processed successfully on a computer system at the Environmental Protection Agency, no warranty expressed or implied is made regarding the accuracy or utility of the data on any other system or for general or scientific purposes, nor shall the act of distribution constitute any such warranty. It is strongly recommended that careful attention be paid to the contents of the metadata file associated with these data to evaluate data set limitations, restrictions or intended use. The U.S. Environmental Protection Agency shall not be held liable for improper or incorrect use of the data described and/or contained herein.

[Hide Resource Constraints](#) ▲

Spatial Reference ►

ARCGIS COORDINATE SYSTEM

- * TYPE Projected
- * GEOGRAPHIC COORDINATE REFERENCE GCS_North_American_1983
- * PROJECTION NAD_1983_Mississippi_TM
- * COORDINATE REFERENCE DETAILS

PROJECTED COORDINATE SYSTEM

WELL-KNOWN IDENTIFIER 102609
X ORIGIN -5122200
Y ORIGIN -12297100
XY SCALE 450339697.45066422
Z ORIGIN -100000
Z SCALE 10000
M ORIGIN -100000
M SCALE 10000
XY TOLERANCE 0.001
Z TOLERANCE 0.001
M TOLERANCE 0.001
HIGH PRECISION true

LATEST WELL-KNOWN IDENTIFIER 3814

WELL-KNOWN TEXT

PROJCS["NAD_1983_Mississippi_TM",GEOGCS["GCS_North_American_1983",DATUM["D_North_American_1983",SPHEROID["GRS_1980",6378137.0,298.257222101]],PRIMEM["Greenwich",0.0],UNIT["Degree",0.0174532925199433]],PROJECTION["Transverse_Mercator"],PARAMETER["False_Easting",500000.0],PARAMETER["False_Northing",1300000.0],PARAMETER["Central_Meridian",-

89.75],PARAMETER["Scale_Factor",0.9998335],PARAMETER["Latitude_Of_Origin",32.5],
UNIT["Meter",1.0],AUTHORITY["EPSG",3814]]

REFERENCE SYSTEM IDENTIFIER

- * VALUE 3814
- * CODESPACE EPSG
- * VERSION 6.17.1(10.0.0)

[Hide Spatial Reference ▲](#)

Spatial Data Properties ►

VECTOR ►

- * LEVEL OF TOPOLOGY FOR THIS DATASET geometry only

GEOMETRIC OBJECTS

- FEATURE CLASS NAME MS_EPAATTAINS_areas_2024
- * OBJECT TYPE composite
- * OBJECT COUNT 99

[Hide Vector ▲](#)

ARCGIS FEATURE CLASS PROPERTIES ►

- FEATURE CLASS NAME MS_EPAATTAINS_areas_2024
- * FEATURE TYPE Simple
- * GEOMETRY TYPE Polygon
- * HAS TOPOLOGY FALSE
- * FEATURE COUNT 99
- * SPATIAL INDEX TRUE
- * LINEAR REFERENCING FALSE

[Hide ArcGIS Feature Class Properties ▲](#)

[Hide Spatial Data Properties ▲](#)

Data Quality ►

DATA QUALITY REPORT - COMPLETENESS OMISSION ►

EVALUATION METHOD
None

[Hide Data quality report - Completeness omission ▲](#)

DATA QUALITY REPORT - COMPLETENESS COMMISSION ►

EVALUATION METHOD
None

[Hide Data quality report - Completeness commission ▲](#)

DATA QUALITY REPORT - CONCEPTUAL CONSISTENCY ►
MEASURE DESCRIPTION
None

[Hide Data quality report - Conceptual consistency ▲](#)

[Hide Data Quality ▲](#)

Lineage ►

LINEAGE STATEMENT

This lineage was generated by the FGDC CSDGM to 19139 transformation

PROCESS STEP ►

WHEN THE PROCESS OCCURRED 2020-06-08 00:00:00

DESCRIPTION

Data extracted from ATTAINS.

[Hide Process step ▲](#)

[Hide Lineage ▲](#)

Geoprocessing history ►

PROCESS

PROCESS NAME

DATE 2019-10-27 09:22:15

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.7\ArcToolbox\Toolboxes\Data Management Tools.tbx\RegisterWithGeodatabase

COMMAND ISSUED

```
RegisterWithGeodatabase "Database Connections\vmwaters1-  
rad_pending.sde\RAD_PENDING.PND_ATTAINS_AU_AREAS" OBJECTID SHAPE POLYGON  
"GEOGCS['Longitude / Latitude (NAD 83)', DATUM['NAD 83', SPHEROID['GRS  
80', 6378137.0, 298.257222101]], PRIMEM['Greenwich', 0.0], UNIT['Decimal  
Degree', 0.0174532925199433]];-400 -400 1000000000;-100000 10000;-100000  
10000;8.98315284119521E-09;0.001;0.001;IsHighPrecision" #
```

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2019-10-27 17:20:23

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.7\ArcToolbox\Toolboxes\Data Management Tools.tbx\AlterField
COMMAND ISSUED
AlterField
C:\Users\pdziemie\AppData\Roaming\ESRI\Desktop10.7\ArcCatalog\vmwaters1-rad_pending.sde\RAD_PENDING.PND_ATTAINS_AU_AREAS OBJECTID # DZ # 4
NON_NULLABLE false
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2019-10-27 17:20:29
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.7\ArcToolbox\Toolboxes\Data Management Tools.tbx\AlterField
COMMAND ISSUED
AlterField
C:\Users\pdziemie\AppData\Roaming\ESRI\Desktop10.7\ArcCatalog\vmwaters1-rad_pending.sde\RAD_PENDING.PND_ATTAINS_AU_AREAS OBJECTID # ObjectID # 4
NON_NULLABLE false
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2019-10-27 17:20:34
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.7\ArcToolbox\Toolboxes\Data Management Tools.tbx\AlterField
COMMAND ISSUED
AlterField
C:\Users\pdziemie\AppData\Roaming\ESRI\Desktop10.7\ArcCatalog\vmwaters1-rad_pending.sde\RAD_PENDING.PND_ATTAINS_AU_AREAS GLOBALID # DZ TEXT 40
NON_NULLABLE false
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2019-10-27 17:20:39
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.7\ArcToolbox\Toolboxes\Data Management Tools.tbx\AlterField
COMMAND ISSUED
AlterField
C:\Users\pdziemie\AppData\Roaming\ESRI\Desktop10.7\ArcCatalog\vmwaters1-rad_pending.sde\RAD_PENDING.PND_ATTAINS_AU_AREAS GLOBALID # GlobalID TEXT 40
NON_NULLABLE false
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2019-10-27 17:20:45
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.7\ArcToolbox\Toolboxes\Data Management Tools.tbx\AlterField
COMMAND ISSUED
AlterField
C:\Users\pdziemie\AppData\Roaming\ESRI\Desktop10.7\ArcCatalog\vmwaters1-rad_pending.sde\RAD_PENDING.PND_ATTAINS_AU_AREAS SUBMISSIONID # DZ TEXT 40
NON_NULLABLE false
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2019-10-27 17:20:50
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.7\ArcToolbox\Toolboxes\Data Management Tools.tbx\AlterField
COMMAND ISSUED
AlterField
C:\Users\pdziemie\AppData\Roaming\ESRI\Desktop10.7\ArcCatalog\vmwaters1-rad_pending.sde\RAD_PENDING.PND_ATTAINS_AU_AREAS SUBMISSIONID # SubmissionID
TEXT 40 NON_NULLABLE false
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2019-10-27 17:20:55
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.7\ArcToolbox\Toolboxes\Data Management Tools.tbx\AlterField
COMMAND ISSUED
AlterField
C:\Users\pdziemie\AppData\Roaming\ESRI\Desktop10.7\ArcCatalog\vmwaters1-rad_pending.sde\RAD_PENDING.PND_ATTAINS_AU_AREAS STATE # DZ TEXT 2
NON_NULLABLE false
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2019-10-27 17:21:01
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.7\ArcToolbox\Toolboxes\Data Management Tools.tbx\AlterField
COMMAND ISSUED
AlterField
C:\Users\pdziemie\AppData\Roaming\ESRI\Desktop10.7\ArcCatalog\vmwaters1-rad_pending.sde\RAD_PENDING.PND_ATTAINS_AU_AREAS STATE # State TEXT 2
NON_NULLABLE false
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2019-10-27 17:21:06
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.7\ArcToolbox\Toolboxes\Data Management Tools.tbx\AlterField
COMMAND ISSUED
AlterField
C:\Users\pdziemie\AppData\Roaming\ESRI\Desktop10.7\ArcCatalog\vmwaters1-rad_pending.sde\RAD_PENDING.PND_ATTAINS_AU_AREAS REGION # DZ TEXT 2
NON_NULLABLE false
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2019-10-27 17:21:11
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.7\ArcToolbox\Toolboxes\Data Management Tools.tbx\AlterField
COMMAND ISSUED
AlterField
C:\Users\pdziemie\AppData\Roaming\ESRI\Desktop10.7\ArcCatalog\vmwaters1-rad_pending.sde\RAD_PENDING.PND_ATTAINS_AU_AREAS REGION # Region TEXT 2
NON_NULLABLE false
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2019-10-27 17:21:17

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.7\ArcToolbox\Toolboxes\Data Management Tools.tbx\AlterField

COMMAND ISSUED

AlterField

C:\Users\pdziemie\AppData\Roaming\ESRI\Desktop10.7\ArcCatalog\vmwaters1-rad_pending.sde\RAD_PENDING.PND_ATTAINS_AU_AREAS ORGANIZATIONID # DZ TEXT 30 NON_NULLABLE false

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2019-10-27 17:21:22

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.7\ArcToolbox\Toolboxes\Data Management Tools.tbx\AlterField

COMMAND ISSUED

AlterField

C:\Users\pdziemie\AppData\Roaming\ESRI\Desktop10.7\ArcCatalog\vmwaters1-rad_pending.sde\RAD_PENDING.PND_ATTAINS_AU_AREAS ORGANIZATIONID # OrganizationID TEXT 30 NON_NULLABLE false

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2019-10-27 17:21:28

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.7\ArcToolbox\Toolboxes\Data Management Tools.tbx\AlterField

COMMAND ISSUED

AlterField

C:\Users\pdziemie\AppData\Roaming\ESRI\Desktop10.7\ArcCatalog\vmwaters1-rad_pending.sde\RAD_PENDING.PND_ATTAINS_AU_AREAS ORGANIZATIONNAME # DZ TEXT 200 NULLABLE false

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2019-10-27 17:21:33

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.7\ArcToolbox\Toolboxes\Data Management Tools.tbx\AlterField

COMMAND ISSUED

AlterField

C:\Users\pdziemie\AppData\Roaming\ESRI\Desktop10.7\ArcCatalog\vmwaters1-rad_pending.sde\RAD_PENDING.PND_ATTAINS_AU_AREAS ORGANIZATIONNAME # OrganizationName TEXT 200 NULLABLE false

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2019-10-27 17:21:38

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.7\ArcToolbox\Toolboxes\Data Management Tools.tbx\AlterField

COMMAND ISSUED

AlterField

C:\Users\pdziemie\AppData\Roaming\ESRI\Desktop10.7\ArcCatalog\vmwaters1-rad_pending.sde\RAD_PENDING.PND_ATTAINS_AU_AREAS REPORTINGCYCLE # DZ LONG 4 NON_NULLABLE false

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2019-10-27 17:21:44

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.7\ArcToolbox\Toolboxes\Data Management Tools.tbx\AlterField

COMMAND ISSUED

AlterField

C:\Users\pdziemie\AppData\Roaming\ESRI\Desktop10.7\ArcCatalog\vmwaters1-rad_pending.sde\RAD_PENDING.PND_ATTAINS_AU_AREAS REPORTINGCYCLE # ReportingCycle LONG 4 NON_NULLABLE false

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2019-10-27 17:21:49

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.7\ArcToolbox\Toolboxes\Data Management Tools.tbx\AlterField

COMMAND ISSUED

AlterField

C:\Users\pdziemie\AppData\Roaming\ESRI\Desktop10.7\ArcCatalog\vmwaters1-rad_pending.sde\RAD_PENDING.PND_ATTAINS_AU_AREAS ASSESSMENTUNITIDENTIFIER # DZ TEXT 50 NON_NULLABLE false

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2019-10-27 17:21:55

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.7\ArcToolbox\Toolboxes\Data Management Tools.tbx\AlterField

COMMAND ISSUED

AlterField

C:\Users\pdziemie\AppData\Roaming\ESRI\Desktop10.7\ArcCatalog\vmwaters1-rad_pending.sde\RAD_PENDING.PND_ATTAINS_AU_AREAS ASSESSMENTUNITIDENTIFIER # AssessmentUnitIdentifier TEXT 50 NON_NULLABLE false

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2019-10-27 17:22:00

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.7\ArcToolbox\Toolboxes\Data Management Tools.tbx\AlterField

COMMAND ISSUED

AlterField

C:\Users\pdziemie\AppData\Roaming\ESRI\Desktop10.7\ArcCatalog\vmwaters1-rad_pending.sde\RAD_PENDING.PND_ATTAINS_AU_AREAS ASSESSMENTUNITNAME # DZ TEXT 255 NULLABLE false

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2019-10-27 17:22:06

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.7\ArcToolbox\Toolboxes\Data Management Tools.tbx\AlterField

COMMAND ISSUED

AlterField

C:\Users\pdziemie\AppData\Roaming\ESRI\Desktop10.7\ArcCatalog\vmwaters1-

rad_pending.sde\RAD_PENDING.PND_ATTAINS_AU_AREAS ASSESSMENTUNITNAME #
AssessmentUnitName TEXT 255 NULLABLE false
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2019-10-27 17:22:11
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.7\ArcToolbox\Toolboxes\Data
Management Tools.tbx\AlterField
COMMAND ISSUED
AlterField
C:\Users\pdziemie\AppData\Roaming\ESRI\Desktop10.7\ArcCatalog\vmwaters1-
rad_pending.sde\RAD_PENDING.PND_ATTAINS_AU_AREAS IRCATEGORY # DZ TEXT 5
NULLABLE false
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2019-10-27 17:22:17
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.7\ArcToolbox\Toolboxes\Data
Management Tools.tbx\AlterField
COMMAND ISSUED
AlterField
C:\Users\pdziemie\AppData\Roaming\ESRI\Desktop10.7\ArcCatalog\vmwaters1-
rad_pending.sde\RAD_PENDING.PND_ATTAINS_AU_AREAS IRCATEGORY # IRCATEGORY
TEXT 5 NULLABLE false
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2019-10-27 17:22:22
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.7\ArcToolbox\Toolboxes\Data
Management Tools.tbx\AlterField
COMMAND ISSUED
AlterField
C:\Users\pdziemie\AppData\Roaming\ESRI\Desktop10.7\ArcCatalog\vmwaters1-
rad_pending.sde\RAD_PENDING.PND_ATTAINS_AU_AREAS ISASSESSED # DZ TEXT 1
NULLABLE false
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2019-10-27 17:22:27
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.7\ArcToolbox\Toolboxes\Data
Management Tools.tbx\AlterField
COMMAND ISSUED
AlterField
C:\Users\pdziemie\AppData\Roaming\ESRI\Desktop10.7\ArcCatalog\vmwaters1-
rad_pending.sde\RAD_PENDING.PND_ATTAINS_AU_AREAS ISASSESSED # IsAssessed
TEXT 1 NULLABLE false
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2019-10-27 17:22:33
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.7\ArcToolbox\Toolboxes\Data
Management Tools.tbx\AlterField
COMMAND ISSUED

AlterField
C:\Users\pdziemie\AppData\Roaming\ESRI\Desktop10.7\ArcCatalog\vmwaters1-rad_pending.sde\RAD_PENDING.PND_ATTAINS_AU_AREAS ISIMPAIRED # DZ TEXT 1
NULLABLE false

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2019-10-27 17:22:38
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.7\ArcToolbox\Toolboxes\Data Management Tools.tbx\AlterField
COMMAND ISSUED
AlterField
C:\Users\pdziemie\AppData\Roaming\ESRI\Desktop10.7\ArcCatalog\vmwaters1-rad_pending.sde\RAD_PENDING.PND_ATTAINS_AU_AREAS ISIMPAIRED # IsImpaired
TEXT 1 NULLABLE false

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2019-10-27 17:22:44
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.7\ArcToolbox\Toolboxes\Data Management Tools.tbx\AlterField
COMMAND ISSUED
AlterField
C:\Users\pdziemie\AppData\Roaming\ESRI\Desktop10.7\ArcCatalog\vmwaters1-rad_pending.sde\RAD_PENDING.PND_ATTAINS_AU_AREAS ON303DLIST # DZ TEXT 1
NULLABLE false

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2019-10-27 17:22:48
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.7\ArcToolbox\Toolboxes\Data Management Tools.tbx\AlterField
COMMAND ISSUED
AlterField
C:\Users\pdziemie\AppData\Roaming\ESRI\Desktop10.7\ArcCatalog\vmwaters1-rad_pending.sde\RAD_PENDING.PND_ATTAINS_AU_AREAS ON303DLIST # On303dList
TEXT 1 NULLABLE false

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2019-10-27 17:22:53
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.7\ArcToolbox\Toolboxes\Data Management Tools.tbx\AlterField
COMMAND ISSUED
AlterField
C:\Users\pdziemie\AppData\Roaming\ESRI\Desktop10.7\ArcCatalog\vmwaters1-rad_pending.sde\RAD_PENDING.PND_ATTAINS_AU_AREAS HASTMDL # DZ TEXT 1
NULLABLE false

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2019-10-27 17:22:57

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.7\ArcToolbox\Toolboxes\Data Management Tools.tbx\AlterField
COMMAND ISSUED
AlterField
C:\Users\pdziemie\AppData\Roaming\ESRI\Desktop10.7\ArcCatalog\vmwaters1-rad_pending.sde\RAD_PENDING.PND_ATTAINS_AU_AREAS HASTMDL # HasTMDL TEXT 1
NULLABLE false
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2019-10-27 17:23:01
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.7\ArcToolbox\Toolboxes\Data Management Tools.tbx\AlterField
COMMAND ISSUED
AlterField
C:\Users\pdziemie\AppData\Roaming\ESRI\Desktop10.7\ArcCatalog\vmwaters1-rad_pending.sde\RAD_PENDING.PND_ATTAINS_AU_AREAS HASOTHERPLAN # DZ TEXT 1
NULLABLE false
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2019-10-27 17:23:05
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.7\ArcToolbox\Toolboxes\Data Management Tools.tbx\AlterField
COMMAND ISSUED
AlterField
C:\Users\pdziemie\AppData\Roaming\ESRI\Desktop10.7\ArcCatalog\vmwaters1-rad_pending.sde\RAD_PENDING.PND_ATTAINS_AU_AREAS HASOTHERPLAN # HasOtherPlan TEXT 1 NULLABLE false
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2019-10-27 17:23:10
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.7\ArcToolbox\Toolboxes\Data Management Tools.tbx\AlterField
COMMAND ISSUED
AlterField
C:\Users\pdziemie\AppData\Roaming\ESRI\Desktop10.7\ArcCatalog\vmwaters1-rad_pending.sde\RAD_PENDING.PND_ATTAINS_AU_AREAS VISIONPRIORITY303D # DZ TEXT 1 NULLABLE false
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2019-10-27 17:23:14
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.7\ArcToolbox\Toolboxes\Data Management Tools.tbx\AlterField
COMMAND ISSUED
AlterField
C:\Users\pdziemie\AppData\Roaming\ESRI\Desktop10.7\ArcCatalog\vmwaters1-rad_pending.sde\RAD_PENDING.PND_ATTAINS_AU_AREAS VISIONPRIORITY303D # VisionPriority303d TEXT 1 NULLABLE false
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2019-10-27 17:23:18
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.7\ArcToolbox\Toolboxes\Data Management Tools.tbx\AlterField
COMMAND ISSUED
AlterField
C:\Users\pdziemie\AppData\Roaming\ESRI\Desktop10.7\ArcCatalog\vmwaters1-rad_pending.sde\RAD_PENDING.PND_ATTAINS_AU_AREAS DRINKINGWATER_USE # DZ TEXT 50 NULLABLE false
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2019-10-27 17:23:22
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.7\ArcToolbox\Toolboxes\Data Management Tools.tbx\AlterField
COMMAND ISSUED
AlterField
C:\Users\pdziemie\AppData\Roaming\ESRI\Desktop10.7\ArcCatalog\vmwaters1-rad_pending.sde\RAD_PENDING.PND_ATTAINS_AU_AREAS DRINKINGWATER_USE # DrinkingWater_Use TEXT 50 NULLABLE false
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2019-10-27 17:23:26
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.7\ArcToolbox\Toolboxes\Data Management Tools.tbx\AlterField
COMMAND ISSUED
AlterField
C:\Users\pdziemie\AppData\Roaming\ESRI\Desktop10.7\ArcCatalog\vmwaters1-rad_pending.sde\RAD_PENDING.PND_ATTAINS_AU_AREAS ECOLOGICAL_USE # DZ TEXT 50 NULLABLE false
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2019-10-27 17:23:31
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.7\ArcToolbox\Toolboxes\Data Management Tools.tbx\AlterField
COMMAND ISSUED
AlterField
C:\Users\pdziemie\AppData\Roaming\ESRI\Desktop10.7\ArcCatalog\vmwaters1-rad_pending.sde\RAD_PENDING.PND_ATTAINS_AU_AREAS ECOLOGICAL_USE # Ecological_Use TEXT 50 NULLABLE false
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2019-10-27 17:23:35
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.7\ArcToolbox\Toolboxes\Data Management Tools.tbx\AlterField
COMMAND ISSUED
AlterField
C:\Users\pdziemie\AppData\Roaming\ESRI\Desktop10.7\ArcCatalog\vmwaters1-rad_pending.sde\RAD_PENDING.PND_ATTAINS_AU_AREAS FISHCONSUMPTION_USE # DZ TEXT 50 NULLABLE false
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2019-10-27 17:23:39

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.7\ArcToolbox\Toolboxes\Data Management Tools.tbx\AlterField

COMMAND ISSUED

AlterField

C:\Users\pdziemie\AppData\Roaming\ESRI\Desktop10.7\ArcCatalog\vmwaters1-rad_pending.sde\RAD_PENDING.PND_ATTAINS_AU_AREAS FISHCONSUMPTION_USE # FishConsumption_Use TEXT 50 NULLABLE false

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2019-10-27 17:23:43

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.7\ArcToolbox\Toolboxes\Data Management Tools.tbx\AlterField

COMMAND ISSUED

AlterField

C:\Users\pdziemie\AppData\Roaming\ESRI\Desktop10.7\ArcCatalog\vmwaters1-rad_pending.sde\RAD_PENDING.PND_ATTAINS_AU_AREAS RECREATION_USE # DZ TEXT 50 NULLABLE false

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2019-10-27 17:23:48

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.7\ArcToolbox\Toolboxes\Data Management Tools.tbx\AlterField

COMMAND ISSUED

AlterField

C:\Users\pdziemie\AppData\Roaming\ESRI\Desktop10.7\ArcCatalog\vmwaters1-rad_pending.sde\RAD_PENDING.PND_ATTAINS_AU_AREAS RECREATION_USE # Recreation_Use TEXT 50 NULLABLE false

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2019-10-27 17:23:52

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.7\ArcToolbox\Toolboxes\Data Management Tools.tbx\AlterField

COMMAND ISSUED

AlterField

C:\Users\pdziemie\AppData\Roaming\ESRI\Desktop10.7\ArcCatalog\vmwaters1-rad_pending.sde\RAD_PENDING.PND_ATTAINS_AU_AREAS OTHER_USE # DZ TEXT 50 NULLABLE false

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2019-10-27 17:23:56

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.7\ArcToolbox\Toolboxes\Data Management Tools.tbx\AlterField

COMMAND ISSUED

AlterField

C:\Users\pdziemie\AppData\Roaming\ESRI\Desktop10.7\ArcCatalog\vmwaters1-rad_pending.sde\RAD_PENDING.PND_ATTAINS_AU_AREAS OTHER_USE # Other_Use TEXT 50 NULLABLE false

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2019-10-27 17:24:01

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.7\ArcToolbox\Toolboxes\Data Management Tools.tbx\AlterField

COMMAND ISSUED

AlterField

C:\Users\pdziemie\AppData\Roaming\ESRI\Desktop10.7\ArcCatalog\vmwaters1-rad_pending.sde\RAD_PENDING.PND_ATTAINS_AU_AREAS ALGAL_GROWTH # DZ TEXT 50 NULLABLE false

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2019-10-27 17:24:05

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.7\ArcToolbox\Toolboxes\Data Management Tools.tbx\AlterField

COMMAND ISSUED

AlterField

C:\Users\pdziemie\AppData\Roaming\ESRI\Desktop10.7\ArcCatalog\vmwaters1-rad_pending.sde\RAD_PENDING.PND_ATTAINS_AU_AREAS ALGAL_GROWTH # Algal_Growth TEXT 50 NULLABLE false

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2019-10-27 17:24:09

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.7\ArcToolbox\Toolboxes\Data Management Tools.tbx\AlterField

COMMAND ISSUED

AlterField

C:\Users\pdziemie\AppData\Roaming\ESRI\Desktop10.7\ArcCatalog\vmwaters1-rad_pending.sde\RAD_PENDING.PND_ATTAINS_AU_AREAS AMMONIA # DZ TEXT 50 NULLABLE false

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2019-10-27 17:24:13

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.7\ArcToolbox\Toolboxes\Data Management Tools.tbx\AlterField

COMMAND ISSUED

AlterField

C:\Users\pdziemie\AppData\Roaming\ESRI\Desktop10.7\ArcCatalog\vmwaters1-rad_pending.sde\RAD_PENDING.PND_ATTAINS_AU_AREAS AMMONIA # Ammonia TEXT 50 NULLABLE false

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2019-10-27 17:24:18

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.7\ArcToolbox\Toolboxes\Data Management Tools.tbx\AlterField

COMMAND ISSUED

AlterField

C:\Users\pdziemie\AppData\Roaming\ESRI\Desktop10.7\ArcCatalog\vmwaters1-

rad_pending.sde\RAD_PENDING.PND_ATTAINS_AU_AREAS BIOTOXINS # DZ TEXT 50
NULLABLE false

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2019-10-27 17:24:22

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.7\ArcToolbox\Toolboxes\Data
Management Tools.tbx\AlterField

COMMAND ISSUED

AlterField

C:\Users\pdziemie\AppData\Roaming\ESRI\Desktop10.7\ArcCatalog\vmwaters1-
rad_pending.sde\RAD_PENDING.PND_ATTAINS_AU_AREAS BIOTOXINS # Biotoxins TEXT
50 NULLABLE false

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2019-10-27 17:24:27

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.7\ArcToolbox\Toolboxes\Data
Management Tools.tbx\AlterField

COMMAND ISSUED

AlterField

C:\Users\pdziemie\AppData\Roaming\ESRI\Desktop10.7\ArcCatalog\vmwaters1-
rad_pending.sde\RAD_PENDING.PND_ATTAINS_AU_AREAS CAUSE_UNKNOWN # DZ TEXT 50
NULLABLE false

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2019-10-27 17:24:31

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.7\ArcToolbox\Toolboxes\Data
Management Tools.tbx\AlterField

COMMAND ISSUED

AlterField

C:\Users\pdziemie\AppData\Roaming\ESRI\Desktop10.7\ArcCatalog\vmwaters1-
rad_pending.sde\RAD_PENDING.PND_ATTAINS_AU_AREAS CAUSE_UNKNOWN #
Cause_Unknown TEXT 50 NULLABLE false

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2019-10-27 17:24:36

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.7\ArcToolbox\Toolboxes\Data
Management Tools.tbx\AlterField

COMMAND ISSUED

AlterField

C:\Users\pdziemie\AppData\Roaming\ESRI\Desktop10.7\ArcCatalog\vmwaters1-
rad_pending.sde\RAD_PENDING.PND_ATTAINS_AU_AREAS CAUSE_UNKNOWN_FISH_KILLS #
DZ TEXT 50 NULLABLE false

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2019-10-27 17:24:41

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.7\ArcToolbox\Toolboxes\Data
Management Tools.tbx\AlterField

COMMAND ISSUED

AlterField
C:\Users\pdziemie\AppData\Roaming\ESRI\Desktop10.7\ArcCatalog\vmwaters1-rad_pending.sde\RAD_PENDING.PND_ATTAINS_AU_AREAS CAUSE_UNKNOWN_FISH_KILLS # Cause_Unknown_Fish_Kills TEXT 50 NULLABLE false
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2019-10-27 17:24:45
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.7\ArcToolbox\Toolboxes\Data Management Tools.tbx\AlterField
COMMAND ISSUED
AlterField
C:\Users\pdziemie\AppData\Roaming\ESRI\Desktop10.7\ArcCatalog\vmwaters1-rad_pending.sde\RAD_PENDING.PND_ATTAINS_AU_AREAS CAUSE_UNKNOWN_IMPAIRED_BIOTA # DZ TEXT 50 NULLABLE false
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2019-10-27 17:24:50
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.7\ArcToolbox\Toolboxes\Data Management Tools.tbx\AlterField
COMMAND ISSUED
AlterField
C:\Users\pdziemie\AppData\Roaming\ESRI\Desktop10.7\ArcCatalog\vmwaters1-rad_pending.sde\RAD_PENDING.PND_ATTAINS_AU_AREAS CAUSE_UNKNOWN_IMPAIRED_BIOTA # Cause_Unknown_Impaired_Biota TEXT 50 NULLABLE false
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2019-10-27 17:24:54
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.7\ArcToolbox\Toolboxes\Data Management Tools.tbx\AlterField
COMMAND ISSUED
AlterField
C:\Users\pdziemie\AppData\Roaming\ESRI\Desktop10.7\ArcCatalog\vmwaters1-rad_pending.sde\RAD_PENDING.PND_ATTAINS_AU_AREAS CHLORINE # DZ TEXT 50 NULLABLE false
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2019-10-27 17:24:59
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.7\ArcToolbox\Toolboxes\Data Management Tools.tbx\AlterField
COMMAND ISSUED
AlterField
C:\Users\pdziemie\AppData\Roaming\ESRI\Desktop10.7\ArcCatalog\vmwaters1-rad_pending.sde\RAD_PENDING.PND_ATTAINS_AU_AREAS CHLORINE # Chlorine TEXT 50 NULLABLE false
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2019-10-27 17:25:03

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.7\ArcToolbox\Toolboxes\Data Management Tools.tbx\AlterField
COMMAND ISSUED
AlterField
C:\Users\pdziemie\AppData\Roaming\ESRI\Desktop10.7\ArcCatalog\vmwaters1-rad_pending.sde\RAD_PENDING.PND_ATTAINS_AU_AREAS DIOXINS # DZ TEXT 50
NULLABLE false
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2019-10-27 17:25:08
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.7\ArcToolbox\Toolboxes\Data Management Tools.tbx\AlterField
COMMAND ISSUED
AlterField
C:\Users\pdziemie\AppData\Roaming\ESRI\Desktop10.7\ArcCatalog\vmwaters1-rad_pending.sde\RAD_PENDING.PND_ATTAINS_AU_AREAS DIOXINS # Dioxins TEXT 50
NULLABLE false
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2019-10-27 17:25:13
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.7\ArcToolbox\Toolboxes\Data Management Tools.tbx\AlterField
COMMAND ISSUED
AlterField
C:\Users\pdziemie\AppData\Roaming\ESRI\Desktop10.7\ArcCatalog\vmwaters1-rad_pending.sde\RAD_PENDING.PND_ATTAINS_AU_AREAS FISH_CONSUMPTION_ADVISORY # DZ TEXT 50 NULLABLE false
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2019-10-27 17:25:17
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.7\ArcToolbox\Toolboxes\Data Management Tools.tbx\AlterField
COMMAND ISSUED
AlterField
C:\Users\pdziemie\AppData\Roaming\ESRI\Desktop10.7\ArcCatalog\vmwaters1-rad_pending.sde\RAD_PENDING.PND_ATTAINS_AU_AREAS FISH_CONSUMPTION_ADVISORY # Fish_Consumption_Advisory TEXT 50 NULLABLE false
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2019-10-27 17:25:22
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.7\ArcToolbox\Toolboxes\Data Management Tools.tbx\AlterField
COMMAND ISSUED
AlterField
C:\Users\pdziemie\AppData\Roaming\ESRI\Desktop10.7\ArcCatalog\vmwaters1-rad_pending.sde\RAD_PENDING.PND_ATTAINS_AU_AREAS FLOW_ALTERATIONS # DZ TEXT 50 NULLABLE false
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2019-10-27 17:25:26
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.7\ArcToolbox\Toolboxes\Data Management Tools.tbx\AlterField
COMMAND ISSUED
AlterField
C:\Users\pdziemie\AppData\Roaming\ESRI\Desktop10.7\ArcCatalog\vmwaters1-rad_pending.sde\RAD_PENDING.PND_ATTAINS_AU_AREAS FLOW_ALTERATIONS # Flow_Alterations TEXT 50 NULLABLE false
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2019-10-27 17:25:31
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.7\ArcToolbox\Toolboxes\Data Management Tools.tbx\AlterField
COMMAND ISSUED
AlterField
C:\Users\pdziemie\AppData\Roaming\ESRI\Desktop10.7\ArcCatalog\vmwaters1-rad_pending.sde\RAD_PENDING.PND_ATTAINS_AU_AREAS HABITAT_ALTERATIONS # DZ TEXT 50 NULLABLE false
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2019-10-27 17:25:35
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.7\ArcToolbox\Toolboxes\Data Management Tools.tbx\AlterField
COMMAND ISSUED
AlterField
C:\Users\pdziemie\AppData\Roaming\ESRI\Desktop10.7\ArcCatalog\vmwaters1-rad_pending.sde\RAD_PENDING.PND_ATTAINS_AU_AREAS HABITAT_ALTERATIONS # Habitat_Alterations TEXT 50 NULLABLE false
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2019-10-27 17:25:40
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.7\ArcToolbox\Toolboxes\Data Management Tools.tbx\AlterField
COMMAND ISSUED
AlterField
C:\Users\pdziemie\AppData\Roaming\ESRI\Desktop10.7\ArcCatalog\vmwaters1-rad_pending.sde\RAD_PENDING.PND_ATTAINS_AU_AREAS HYDROLOGIC_ALTERATION # DZ TEXT 50 NULLABLE false
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2019-10-27 17:25:45
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.7\ArcToolbox\Toolboxes\Data Management Tools.tbx\AlterField
COMMAND ISSUED
AlterField
C:\Users\pdziemie\AppData\Roaming\ESRI\Desktop10.7\ArcCatalog\vmwaters1-rad_pending.sde\RAD_PENDING.PND_ATTAINS_AU_AREAS HYDROLOGIC_ALTERATION # Hydrologic_Alteration TEXT 50 NULLABLE false
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2019-10-27 17:25:49

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.7\ArcToolbox\Toolboxes\Data Management Tools.tbx\AlterField

COMMAND ISSUED

AlterField

C:\Users\pdziemie\AppData\Roaming\ESRI\Desktop10.7\ArcCatalog\vmwaters1-rad_pending.sde\RAD_PENDING.PND_ATTAINS_AU_AREAS MERCURY # DZ TEXT 50 NULLABLE false

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2019-10-27 17:25:54

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.7\ArcToolbox\Toolboxes\Data Management Tools.tbx\AlterField

COMMAND ISSUED

AlterField

C:\Users\pdziemie\AppData\Roaming\ESRI\Desktop10.7\ArcCatalog\vmwaters1-rad_pending.sde\RAD_PENDING.PND_ATTAINS_AU_AREAS MERCURY # Mercury TEXT 50 NULLABLE false

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2019-10-27 17:25:58

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.7\ArcToolbox\Toolboxes\Data Management Tools.tbx\AlterField

COMMAND ISSUED

AlterField

C:\Users\pdziemie\AppData\Roaming\ESRI\Desktop10.7\ArcCatalog\vmwaters1-rad_pending.sde\RAD_PENDING.PND_ATTAINS_AU_AREAS METALS_OTHER_THAN_MERCURY # DZ TEXT 50 NULLABLE false

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2019-10-27 17:26:03

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.7\ArcToolbox\Toolboxes\Data Management Tools.tbx\AlterField

COMMAND ISSUED

AlterField

C:\Users\pdziemie\AppData\Roaming\ESRI\Desktop10.7\ArcCatalog\vmwaters1-rad_pending.sde\RAD_PENDING.PND_ATTAINS_AU_AREAS METALS_OTHER_THAN_MERCURY # Metals_Other_Than_Mercury TEXT 50 NULLABLE false

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2019-10-27 17:26:07

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.7\ArcToolbox\Toolboxes\Data Management Tools.tbx\AlterField

COMMAND ISSUED

AlterField

C:\Users\pdziemie\AppData\Roaming\ESRI\Desktop10.7\ArcCatalog\vmwaters1-rad_pending.sde\RAD_PENDING.PND_ATTAINS_AU_AREAS NOXIOUS_AQUATIC_PLANTS # DZ TEXT 50 NULLABLE false

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2019-10-27 17:26:12

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.7\ArcToolbox\Toolboxes\Data Management Tools.tbx\AlterField

COMMAND ISSUED

AlterField

C:\Users\pdziemie\AppData\Roaming\ESRI\Desktop10.7\ArcCatalog\vmwaters1-rad_pending.sde\RAD_PENDING.PND_ATTAINS_AU_AREAS NOXIOUS_AQUATIC_PLANTS #
Noxious_Aquatic_Plants TEXT 50 NULLABLE false

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2019-10-27 17:26:16

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.7\ArcToolbox\Toolboxes\Data Management Tools.tbx\AlterField

COMMAND ISSUED

AlterField

C:\Users\pdziemie\AppData\Roaming\ESRI\Desktop10.7\ArcCatalog\vmwaters1-rad_pending.sde\RAD_PENDING.PND_ATTAINS_AU_AREAS NUISANCE_EXOTIC_SPECIES #
DZ TEXT 50 NULLABLE false

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2019-10-27 17:26:21

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.7\ArcToolbox\Toolboxes\Data Management Tools.tbx\AlterField

COMMAND ISSUED

AlterField

C:\Users\pdziemie\AppData\Roaming\ESRI\Desktop10.7\ArcCatalog\vmwaters1-rad_pending.sde\RAD_PENDING.PND_ATTAINS_AU_AREAS NUISANCE_EXOTIC_SPECIES #
Nuisance_Exotic_Species TEXT 50 NULLABLE false

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2019-10-27 17:26:25

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.7\ArcToolbox\Toolboxes\Data Management Tools.tbx\AlterField

COMMAND ISSUED

AlterField

C:\Users\pdziemie\AppData\Roaming\ESRI\Desktop10.7\ArcCatalog\vmwaters1-rad_pending.sde\RAD_PENDING.PND_ATTAINS_AU_AREAS NUISANCE_NATIVE_SPECIES #
DZ TEXT 50 NULLABLE false

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2019-10-27 17:26:30

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.7\ArcToolbox\Toolboxes\Data Management Tools.tbx\AlterField

COMMAND ISSUED

AlterField

C:\Users\pdziemie\AppData\Roaming\ESRI\Desktop10.7\ArcCatalog\vmwaters1-

```
rad_pending.sde\RAD_PENDING.PND_ATTAINS_AU_AREAS NUISANCE_NATIVE_SPECIES #  
Nuisance_Native_Species TEXT 50 NULLABLE false  
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No
```

PROCESS

```
PROCESS NAME  
DATE 2019-10-27 17:26:34  
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.7\ArcToolbox\Toolboxes\Data  
Management Tools.tbx\AlterField  
COMMAND ISSUED  
AlterField  
C:\Users\pdziemie\AppData\Roaming\ESRI\Desktop10.7\ArcCatalog\vmwaters1-  
rad_pending.sde\RAD_PENDING.PND_ATTAINS_AU_AREAS NUTRIENTS # DZ TEXT 50  
NULLABLE false  
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No
```

PROCESS

```
PROCESS NAME  
DATE 2019-10-27 17:26:39  
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.7\ArcToolbox\Toolboxes\Data  
Management Tools.tbx\AlterField  
COMMAND ISSUED  
AlterField  
C:\Users\pdziemie\AppData\Roaming\ESRI\Desktop10.7\ArcCatalog\vmwaters1-  
rad_pending.sde\RAD_PENDING.PND_ATTAINS_AU_AREAS NUTRIENTS # Nutrients TEXT  
50 NULLABLE false  
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No
```

PROCESS

```
PROCESS NAME  
DATE 2019-10-27 17:26:43  
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.7\ArcToolbox\Toolboxes\Data  
Management Tools.tbx\AlterField  
COMMAND ISSUED  
AlterField  
C:\Users\pdziemie\AppData\Roaming\ESRI\Desktop10.7\ArcCatalog\vmwaters1-  
rad_pending.sde\RAD_PENDING.PND_ATTAINS_AU_AREAS OIL_AND_GREASE # DZ TEXT 50  
NULLABLE false  
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No
```

PROCESS

```
PROCESS NAME  
DATE 2019-10-27 17:26:48  
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.7\ArcToolbox\Toolboxes\Data  
Management Tools.tbx\AlterField  
COMMAND ISSUED  
AlterField  
C:\Users\pdziemie\AppData\Roaming\ESRI\Desktop10.7\ArcCatalog\vmwaters1-  
rad_pending.sde\RAD_PENDING.PND_ATTAINS_AU_AREAS OIL_AND_GREASE #  
Oil_And_Grease TEXT 50 NULLABLE false  
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No
```

PROCESS

```
PROCESS NAME  
DATE 2019-10-27 17:26:52  
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.7\ArcToolbox\Toolboxes\Data  
Management Tools.tbx\AlterField  
COMMAND ISSUED
```

AlterField
C:\Users\pdziemie\AppData\Roaming\ESRI\Desktop10.7\ArcCatalog\vmwaters1-rad_pending.sde\RAD_PENDING.PND_ATTAINS_AU_AREAS OXYGEN_DEPLETION # DZ TEXT 50 NULLABLE false

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2019-10-27 17:26:57
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.7\ArcToolbox\Toolboxes\Data Management Tools.tbx\AlterField
COMMAND ISSUED
AlterField
C:\Users\pdziemie\AppData\Roaming\ESRI\Desktop10.7\ArcCatalog\vmwaters1-rad_pending.sde\RAD_PENDING.PND_ATTAINS_AU_AREAS OXYGEN_DEPLETION # Oxygen_Depletion TEXT 50 NULLABLE false

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2019-10-27 17:27:01
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.7\ArcToolbox\Toolboxes\Data Management Tools.tbx\AlterField
COMMAND ISSUED
AlterField
C:\Users\pdziemie\AppData\Roaming\ESRI\Desktop10.7\ArcCatalog\vmwaters1-rad_pending.sde\RAD_PENDING.PND_ATTAINS_AU_AREAS OTHER_CAUSE # DZ TEXT 50 NULLABLE false

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2019-10-27 17:27:06
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.7\ArcToolbox\Toolboxes\Data Management Tools.tbx\AlterField
COMMAND ISSUED
AlterField
C:\Users\pdziemie\AppData\Roaming\ESRI\Desktop10.7\ArcCatalog\vmwaters1-rad_pending.sde\RAD_PENDING.PND_ATTAINS_AU_AREAS OTHER_CAUSE # Other_Cause TEXT 50 NULLABLE false

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2019-10-27 17:27:10
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.7\ArcToolbox\Toolboxes\Data Management Tools.tbx\AlterField
COMMAND ISSUED
AlterField
C:\Users\pdziemie\AppData\Roaming\ESRI\Desktop10.7\ArcCatalog\vmwaters1-rad_pending.sde\RAD_PENDING.PND_ATTAINS_AU_AREAS PATHOGENS # DZ TEXT 50 NULLABLE false

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2019-10-27 17:27:15

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.7\ArcToolbox\Toolboxes\Data Management Tools.tbx\AlterField
COMMAND ISSUED
AlterField
C:\Users\pdziemie\AppData\Roaming\ESRI\Desktop10.7\ArcCatalog\vmwaters1-rad_pending.sde\RAD_PENDING.PND_ATTAINS_AU_AREAS PATHOGENS # Pathogens TEXT 50 NULLABLE false
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2019-10-27 17:27:19
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.7\ArcToolbox\Toolboxes\Data Management Tools.tbx\AlterField
COMMAND ISSUED
AlterField
C:\Users\pdziemie\AppData\Roaming\ESRI\Desktop10.7\ArcCatalog\vmwaters1-rad_pending.sde\RAD_PENDING.PND_ATTAINS_AU_AREAS PESTICIDES # DZ TEXT 50 NULLABLE false
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2019-10-27 17:27:24
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.7\ArcToolbox\Toolboxes\Data Management Tools.tbx\AlterField
COMMAND ISSUED
AlterField
C:\Users\pdziemie\AppData\Roaming\ESRI\Desktop10.7\ArcCatalog\vmwaters1-rad_pending.sde\RAD_PENDING.PND_ATTAINS_AU_AREAS PESTICIDES # Pesticides TEXT 50 NULLABLE false
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2019-10-27 17:27:28
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.7\ArcToolbox\Toolboxes\Data Management Tools.tbx\AlterField
COMMAND ISSUED
AlterField
C:\Users\pdziemie\AppData\Roaming\ESRI\Desktop10.7\ArcCatalog\vmwaters1-rad_pending.sde\RAD_PENDING.PND_ATTAINS_AU_AREAS PH_ACIDITY_CAUSTIC_CONDITIONS # DZ TEXT 50 NULLABLE false
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2019-10-27 17:27:33
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.7\ArcToolbox\Toolboxes\Data Management Tools.tbx\AlterField
COMMAND ISSUED
AlterField
C:\Users\pdziemie\AppData\Roaming\ESRI\Desktop10.7\ArcCatalog\vmwaters1-rad_pending.sde\RAD_PENDING.PND_ATTAINS_AU_AREAS PH_ACIDITY_CAUSTIC_CONDITIONS # PH_Acidity_Caustic_Conditions TEXT 50 NULLABLE false
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2019-10-27 17:27:37

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.7\ArcToolbox\Toolboxes\Data Management Tools.tbx\AlterField

COMMAND ISSUED

AlterField

C:\Users\pdziemie\AppData\Roaming\ESRI\Desktop10.7\ArcCatalog\vmwaters1-rad_pending.sde\RAD_PENDING.PND_ATTAINS_AU_AREAS POLYCHLORINATED_BIPHENYLS_PCBS # DZ TEXT 50 NULLABLE false

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2019-10-27 17:27:42

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.7\ArcToolbox\Toolboxes\Data Management Tools.tbx\AlterField

COMMAND ISSUED

AlterField

C:\Users\pdziemie\AppData\Roaming\ESRI\Desktop10.7\ArcCatalog\vmwaters1-rad_pending.sde\RAD_PENDING.PND_ATTAINS_AU_AREAS POLYCHLORINATED_BIPHENYLS_PCBS # Polychlorinated_Biphenyls_PCBS TEXT 50 NULLABLE false

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2019-10-27 17:27:46

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.7\ArcToolbox\Toolboxes\Data Management Tools.tbx\AlterField

COMMAND ISSUED

AlterField

C:\Users\pdziemie\AppData\Roaming\ESRI\Desktop10.7\ArcCatalog\vmwaters1-rad_pending.sde\RAD_PENDING.PND_ATTAINS_AU_AREAS RADIATION # DZ TEXT 50 NULLABLE false

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2019-10-27 17:27:51

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.7\ArcToolbox\Toolboxes\Data Management Tools.tbx\AlterField

COMMAND ISSUED

AlterField

C:\Users\pdziemie\AppData\Roaming\ESRI\Desktop10.7\ArcCatalog\vmwaters1-rad_pending.sde\RAD_PENDING.PND_ATTAINS_AU_AREAS RADIATION # Radiation TEXT 50 NULLABLE false

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2019-10-27 17:27:55

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.7\ArcToolbox\Toolboxes\Data Management Tools.tbx\AlterField

COMMAND ISSUED

AlterField

C:\Users\pdziemie\AppData\Roaming\ESRI\Desktop10.7\ArcCatalog\vmwaters1-

rad_pending.sde\RAD_PENDING.PND_ATTAINS_AU_AREAS SOLIDS_CHLORIDES_SULFATES #
DZ TEXT 50 NULLABLE false

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2019-10-27 17:28:00

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.7\ArcToolbox\Toolboxes\Data
Management Tools.tbx\AlterField

COMMAND ISSUED

AlterField

C:\Users\pdziemie\AppData\Roaming\ESRI\Desktop10.7\ArcCatalog\vmwaters1-
rad_pending.sde\RAD_PENDING.PND_ATTAINS_AU_AREAS SOLIDS_CHLORIDES_SULFATES #
Solids_Chlorides_Sulfates TEXT 50 NULLABLE false

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2019-10-27 17:28:05

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.7\ArcToolbox\Toolboxes\Data
Management Tools.tbx\AlterField

COMMAND ISSUED

AlterField

C:\Users\pdziemie\AppData\Roaming\ESRI\Desktop10.7\ArcCatalog\vmwaters1-
rad_pending.sde\RAD_PENDING.PND_ATTAINS_AU_AREAS SEDIMENT # DZ TEXT 50
NULLABLE false

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2019-10-27 17:28:09

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.7\ArcToolbox\Toolboxes\Data
Management Tools.tbx\AlterField

COMMAND ISSUED

AlterField

C:\Users\pdziemie\AppData\Roaming\ESRI\Desktop10.7\ArcCatalog\vmwaters1-
rad_pending.sde\RAD_PENDING.PND_ATTAINS_AU_AREAS SEDIMENT # Sediment TEXT 50
NULLABLE false

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2019-10-27 17:28:14

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.7\ArcToolbox\Toolboxes\Data
Management Tools.tbx\AlterField

COMMAND ISSUED

AlterField

C:\Users\pdziemie\AppData\Roaming\ESRI\Desktop10.7\ArcCatalog\vmwaters1-
rad_pending.sde\RAD_PENDING.PND_ATTAINS_AU_AREAS TASTE_COLOR_AND_ODOR # DZ
TEXT 50 NULLABLE false

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2019-10-27 17:28:19

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.7\ArcToolbox\Toolboxes\Data
Management Tools.tbx\AlterField

COMMAND ISSUED

AlterField
C:\Users\pdziemie\AppData\Roaming\ESRI\Desktop10.7\ArcCatalog\vmwaters1-rad_pending.sde\RAD_PENDING.PND_ATTAINS_AU_AREAS TASTE_COLOR_AND_ODOR # Taste_Color_And_Odor TEXT 50 NULLABLE false

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2019-10-27 17:28:23
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.7\ArcToolbox\Toolboxes\Data Management Tools.tbx\AlterField
COMMAND ISSUED
AlterField
C:\Users\pdziemie\AppData\Roaming\ESRI\Desktop10.7\ArcCatalog\vmwaters1-rad_pending.sde\RAD_PENDING.PND_ATTAINS_AU_AREAS TEMPERATURE # DZ TEXT 50 NULLABLE false

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2019-10-27 17:28:28
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.7\ArcToolbox\Toolboxes\Data Management Tools.tbx\AlterField
COMMAND ISSUED
AlterField
C:\Users\pdziemie\AppData\Roaming\ESRI\Desktop10.7\ArcCatalog\vmwaters1-rad_pending.sde\RAD_PENDING.PND_ATTAINS_AU_AREAS TEMPERATURE # Temperature TEXT 50 NULLABLE false

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2019-10-27 17:28:33
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.7\ArcToolbox\Toolboxes\Data Management Tools.tbx\AlterField
COMMAND ISSUED
AlterField
C:\Users\pdziemie\AppData\Roaming\ESRI\Desktop10.7\ArcCatalog\vmwaters1-rad_pending.sde\RAD_PENDING.PND_ATTAINS_AU_AREAS TOTAL_TOXICS # DZ TEXT 50 NULLABLE false

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2019-10-27 17:28:37
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.7\ArcToolbox\Toolboxes\Data Management Tools.tbx\AlterField
COMMAND ISSUED
AlterField
C:\Users\pdziemie\AppData\Roaming\ESRI\Desktop10.7\ArcCatalog\vmwaters1-rad_pending.sde\RAD_PENDING.PND_ATTAINS_AU_AREAS TOTAL_TOXICS # Total-Toxics TEXT 50 NULLABLE false

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2019-10-27 17:28:43

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.7\ArcToolbox\Toolboxes\Data Management Tools.tbx\AlterField
COMMAND ISSUED
AlterField
C:\Users\pdziemie\AppData\Roaming\ESRI\Desktop10.7\ArcCatalog\vmwaters1-rad_pending.sde\RAD_PENDING.PND_ATTAINS_AU_AREAS TOXIC_INORGANICS # DZ TEXT 50 NULLABLE false
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2019-10-27 17:28:49
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.7\ArcToolbox\Toolboxes\Data Management Tools.tbx\AlterField
COMMAND ISSUED
AlterField
C:\Users\pdziemie\AppData\Roaming\ESRI\Desktop10.7\ArcCatalog\vmwaters1-rad_pending.sde\RAD_PENDING.PND_ATTAINS_AU_AREAS TOXIC_INORGANICS # Toxic_Inorganics TEXT 50 NULLABLE false
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2019-10-27 17:28:55
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.7\ArcToolbox\Toolboxes\Data Management Tools.tbx\AlterField
COMMAND ISSUED
AlterField
C:\Users\pdziemie\AppData\Roaming\ESRI\Desktop10.7\ArcCatalog\vmwaters1-rad_pending.sde\RAD_PENDING.PND_ATTAINS_AU_AREAS TOXIC_ORGANICS # DZ TEXT 50 NULLABLE false
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2019-10-27 17:29:01
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.7\ArcToolbox\Toolboxes\Data Management Tools.tbx\AlterField
COMMAND ISSUED
AlterField
C:\Users\pdziemie\AppData\Roaming\ESRI\Desktop10.7\ArcCatalog\vmwaters1-rad_pending.sde\RAD_PENDING.PND_ATTAINS_AU_AREAS TOXIC_ORGANICS # Toxic_Organics TEXT 50 NULLABLE false
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2019-10-27 17:29:07
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.7\ArcToolbox\Toolboxes\Data Management Tools.tbx\AlterField
COMMAND ISSUED
AlterField
C:\Users\pdziemie\AppData\Roaming\ESRI\Desktop10.7\ArcCatalog\vmwaters1-rad_pending.sde\RAD_PENDING.PND_ATTAINS_AU_AREAS TRASH # DZ TEXT 50 NULLABLE false
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2019-10-27 17:29:13
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.7\ArcToolbox\Toolboxes\Data Management Tools.tbx\AlterField
COMMAND ISSUED
AlterField
C:\Users\pdziemie\AppData\Roaming\ESRI\Desktop10.7\ArcCatalog\vmwaters1-rad_pending.sde\RAD_PENDING.PND_ATTAINS_AU_AREAS TRASH # Trash TEXT 50
NULLABLE false
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2019-10-27 17:29:19
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.7\ArcToolbox\Toolboxes\Data Management Tools.tbx\AlterField
COMMAND ISSUED
AlterField
C:\Users\pdziemie\AppData\Roaming\ESRI\Desktop10.7\ArcCatalog\vmwaters1-rad_pending.sde\RAD_PENDING.PND_ATTAINS_AU_AREAS TURBIDITY # DZ TEXT 50
NULLABLE false
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2019-10-27 17:29:25
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.7\ArcToolbox\Toolboxes\Data Management Tools.tbx\AlterField
COMMAND ISSUED
AlterField
C:\Users\pdziemie\AppData\Roaming\ESRI\Desktop10.7\ArcCatalog\vmwaters1-rad_pending.sde\RAD_PENDING.PND_ATTAINS_AU_AREAS TURBIDITY # Turbidity TEXT 50
NULLABLE false
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2019-10-27 17:29:31
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.7\ArcToolbox\Toolboxes\Data Management Tools.tbx\AlterField
COMMAND ISSUED
AlterField
C:\Users\pdziemie\AppData\Roaming\ESRI\Desktop10.7\ArcCatalog\vmwaters1-rad_pending.sde\RAD_PENDING.PND_ATTAINS_AU_AREAS SHAPE # DZ # 4 NULLABLE
false
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2019-10-27 17:29:37
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.7\ArcToolbox\Toolboxes\Data Management Tools.tbx\AlterField
COMMAND ISSUED
AlterField
C:\Users\pdziemie\AppData\Roaming\ESRI\Desktop10.7\ArcCatalog\vmwaters1-rad_pending.sde\RAD_PENDING.PND_ATTAINS_AU_AREAS SHAPE # Shape # 4 NULLABLE
false
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2019-11-05 11:14:31

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.7\ArcToolbox\Toolboxes\Data Management Tools.tbx\AlterField

COMMAND ISSUED

AlterField

C:\Users\pdziemie\AppData\Roaming\ESRI\Desktop10.7\ArcCatalog\vmwaters1-rad_pending.sde\RAD_PENDING.PND_ATTAINS_AU_AREAS ASSMNT_JOINKEY # DZ TEXT 40 NON_NULLABLE false

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2019-11-05 11:14:36

TOOL LOCATION c:\program files (x86)\arcgis\desktop10.7\ArcToolbox\Toolboxes\Data Management Tools.tbx\AlterField

COMMAND ISSUED

AlterField

C:\Users\pdziemie\AppData\Roaming\ESRI\Desktop10.7\ArcCatalog\vmwaters1-rad_pending.sde\RAD_PENDING.PND_ATTAINS_AU_AREAS ASSMNT_JOINKEY # Assmnt_JoinKey TEXT 40 NON_NULLABLE false

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2021-02-20 09:34:09

TOOL LOCATION c:\program files\arcgis\pro\Resources\ArcToolbox\toolboxes\Data Management Tools.tbx\AlterField

COMMAND ISSUED

AlterField C:\Users\pdziemie\esri_dump\vmwaters7-

rad_pending.sde\RAD_PENDING.PND_ATTAINS_AU_AREAS PERMID_JOINKEY # DZ Text 40 NULLABLE DO_NOT_CLEAR

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2021-02-20 09:34:23

TOOL LOCATION c:\program files\arcgis\pro\Resources\ArcToolbox\toolboxes\Data Management Tools.tbx\AlterField

COMMAND ISSUED

AlterField C:\Users\pdziemie\esri_dump\vmwaters7-

rad_pending.sde\RAD_PENDING.PND_ATTAINS_AU_AREAS PERMID_JOINKEY # "PermID Joinkey" Text 40 NULLABLE DO_NOT_CLEAR

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2021-02-20 09:34:37

TOOL LOCATION c:\program files\arcgis\pro\Resources\ArcToolbox\toolboxes\Data Management Tools.tbx\AlterField

COMMAND ISSUED

AlterField C:\Users\pdziemie\esri_dump\vmwaters7-

rad_pending.sde\RAD_PENDING.PND_ATTAINS_AU_AREAS ORGTYPE # DZ Text 30 NON_NULLABLE DO_NOT_CLEAR

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2021-02-20 09:34:51

TOOL LOCATION c:\program files\arcgis\pro\Resources\ArcToolbox\toolboxes\Data Management Tools.tbx\AlterField

COMMAND ISSUED

```
AlterField C:\Users\pdziemie\esri_dump\vmwaters7-  
rad_pending.sde\RAD_PENDING.PND_ATTAINS_AU_AREAS ORGTYPE # OrgType Text 30  
NON_NULLABLE DO_NOT_CLEAR
```

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2021-02-20 09:35:04

TOOL LOCATION c:\program files\arcgis\pro\Resources\ArcToolbox\toolboxes\Data Management Tools.tbx\AlterField

COMMAND ISSUED

```
AlterField C:\Users\pdziemie\esri_dump\vmwaters7-  
rad_pending.sde\RAD_PENDING.PND_ATTAINS_AU_AREAS TAS303D # DZ Text 1  
NON_NULLABLE DO_NOT_CLEAR
```

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2021-02-20 09:35:19

TOOL LOCATION c:\program files\arcgis\pro\Resources\ArcToolbox\toolboxes\Data Management Tools.tbx\AlterField

COMMAND ISSUED

```
AlterField C:\Users\pdziemie\esri_dump\vmwaters7-  
rad_pending.sde\RAD_PENDING.PND_ATTAINS_AU_AREAS TAS303D # TAS303d Text 1  
NON_NULLABLE DO_NOT_CLEAR
```

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2021-02-20 09:35:33

TOOL LOCATION c:\program files\arcgis\pro\Resources\ArcToolbox\toolboxes\Data Management Tools.tbx\AlterField

COMMAND ISSUED

```
AlterField C:\Users\pdziemie\esri_dump\vmwaters7-  
rad_pending.sde\RAD_PENDING.PND_ATTAINS_AU_AREAS WATERBODYREPORTLINK # DZ  
Text 4000 NON_NULLABLE DO_NOT_CLEAR
```

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2021-02-20 09:35:46

TOOL LOCATION c:\program files\arcgis\pro\Resources\ArcToolbox\toolboxes\Data Management Tools.tbx\AlterField

COMMAND ISSUED

```
AlterField C:\Users\pdziemie\esri_dump\vmwaters7-  
rad_pending.sde\RAD_PENDING.PND_ATTAINS_AU_AREAS WATERBODYREPORTLINK #  
WaterbodyReportLink Text 4000 NON_NULLABLE DO_NOT_CLEAR
```

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2021-02-20 09:36:00

TOOL LOCATION c:\program files\arcgis\pro\Resources\ArcToolbox\toolboxes\Data Management Tools.tbx\AlterField

COMMAND ISSUED

```
AlterField C:\Users\pdziemie\esri_dump\vmwaters7-  
rad_pending.sde\RAD_PENDING.PND_ATTAINS_AU_AREAS OVERALLSTATUS # DZ Text 50  
NON_NULLABLE DO_NOT_CLEAR
```

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2021-02-20 09:36:14

TOOL LOCATION c:\program files\arcgis\pro\Resources\ArcToolbox\toolboxes\Data Management Tools.tbx\AlterField

COMMAND ISSUED

```
AlterField C:\Users\pdziemie\esri_dump\vmwaters7-  
rad_pending.sde\RAD_PENDING.PND_ATTAINS_AU_AREAS OVERALLSTATUS #  
OverallStatus Text 50 NON_NULLABLE DO_NOT_CLEAR
```

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2021-02-20 09:36:27

TOOL LOCATION c:\program files\arcgis\pro\Resources\ArcToolbox\toolboxes\Data Management Tools.tbx\AlterField

COMMAND ISSUED

```
AlterField C:\Users\pdziemie\esri_dump\vmwaters7-  
rad_pending.sde\RAD_PENDING.PND_ATTAINS_AU_AREAS ISTHREATENED # DZ Text 1  
NON_NULLABLE DO_NOT_CLEAR
```

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2021-02-20 09:36:41

TOOL LOCATION c:\program files\arcgis\pro\Resources\ArcToolbox\toolboxes\Data Management Tools.tbx\AlterField

COMMAND ISSUED

```
AlterField C:\Users\pdziemie\esri_dump\vmwaters7-  
rad_pending.sde\RAD_PENDING.PND_ATTAINS_AU_AREAS ISTHREATENED # IsThreatened  
Text 1 NON_NULLABLE DO_NOT_CLEAR
```

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2021-02-20 09:36:55

TOOL LOCATION c:\program files\arcgis\pro\Resources\ArcToolbox\toolboxes\Data Management Tools.tbx\AlterField

COMMAND ISSUED

```
AlterField C:\Users\pdziemie\esri_dump\vmwaters7-  
rad_pending.sde\RAD_PENDING.PND_ATTAINS_AU_AREAS ISTHREATENED # DZ Text 1  
NON_NULLABLE DO_NOT_CLEAR
```

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2021-02-20 09:37:09

TOOL LOCATION c:\program files\arcgis\pro\Resources\ArcToolbox\toolboxes\Data Management Tools.tbx\AlterField

COMMAND ISSUED

AlterField C:\Users\pdziemie\esri_dump\vmwaters7-rad_pending.sde\RAD_PENDING.PND_ATTAINS_AU_AREAS ISTHREATENED # IsThreatened
Text 1 NON_NULLABLE DO_NOT_CLEAR
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2021-05-12 12:28:08
TOOL LOCATION d:\public\server\apps\arcgis\pro\Resources\ArcToolbox\toolboxes\Data Management Tools.tbx\AlterField
COMMAND ISSUED
AlterField D:\Public\Data\WatersGeoPro\vmwaters7-rad_pending.sde\PND_ATTAINS_AU_AREAS ORGTYPE # DZ Text 30 NON_NULLABLE DO_NOT_CLEAR
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2021-05-12 12:28:10
TOOL LOCATION d:\public\server\apps\arcgis\pro\Resources\ArcToolbox\toolboxes\Data Management Tools.tbx\AlterField
COMMAND ISSUED
AlterField D:\Public\Data\WatersGeoPro\vmwaters7-rad_pending.sde\PND_ATTAINS_AU_AREAS ORGTYPE # "Organization Type" Text 30 NON_NULLABLE DO_NOT_CLEAR
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2021-05-12 12:28:11
TOOL LOCATION d:\public\server\apps\arcgis\pro\Resources\ArcToolbox\toolboxes\Data Management Tools.tbx\AlterField
COMMAND ISSUED
AlterField D:\Public\Data\WatersGeoPro\vmwaters7-rad_pending.sde\PND_ATTAINS_AU_AREAS TAS303D # DZ Text 1 NON_NULLABLE DO_NOT_CLEAR
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2021-05-12 12:28:12
TOOL LOCATION d:\public\server\apps\arcgis\pro\Resources\ArcToolbox\toolboxes\Data Management Tools.tbx\AlterField
COMMAND ISSUED
AlterField D:\Public\Data\WatersGeoPro\vmwaters7-rad_pending.sde\PND_ATTAINS_AU_AREAS TAS303D # "TAS 303(d)" Text 1 NON_NULLABLE DO_NOT_CLEAR
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2021-05-12 12:28:13
TOOL LOCATION d:\public\server\apps\arcgis\pro\Resources\ArcToolbox\toolboxes\Data Management Tools.tbx\AlterField
COMMAND ISSUED
AlterField D:\Public\Data\WatersGeoPro\vmwaters7-rad_pending.sde\PND_ATTAINS_AU_AREAS ORGANIZATIONNAME # DZ Text 200 NON_NULLABLE DO_NOT_CLEAR

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2021-05-12 12:28:15

TOOL LOCATION d:\public\server\apps\arcgis\pro\Resources\ArcToolbox\toolboxes\Data Management Tools.tbx\AlterField

COMMAND ISSUED

AlterField D:\Public\Data\WatersGeoPro\vmwaters7-rad_pending.sde\PND_ATTAINS_AU_AREAS ORGANIZATIONNAME # "Organization Name" Text 200 NON_NULLABLE DO_NOT_CLEAR

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2021-05-12 12:28:16

TOOL LOCATION d:\public\server\apps\arcgis\pro\Resources\ArcToolbox\toolboxes\Data Management Tools.tbx\AlterField

COMMAND ISSUED

AlterField D:\Public\Data\WatersGeoPro\vmwaters7-rad_pending.sde\PND_ATTAINS_AU_AREAS WATERBODYREPORTLINK # DZ Text 4000 NON_NULLABLE DO_NOT_CLEAR

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2021-05-12 12:28:17

TOOL LOCATION d:\public\server\apps\arcgis\pro\Resources\ArcToolbox\toolboxes\Data Management Tools.tbx\AlterField

COMMAND ISSUED

AlterField D:\Public\Data\WatersGeoPro\vmwaters7-rad_pending.sde\PND_ATTAINS_AU_AREAS WATERBODYREPORTLINK # "Waterbody Report Link" Text 4000 NON_NULLABLE DO_NOT_CLEAR

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2021-05-12 12:28:18

TOOL LOCATION d:\public\server\apps\arcgis\pro\Resources\ArcToolbox\toolboxes\Data Management Tools.tbx\AlterField

COMMAND ISSUED

AlterField D:\Public\Data\WatersGeoPro\vmwaters7-rad_pending.sde\PND_ATTAINS_AU_AREAS IRCATEGORY # DZ Text 5 NULLABLE DO_NOT_CLEAR

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2021-05-12 12:28:19

TOOL LOCATION d:\public\server\apps\arcgis\pro\Resources\ArcToolbox\toolboxes\Data Management Tools.tbx\AlterField

COMMAND ISSUED

AlterField D:\Public\Data\WatersGeoPro\vmwaters7-rad_pending.sde\PND_ATTAINS_AU_AREAS IRCATEGORY # "IR Category" Text 5 NULLABLE DO_NOT_CLEAR

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2021-05-12 12:28:21

TOOL LOCATION d:\public\server\apps\arcgis\pro\Resources\ArcToolbox\toolboxes\Data Management Tools.tbx\AlterField

COMMAND ISSUED

AlterField D:\Public\Data\WatersGeoPro\vmwaters7-rad_pending.sde\PND_ATTAINS_AU_AREAS OVERALLSTATUS # DZ Text 50 NON_NULLABLE DO_NOT_CLEAR

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2021-05-12 12:28:22

TOOL LOCATION d:\public\server\apps\arcgis\pro\Resources\ArcToolbox\toolboxes\Data Management Tools.tbx\AlterField

COMMAND ISSUED

AlterField D:\Public\Data\WatersGeoPro\vmwaters7-rad_pending.sde\PND_ATTAINS_AU_AREAS OVERALLSTATUS # "Overall Status" Text 50 NON_NULLABLE DO_NOT_CLEAR

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2021-05-12 12:28:23

TOOL LOCATION d:\public\server\apps\arcgis\pro\Resources\ArcToolbox\toolboxes\Data Management Tools.tbx\AlterField

COMMAND ISSUED

AlterField D:\Public\Data\WatersGeoPro\vmwaters7-rad_pending.sde\PND_ATTAINS_AU_AREAS ISASSESSED # DZ Text 1 NON_NULLABLE DO_NOT_CLEAR

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2021-05-12 12:28:24

TOOL LOCATION d:\public\server\apps\arcgis\pro\Resources\ArcToolbox\toolboxes\Data Management Tools.tbx\AlterField

COMMAND ISSUED

AlterField D:\Public\Data\WatersGeoPro\vmwaters7-rad_pending.sde\PND_ATTAINS_AU_AREAS ISASSESSED # "Is Assessed" Text 1 NON_NULLABLE DO_NOT_CLEAR

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2021-05-12 12:28:25

TOOL LOCATION d:\public\server\apps\arcgis\pro\Resources\ArcToolbox\toolboxes\Data Management Tools.tbx\AlterField

COMMAND ISSUED

AlterField D:\Public\Data\WatersGeoPro\vmwaters7-rad_pending.sde\PND_ATTAINS_AU_AREAS ISIMPAIRED # DZ Text 1 NON_NULLABLE DO_NOT_CLEAR

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2021-05-12 12:28:26

TOOL LOCATION d:\public\server\apps\arcgis\pro\Resources\ArcToolbox\toolboxes\Data Management Tools.tbx\AlterField

COMMAND ISSUED

AlterField D:\Public\Data\WatersGeoPro\vmwaters7-rad_pending.sde\PND_ATTAINS_AU_AREAS ISIMPAIRED # "Is Impaired" Text 1 NON_NULLABLE DO_NOT_CLEAR

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2021-05-12 12:28:28

TOOL LOCATION d:\public\server\apps\arcgis\pro\Resources\ArcToolbox\toolboxes\Data Management Tools.tbx\AlterField

COMMAND ISSUED

AlterField D:\Public\Data\WatersGeoPro\vmwaters7-rad_pending.sde\PND_ATTAINS_AU_AREAS ISTHREATENED # DZ Text 1 NON_NULLABLE DO_NOT_CLEAR

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2021-05-12 12:28:29

TOOL LOCATION d:\public\server\apps\arcgis\pro\Resources\ArcToolbox\toolboxes\Data Management Tools.tbx\AlterField

COMMAND ISSUED

AlterField D:\Public\Data\WatersGeoPro\vmwaters7-rad_pending.sde\PND_ATTAINS_AU_AREAS ISTHREATENED # "Is Threatened" Text 1 NON_NULLABLE DO_NOT_CLEAR

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2021-05-12 12:28:30

TOOL LOCATION d:\public\server\apps\arcgis\pro\Resources\ArcToolbox\toolboxes\Data Management Tools.tbx\AlterField

COMMAND ISSUED

AlterField D:\Public\Data\WatersGeoPro\vmwaters7-rad_pending.sde\PND_ATTAINS_AU_AREAS HAS4BPLAN # DZ Text 1 NON_NULLABLE DO_NOT_CLEAR

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2021-05-12 12:28:31

TOOL LOCATION d:\public\server\apps\arcgis\pro\Resources\ArcToolbox\toolboxes\Data Management Tools.tbx\AlterField

COMMAND ISSUED

AlterField D:\Public\Data\WatersGeoPro\vmwaters7-rad_pending.sde\PND_ATTAINS_AU_AREAS HAS4BPLAN # Has4BPlan Text 1 NON_NULLABLE DO_NOT_CLEAR

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2021-05-12 12:28:32

TOOL LOCATION d:\public\server\apps\arcgis\pro\Resources\ArcToolbox\toolboxes\Data Management Tools.tbx\AlterField

COMMAND ISSUED

AlterField D:\Public\Data\WatersGeoPro\vmwaters7-
rad_pending.sde\PND_ATTAINS_AU_AREAS HASALTERNATIVEPLAN # DZ Text 1
NON_NULLABLE DO_NOT_CLEAR

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2021-05-12 12:28:33

TOOL LOCATION d:\public\server\apps\arcgis\pro\Resources\ArcToolbox\toolboxes\Data
Management Tools.tbx\AlterField

COMMAND ISSUED

AlterField D:\Public\Data\WatersGeoPro\vmwaters7-
rad_pending.sde\PND_ATTAINS_AU_AREAS HASALTERNATIVEPLAN # HasAlternativePlan
Text 1 NON_NULLABLE DO_NOT_CLEAR

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2021-05-12 12:28:34

TOOL LOCATION d:\public\server\apps\arcgis\pro\Resources\ArcToolbox\toolboxes\Data
Management Tools.tbx\AlterField

COMMAND ISSUED

AlterField D:\Public\Data\WatersGeoPro\vmwaters7-
rad_pending.sde\PND_ATTAINS_AU_AREAS HASPROTECTIONPLAN # DZ Text 1
NON_NULLABLE DO_NOT_CLEAR

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2021-05-12 12:28:36

TOOL LOCATION d:\public\server\apps\arcgis\pro\Resources\ArcToolbox\toolboxes\Data
Management Tools.tbx\AlterField

COMMAND ISSUED

AlterField D:\Public\Data\WatersGeoPro\vmwaters7-
rad_pending.sde\PND_ATTAINS_AU_AREAS HASPROTECTIONPLAN # HasProtectionPlan
Text 1 NON_NULLABLE DO_NOT_CLEAR

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2021-05-12 12:28:37

TOOL LOCATION d:\public\server\apps\arcgis\pro\Resources\ArcToolbox\toolboxes\Data
Management Tools.tbx\AlterField

COMMAND ISSUED

AlterField D:\Public\Data\WatersGeoPro\vmwaters7-
rad_pending.sde\PND_ATTAINS_AU_AREAS OXYGEN_DEPLETION # DZ Text 50 NULLABLE
DO_NOT_CLEAR

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2021-05-12 12:28:38

TOOL LOCATION d:\public\server\apps\arcgis\pro\Resources\ArcToolbox\toolboxes\Data
Management Tools.tbx\AlterField

COMMAND ISSUED

AlterField D:\Public\Data\WatersGeoPro\vmwaters7-
rad_pending.sde\PND_ATTAINS_AU_AREAS OXYGEN_DEPLETION # "Oxygen Depletion"
Text 50 NULLABLE DO_NOT_CLEAR

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2021-05-12 12:32:14

TOOL LOCATION d:\public\server\apps\arcgis\pro\Resources\ArcToolbox\toolboxes\Data Management Tools.tbx\AlterField

COMMAND ISSUED

AlterField D:\Public\Data\WatersGeoPro\vmwaters7-rad_pending.sde\PND_ATTAINS_AU_AREAS HASTMDL # DZ Text 1 NON_NULLABLE DO_NOT_CLEAR

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2021-05-12 12:32:16

TOOL LOCATION d:\public\server\apps\arcgis\pro\Resources\ArcToolbox\toolboxes\Data Management Tools.tbx\AlterField

COMMAND ISSUED

AlterField D:\Public\Data\WatersGeoPro\vmwaters7-rad_pending.sde\PND_ATTAINS_AU_AREAS HASTMDL # "Has TMDL" Text 1 NON_NULLABLE DO_NOT_CLEAR

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2021-05-12 12:32:17

TOOL LOCATION d:\public\server\apps\arcgis\pro\Resources\ArcToolbox\toolboxes\Data Management Tools.tbx\AlterField

COMMAND ISSUED

AlterField D:\Public\Data\WatersGeoPro\vmwaters7-rad_pending.sde\PND_ATTAINS_AU_AREAS HAS4BPLAN # DZ Text 1 NON_NULLABLE DO_NOT_CLEAR

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2021-05-12 12:32:18

TOOL LOCATION d:\public\server\apps\arcgis\pro\Resources\ArcToolbox\toolboxes\Data Management Tools.tbx\AlterField

COMMAND ISSUED

AlterField D:\Public\Data\WatersGeoPro\vmwaters7-rad_pending.sde\PND_ATTAINS_AU_AREAS HAS4BPLAN # "Has 4B Plan" Text 1 NON_NULLABLE DO_NOT_CLEAR

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2021-05-12 12:32:19

TOOL LOCATION d:\public\server\apps\arcgis\pro\Resources\ArcToolbox\toolboxes\Data Management Tools.tbx\AlterField

COMMAND ISSUED

AlterField D:\Public\Data\WatersGeoPro\vmwaters7-rad_pending.sde\PND_ATTAINS_AU_AREAS HASALTERNATIVEPLAN # DZ Text 1 NON_NULLABLE DO_NOT_CLEAR

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2021-05-12 12:32:20

TOOL LOCATION d:\public\server\apps\arcgis\pro\Resources\ArcToolbox\toolboxes\Data Management Tools.tbx\AlterField

COMMAND ISSUED

AlterField D:\Public\Data\WatersGeoPro\vmwaters7-rad_pending.sde\PND_ATTAINS_AU_AREAS HASALTERNATIVEPLAN # "Has Alternative Plan" Text 1 NON_NULLABLE DO_NOT_CLEAR

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2021-05-12 12:32:21

TOOL LOCATION d:\public\server\apps\arcgis\pro\Resources\ArcToolbox\toolboxes\Data Management Tools.tbx\AlterField

COMMAND ISSUED

AlterField D:\Public\Data\WatersGeoPro\vmwaters7-rad_pending.sde\PND_ATTAINS_AU_AREAS HASPROTECTIONPLAN # DZ Text 1 NON_NULLABLE DO_NOT_CLEAR

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2021-05-12 12:32:22

TOOL LOCATION d:\public\server\apps\arcgis\pro\Resources\ArcToolbox\toolboxes\Data Management Tools.tbx\AlterField

COMMAND ISSUED

AlterField D:\Public\Data\WatersGeoPro\vmwaters7-rad_pending.sde\PND_ATTAINS_AU_AREAS HASPROTECTIONPLAN # "Has Protection Plan" Text 1 NON_NULLABLE DO_NOT_CLEAR

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2022-08-04 07:04:02

TOOL LOCATION

d:\public\server\apps\arcgis\server\framework\runtime\arcgis\Resources\ArcToolbox\toolboxes\Data Management Tools.tbx\AlterField

COMMAND ISSUED

AlterField D:\Public\Data\WatersGeoPro\gispub\OW\vmwaters7-rad_pending.sde\PND_ATTAINS_AU_AREAS SUBMISSIONID # DZ Text 40 NON_NULLABLE DO_NOT_CLEAR

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2022-08-04 07:04:04

TOOL LOCATION

d:\public\server\apps\arcgis\server\framework\runtime\arcgis\Resources\ArcToolbox\toolboxes\Data Management Tools.tbx\AlterField

COMMAND ISSUED

AlterField D:\Public\Data\WatersGeoPro\gispub\OW\vmwaters7-rad_pending.sde\PND_ATTAINS_AU_AREAS SUBMISSIONID # "Submission ID" Text 40 NON_NULLABLE DO_NOT_CLEAR

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2022-08-04 07:04:06

TOOL LOCATION

d:\public\server\apps\arcgis\server\framework\runtime\arcgis\Resources\ArcToolbox\toolboxes\Data Management Tools.tbx\AlterField

COMMAND ISSUED

```
AlterField D:\Public\Data\WatersGeoPro\gispub\OW\vmwaters7-  
rad_pending.sde\PND_ATTAINS_AU_AREAS REPORTINGCYCLE # DZ "Long (large  
integer)" 4 NON_NULLABLE DO_NOT_CLEAR
```

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2022-08-04 07:04:08

TOOL LOCATION

d:\public\server\apps\arcgis\server\framework\runtime\arcgis\Resources\ArcToolbox\toolboxes\Data Management Tools.tbx\AlterField

COMMAND ISSUED

```
AlterField D:\Public\Data\WatersGeoPro\gispub\OW\vmwaters7-  
rad_pending.sde\PND_ATTAINS_AU_AREAS REPORTINGCYCLE # "Reporting Cycle"  
"Long (large integer)" 4 NON_NULLABLE DO_NOT_CLEAR
```

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2022-08-04 07:04:10

TOOL LOCATION

d:\public\server\apps\arcgis\server\framework\runtime\arcgis\Resources\ArcToolbox\toolboxes\Data Management Tools.tbx\AlterField

COMMAND ISSUED

```
AlterField D:\Public\Data\WatersGeoPro\gispub\OW\vmwaters7-  
rad_pending.sde\PND_ATTAINS_AU_AREAS ON303DLIST # DZ Text 1 NULLABLE  
DO_NOT_CLEAR
```

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2022-08-04 07:04:12

TOOL LOCATION

d:\public\server\apps\arcgis\server\framework\runtime\arcgis\Resources\ArcToolbox\toolboxes\Data Management Tools.tbx\AlterField

COMMAND ISSUED

```
AlterField D:\Public\Data\WatersGeoPro\gispub\OW\vmwaters7-  
rad_pending.sde\PND_ATTAINS_AU_AREAS ON303DLIST # "On 303d List" Text 1  
NULLABLE DO_NOT_CLEAR
```

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2022-08-04 07:04:13

TOOL LOCATION

d:\public\server\apps\arcgis\server\framework\runtime\arcgis\Resources\ArcToolbox\toolboxes\Data Management Tools.tbx\AlterField

COMMAND ISSUED

```
AlterField D:\Public\Data\WatersGeoPro\gispub\OW\vmwaters7-  
rad_pending.sde\PND_ATTAINS_AU_AREAS DRINKINGWATER_USE # DZ Text 50 NULLABLE  
DO_NOT_CLEAR
```

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2022-08-04 07:04:15

TOOL LOCATION

d:\public\server\apps\arcgis\server\framework\runtime\arcgis\Resources\ArcToolbox\toolboxes\Data Management Tools.tbx\AlterField

COMMAND ISSUED

AlterField D:\Public\Data\WatersGeoPro\gispub\OW\vmwaters7-rad_pending.sde\PND_ATTAINS_AU_AREAS DRINKINGWATER_USE # "Drinking Water Use" Text 50 NULLABLE DO_NOT_CLEAR

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2022-08-04 07:04:17

TOOL LOCATION

d:\public\server\apps\arcgis\server\framework\runtime\arcgis\Resources\ArcToolbox\toolboxes\Data Management Tools.tbx\AlterField

COMMAND ISSUED

AlterField D:\Public\Data\WatersGeoPro\gispub\OW\vmwaters7-rad_pending.sde\PND_ATTAINS_AU_AREAS ECOLOGICAL_USE # DZ Text 50 NULLABLE DO_NOT_CLEAR

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2022-08-04 07:04:19

TOOL LOCATION

d:\public\server\apps\arcgis\server\framework\runtime\arcgis\Resources\ArcToolbox\toolboxes\Data Management Tools.tbx\AlterField

COMMAND ISSUED

AlterField D:\Public\Data\WatersGeoPro\gispub\OW\vmwaters7-rad_pending.sde\PND_ATTAINS_AU_AREAS ECOLOGICAL_USE # "Ecological Use" Text 50 NULLABLE DO_NOT_CLEAR

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2022-08-04 07:04:21

TOOL LOCATION

d:\public\server\apps\arcgis\server\framework\runtime\arcgis\Resources\ArcToolbox\toolboxes\Data Management Tools.tbx\AlterField

COMMAND ISSUED

AlterField D:\Public\Data\WatersGeoPro\gispub\OW\vmwaters7-rad_pending.sde\PND_ATTAINS_AU_AREAS RECREATION_USE # DZ Text 50 NULLABLE DO_NOT_CLEAR

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2022-08-04 07:04:23

TOOL LOCATION

d:\public\server\apps\arcgis\server\framework\runtime\arcgis\Resources\ArcToolbox\toolboxes\Data Management Tools.tbx\AlterField

COMMAND ISSUED

AlterField D:\Public\Data\WatersGeoPro\gispub\OW\vmwaters7-rad_pending.sde\PND_ATTAINS_AU_AREAS RECREATION_USE # "Recreation Use" Text 50 NULLABLE DO_NOT_CLEAR

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2022-08-04 07:04:25

TOOL LOCATION

d:\public\server\apps\arcgis\server\framework\runtime\arcgis\Resources\ArcToolbox\toolboxes\Data Management Tools.tbx\AlterField

COMMAND ISSUED

AlterField D:\Public\Data\WatersGeoPro\gispub\OW\vmwaters7-rad_pending.sde\PND_ATTAINS_AU_AREAS CAUSE_UNKNOWN # DZ Text 50 NULLABLE DO_NOT_CLEAR

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2022-08-04 07:04:27

TOOL LOCATION

d:\public\server\apps\arcgis\server\framework\runtime\arcgis\Resources\ArcToolbox\toolboxes\Data Management Tools.tbx\AlterField

COMMAND ISSUED

AlterField D:\Public\Data\WatersGeoPro\gispub\OW\vmwaters7-rad_pending.sde\PND_ATTAINS_AU_AREAS CAUSE_UNKNOWN # "Cause Unknown" Text 50 NULLABLE DO_NOT_CLEAR

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2022-08-04 07:04:29

TOOL LOCATION

d:\public\server\apps\arcgis\server\framework\runtime\arcgis\Resources\ArcToolbox\toolboxes\Data Management Tools.tbx\AlterField

COMMAND ISSUED

AlterField D:\Public\Data\WatersGeoPro\gispub\OW\vmwaters7-rad_pending.sde\PND_ATTAINS_AU_AREAS CAUSE_UNKNOWN_FISH_KILLS # DZ Text 50 NULLABLE DO_NOT_CLEAR

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2022-08-04 07:04:30

TOOL LOCATION

d:\public\server\apps\arcgis\server\framework\runtime\arcgis\Resources\ArcToolbox\toolboxes\Data Management Tools.tbx\AlterField

COMMAND ISSUED

AlterField D:\Public\Data\WatersGeoPro\gispub\OW\vmwaters7-rad_pending.sde\PND_ATTAINS_AU_AREAS CAUSE_UNKNOWN_FISH_KILLS # "Cause Unknown Fish Kills" Text 50 NULLABLE DO_NOT_CLEAR

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2022-08-04 07:04:32

TOOL LOCATION

d:\public\server\apps\arcgis\server\framework\runtime\arcgis\Resources\ArcToolbox\toolboxes\Data Management Tools.tbx\AlterField

COMMAND ISSUED

AlterField D:\Public\Data\WatersGeoPro\gispub\OW\vmwaters7-rad_pending.sde\PND_ATTAINS_AU_AREAS CAUSE_UNKNOWN_IMPAIRED_BIOTA # DZ Text 50 NULLABLE DO_NOT_CLEAR

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2022-08-04 07:04:34

TOOL LOCATION

d:\public\server\apps\arcgis\server\framework\runtime\arcgis\Resources\ArcToolbox\toolboxes\Data Management Tools.tbx\AlterField

COMMAND ISSUED

AlterField D:\Public\Data\WatersGeoPro\gispub\OW\vmwaters7-rad_pending.sde\PND_ATTAINS_AU_AREAS CAUSE_UNKNOWN_IMPAIRED_BIOTA # "Cause Unknown Impaired Biota" Text 50 NULLABLE DO_NOT_CLEAR

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2022-08-04 07:04:36

TOOL LOCATION

d:\public\server\apps\arcgis\server\framework\runtime\arcgis\Resources\ArcToolbox\toolboxes\Data Management Tools.tbx\AlterField

COMMAND ISSUED

AlterField D:\Public\Data\WatersGeoPro\gispub\OW\vmwaters7-rad_pending.sde\PND_ATTAINS_AU_AREAS HABITAT_ALTERATIONS # DZ Text 50 NULLABLE DO_NOT_CLEAR

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2022-08-04 07:04:38

TOOL LOCATION

d:\public\server\apps\arcgis\server\framework\runtime\arcgis\Resources\ArcToolbox\toolboxes\Data Management Tools.tbx\AlterField

COMMAND ISSUED

AlterField D:\Public\Data\WatersGeoPro\gispub\OW\vmwaters7-rad_pending.sde\PND_ATTAINS_AU_AREAS HABITAT_ALTERATIONS # "Habitat Alterations" Text 50 NULLABLE DO_NOT_CLEAR

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2022-08-04 07:04:40

TOOL LOCATION

d:\public\server\apps\arcgis\server\framework\runtime\arcgis\Resources\ArcToolbox\toolboxes\Data Management Tools.tbx\AlterField

COMMAND ISSUED

AlterField D:\Public\Data\WatersGeoPro\gispub\OW\vmwaters7-rad_pending.sde\PND_ATTAINS_AU_AREAS HYDROLOGIC_ALTERATION # DZ Text 50 NULLABLE DO_NOT_CLEAR

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2022-08-04 07:04:42

TOOL LOCATION

d:\public\server\apps\arcgis\server\framework\runtime\arcgis\Resources\ArcToolbox\toolboxes\Data Management Tools.tbx\AlterField

COMMAND ISSUED

AlterField D:\Public\Data\WatersGeoPro\gispub\OW\vmwaters7-rad_pending.sde\PND_ATTAINS_AU_AREAS HYDROLOGIC_ALTERATION # "Hydrologic Alteration" Text 50 NULLABLE DO_NOT_CLEAR

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2022-08-04 07:04:44

TOOL LOCATION

d:\public\server\apps\arcgis\server\framework\runtime\arcgis\Resources\ArcToolbox\toolboxes\Data Management Tools.tbx\AlterField

COMMAND ISSUED

AlterField D:\Public\Data\WatersGeoPro\gispub\OW\vmwaters7-rad_pending.sde\PND_ATTAINS_AU_AREAS METALS_OTHER_THAN_MERCURY # DZ Text 50 NULLABLE DO_NOT_CLEAR

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2022-08-04 07:04:46

TOOL LOCATION

d:\public\server\apps\arcgis\server\framework\runtime\arcgis\Resources\ArcToolbox\toolboxes\Data Management Tools.tbx\AlterField

COMMAND ISSUED

AlterField D:\Public\Data\WatersGeoPro\gispub\OW\vmwaters7-rad_pending.sde\PND_ATTAINS_AU_AREAS METALS_OTHER_THAN_MERCURY # "Metals Other Than Mercury" Text 50 NULLABLE DO_NOT_CLEAR

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2022-08-04 07:04:48

TOOL LOCATION

d:\public\server\apps\arcgis\server\framework\runtime\arcgis\Resources\ArcToolbox\toolboxes\Data Management Tools.tbx\AlterField

COMMAND ISSUED

AlterField D:\Public\Data\WatersGeoPro\gispub\OW\vmwaters7-rad_pending.sde\PND_ATTAINS_AU_AREAS NOXIOUS_AQUATIC_PLANTS # DZ Text 50 NULLABLE DO_NOT_CLEAR

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2022-08-04 07:04:50

TOOL LOCATION

d:\public\server\apps\arcgis\server\framework\runtime\arcgis\Resources\ArcToolbox\toolboxes\Data Management Tools.tbx\AlterField

COMMAND ISSUED

AlterField D:\Public\Data\WatersGeoPro\gispub\OW\vmwaters7-rad_pending.sde\PND_ATTAINS_AU_AREAS NOXIOUS_AQUATIC_PLANTS # "Noxious Aquatic Plants" Text 50 NULLABLE DO_NOT_CLEAR

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2022-08-04 07:04:52

TOOL LOCATION

d:\public\server\apps\arcgis\server\framework\runtime\arcgis\Resources\ArcToolbox\toolboxes\Data Management Tools.tbx\AlterField

COMMAND ISSUED

AlterField D:\Public\Data\WatersGeoPro\gispub\OW\vmwaters7-rad_pending.sde\PND_ATTAINS_AU_AREAS OIL_AND_GREASE # DZ Text 50 NULLABLE DO_NOT_CLEAR

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2022-08-04 07:04:54

TOOL LOCATION

d:\public\server\apps\arcgis\server\framework\runtime\arcgis\Resources\ArcToolbox\toolboxes\Data Management Tools.tbx\AlterField

COMMAND ISSUED

AlterField D:\Public\Data\WatersGeoPro\gispub\OW\vmwaters7-rad_pending.sde\PND_ATTAINS_AU_AREAS OIL_AND_GREASE # "Oil And Grease" Text 50 NULLABLE DO_NOT_CLEAR

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2022-08-04 07:04:56

TOOL LOCATION

d:\public\server\apps\arcgis\server\framework\runtime\arcgis\Resources\ArcToolbox\toolboxes\Data Management Tools.tbx\AlterField

COMMAND ISSUED

AlterField D:\Public\Data\WatersGeoPro\gispub\OW\vmwaters7-rad_pending.sde\PND_ATTAINS_AU_AREAS SOLIDS_CHLORIDES_SULFATES # DZ Text 50 NULLABLE DO_NOT_CLEAR

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2022-08-04 07:04:58

TOOL LOCATION

d:\public\server\apps\arcgis\server\framework\runtime\arcgis\Resources\ArcToolbox\toolboxes\Data Management Tools.tbx\AlterField

COMMAND ISSUED

AlterField D:\Public\Data\WatersGeoPro\gispub\OW\vmwaters7-rad_pending.sde\PND_ATTAINS_AU_AREAS SOLIDS_CHLORIDES_SULFATES # "Solids Chlorides Sulfates" Text 50 NULLABLE DO_NOT_CLEAR

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2022-08-04 07:05:00

TOOL LOCATION

d:\public\server\apps\arcgis\server\framework\runtime\arcgis\Resources\ArcToolbox\toolboxes\Data Management Tools.tbx\AlterField

COMMAND ISSUED

AlterField D:\Public\Data\WatersGeoPro\gispub\OW\vmwaters7-rad_pending.sde\PND_ATTAINS_AU_AREAS TASTE_COLOR_AND_ODOR # DZ Text 50 NULLABLE DO_NOT_CLEAR

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2022-08-04 07:05:03

TOOL LOCATION

d:\public\server\apps\arcgis\server\framework\runtime\arcgis\Resources\ArcToolbox\toolboxes\Data Management Tools.tbx\AlterField

COMMAND ISSUED

AlterField D:\Public\Data\WatersGeoPro\gispub\OW\vmwaters7-rad_pending.sde\PND_ATTAINS_AU_AREAS TASTE_COLOR_AND_ODOR # "Taste, Color And Odor" Text 50 NULLABLE DO_NOT_CLEAR

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2022-08-04 07:05:05

TOOL LOCATION

d:\public\server\apps\arcgis\server\framework\runtime\arcgis\Resources\ArcToolbox\toolboxes\Data Management Tools.tbx\AlterField

COMMAND ISSUED

AlterField D:\Public\Data\WatersGeoPro\gispub\OW\vmwaters7-rad_pending.sde\PND_ATTAINS_AU_AREAS TOTAL_TOXICS # DZ Text 50 NULLABLE DO_NOT_CLEAR

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2022-08-04 07:05:07

TOOL LOCATION

d:\public\server\apps\arcgis\server\framework\runtime\arcgis\Resources\ArcToolbox\toolboxes\Data Management Tools.tbx\AlterField

COMMAND ISSUED

AlterField D:\Public\Data\WatersGeoPro\gispub\OW\vmwaters7-rad_pending.sde\PND_ATTAINS_AU_AREAS TOTAL_TOXICS # "Total Toxics" Text 50 NULLABLE DO_NOT_CLEAR

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2022-08-04 07:05:10

TOOL LOCATION

d:\public\server\apps\arcgis\server\framework\runtime\arcgis\Resources\ArcToolbox\toolboxes\Data Management Tools.tbx\AlterField

COMMAND ISSUED

AlterField D:\Public\Data\WatersGeoPro\gispub\OW\vmwaters7-rad_pending.sde\PND_ATTAINS_AU_AREAS TOXIC_INORGANICS # DZ Text 50 NULLABLE DO_NOT_CLEAR

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2022-08-04 07:05:11

TOOL LOCATION

d:\public\server\apps\arcgis\server\framework\runtime\arcgis\Resources\ArcToolbox\toolboxes\Data Management Tools.tbx\AlterField

COMMAND ISSUED

AlterField D:\Public\Data\WatersGeoPro\gispub\OW\vmwaters7-rad_pending.sde\PND_ATTAINS_AU_AREAS TOXIC_INORGANICS # "Toxic Inorganics" Text 50 NULLABLE DO_NOT_CLEAR

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2022-08-04 07:05:14

TOOL LOCATION

d:\public\server\apps\arcgis\server\framework\runtime\arcgis\Resources\ArcToolbox\toolboxes\Data Management Tools.tbx\AlterField

COMMAND ISSUED

AlterField D:\Public\Data\WatersGeoPro\gispub\OW\vmwaters7-rad_pending.sde\PND_ATTAINS_AU_AREAS TOXIC_ORGANICS # DZ Text 50 NULLABLE DO_NOT_CLEAR

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2022-08-04 07:05:16

TOOL LOCATION

d:\public\server\apps\arcgis\server\framework\runtime\arcgis\Resources\ArcToolbox\toolboxes\Data Management Tools.tbx\AlterField

COMMAND ISSUED

AlterField D:\Public\Data\WatersGeoPro\gispub\OW\vmwaters7-rad_pending.sde\PND_ATTAINS_AU_AREAS TOXIC_ORGANICS # "Toxic Organics" Text 50 NULLABLE DO_NOT_CLEAR

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2023-04-17 17:21:13

TOOL LOCATION

d:\public\server\apps\arcgis\server\framework\runtime\arcgis\Resources\ArcToolbox\toolboxes\Data Management Tools.tbx\AlterField

COMMAND ISSUED

AlterField vmwaters7-rad_pending.sde\PND_ATTAINS_AU_AREAS ORGANIZATIONID # DZ Text 30 NON_NULLABLE DO_NOT_CLEAR

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2023-04-17 17:21:16

TOOL LOCATION

d:\public\server\apps\arcgis\server\framework\runtime\arcgis\Resources\ArcToolbox\toolboxes\Data Management Tools.tbx\AlterField

COMMAND ISSUED

AlterField vmwaters7-rad_pending.sde\PND_ATTAINS_AU_AREAS ORGANIZATIONID # "Organization ID" Text 30 NON_NULLABLE DO_NOT_CLEAR

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2023-04-17 17:21:19

TOOL LOCATION

d:\public\server\apps\arcgis\server\framework\runtime\arcgis\Resources\ArcToolbox\toolboxes\Data Management Tools.tbx\AlterField

COMMAND ISSUED

AlterField vmwaters7-rad_pending.sde\PND_ATTAINS_AU_AREAS ASSESSMENTUNITIDENTIFIER # DZ Text 50 NON_NULLABLE DO_NOT_CLEAR

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2023-04-17 17:21:23

TOOL LOCATION

d:\public\server\apps\arcgis\server\framework\runtime\arcgis\Resources\ArcToolbox\toolboxes\Data Management Tools.tbx\AlterField

COMMAND ISSUED

AlterField vmwaters7-rad_pending.sde\PND_ATTAINS_AU_AREAS ASSESSMENTUNITIDENTIFIER # "Assessment Unit Identifier" Text 50 NON_NULLABLE DO_NOT_CLEAR

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2023-04-17 17:21:26

TOOL LOCATION

d:\public\server\apps\arcgis\server\framework\runtime\arcgis\Resources\ArcToolbox\toolboxes\Data Management Tools.tbx\AlterField

COMMAND ISSUED

AlterField vmwaters7-rad_pending.sde\PND_ATTAINS_AU_AREAS ASSMNT_JOINKEY #
DZ Text 40 NON_NULLABLE DO_NOT_CLEAR

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2023-04-17 17:21:27

TOOL LOCATION

d:\public\server\apps\arcgis\server\framework\runtime\arcgis\Resources\ArcToolbox\toolboxes\Data Management Tools.tbx\AlterField

COMMAND ISSUED

AlterField vmwaters7-rad_pending.sde\PND_ATTAINS_AU_AREAS ASSMNT_JOINKEY #
"Assessment JoinKey" Text 40 NON_NULLABLE DO_NOT_CLEAR

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2023-04-17 17:21:30

TOOL LOCATION

d:\public\server\apps\arcgis\server\framework\runtime\arcgis\Resources\ArcToolbox\toolboxes\Data Management Tools.tbx\AlterField

COMMAND ISSUED

AlterField vmwaters7-rad_pending.sde\PND_ATTAINS_AU_AREAS ASSESSMENTUNITNAME
DZ Text 255 NON_NULLABLE DO_NOT_CLEAR

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2023-04-17 17:21:33

TOOL LOCATION

d:\public\server\apps\arcgis\server\framework\runtime\arcgis\Resources\ArcToolbox\toolboxes\Data Management Tools.tbx\AlterField

COMMAND ISSUED

AlterField vmwaters7-rad_pending.sde\PND_ATTAINS_AU_AREAS ASSESSMENTUNITNAME
"Assessment Unit Name" Text 255 NON_NULLABLE DO_NOT_CLEAR

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2023-04-17 17:21:36

TOOL LOCATION

d:\public\server\apps\arcgis\server\framework\runtime\arcgis\Resources\ArcToolbox\toolboxes\Data Management Tools.tbx\AlterField

COMMAND ISSUED

AlterField vmwaters7-rad_pending.sde\PND_ATTAINS_AU_AREAS VISIONPRIORITY303D
DZ Text 1 NULLABLE DO_NOT_CLEAR

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2023-04-17 17:21:39

TOOL LOCATION

d:\public\server\apps\arcgis\server\framework\runtime\arcgis\Resources\ArcToolbox\toolboxes\Data Management Tools.tbx\AlterField

COMMAND ISSUED

AlterField vmwaters7-rad_pending.sde\PND_ATTAINS_AU_AREAS VISIONPRIORITY303D # "Vision Priority 303d" Text 1 NULLABLE DO_NOT_CLEAR

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2023-04-17 17:21:41

TOOL LOCATION

d:\public\server\apps\arcgis\server\framework\runtime\arcgis\Resources\ArcToolbox\toolboxes\Data Management Tools.tbx\AlterField

COMMAND ISSUED

AlterField vmwaters7-rad_pending.sde\PND_ATTAINS_AU_AREAS CULTURAL_USE # DZ Text 50 NULLABLE DO_NOT_CLEAR

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2023-04-17 17:21:44

TOOL LOCATION

d:\public\server\apps\arcgis\server\framework\runtime\arcgis\Resources\ArcToolbox\toolboxes\Data Management Tools.tbx\AlterField

COMMAND ISSUED

AlterField vmwaters7-rad_pending.sde\PND_ATTAINS_AU_AREAS CULTURAL_USE # "Cultural Use" Text 50 NULLABLE DO_NOT_CLEAR

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2023-04-17 17:21:47

TOOL LOCATION

d:\public\server\apps\arcgis\server\framework\runtime\arcgis\Resources\ArcToolbox\toolboxes\Data Management Tools.tbx\AlterField

COMMAND ISSUED

AlterField vmwaters7-rad_pending.sde\PND_ATTAINS_AU_AREAS FISHCONSUMPTION_USE # DZ Text 50 NULLABLE DO_NOT_CLEAR

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2023-04-17 17:21:50

TOOL LOCATION

d:\public\server\apps\arcgis\server\framework\runtime\arcgis\Resources\ArcToolbox\toolboxes\Data Management Tools.tbx\AlterField

COMMAND ISSUED

AlterField vmwaters7-rad_pending.sde\PND_ATTAINS_AU_AREAS FISHCONSUMPTION_USE # "Fish Consumption Use" Text 50 NULLABLE DO_NOT_CLEAR

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2023-04-17 17:21:52

TOOL LOCATION

d:\public\server\apps\arcgis\server\framework\runtime\arcgis\Resources\ArcToolbox\toolboxes\Data Management Tools.tbx\AlterField

COMMAND ISSUED

AlterField vmwaters7-rad_pending.sde\PND_ATTAINS_AU_AREAS OTHER_USE # DZ
Text 50 NULLABLE DO_NOT_CLEAR

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2023-04-17 17:21:55

TOOL LOCATION

d:\public\server\apps\arcgis\server\framework\runtime\arcgis\Resources\ArcToolbox\toolboxes\Data Management Tools.tbx\AlterField

COMMAND ISSUED

AlterField vmwaters7-rad_pending.sde\PND_ATTAINS_AU_AREAS OTHER_USE # "Other Use" Text 50 NULLABLE DO_NOT_CLEAR

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2023-04-17 17:21:57

TOOL LOCATION

d:\public\server\apps\arcgis\server\framework\runtime\arcgis\Resources\ArcToolbox\toolboxes\Data Management Tools.tbx\AlterField

COMMAND ISSUED

AlterField vmwaters7-rad_pending.sde\PND_ATTAINS_AU_AREAS ALGAL_GROWTH # DZ
Text 50 NULLABLE DO_NOT_CLEAR

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2023-04-17 17:22:00

TOOL LOCATION

d:\public\server\apps\arcgis\server\framework\runtime\arcgis\Resources\ArcToolbox\toolboxes\Data Management Tools.tbx\AlterField

COMMAND ISSUED

AlterField vmwaters7-rad_pending.sde\PND_ATTAINS_AU_AREAS ALGAL_GROWTH #
"Algal Growth" Text 50 NULLABLE DO_NOT_CLEAR

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2023-04-17 17:22:03

TOOL LOCATION

d:\public\server\apps\arcgis\server\framework\runtime\arcgis\Resources\ArcToolbox\toolboxes\Data Management Tools.tbx\AlterField

COMMAND ISSUED

AlterField vmwaters7-rad_pending.sde\PND_ATTAINS_AU_AREAS
FISH_CONSUMPTION_ADVISORY # DZ Text 50 NULLABLE DO_NOT_CLEAR

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2023-04-17 17:22:05

TOOL LOCATION

d:\public\server\apps\arcgis\server\framework\runtime\arcgis\Resources\ArcToolbox\toolboxes\Data Management Tools.tbx\AlterField

COMMAND ISSUED

AlterField vmwaters7-rad_pending.sde\PND_ATTAINS_AU_AREAS
FISH_CONSUMPTION_ADVISORY # "Fish Consumption Advisory" Text 50 NULLABLE
DO_NOT_CLEAR

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2023-04-17 17:22:07

TOOL LOCATION

d:\public\server\apps\arcgis\server\framework\runtime\arcgis\Resources\ArcToolbox\toolboxes\Data Management Tools.tbx\AlterField

COMMAND ISSUED

AlterField vmwaters7-rad_pending.sde\PND_ATTAINS_AU_AREAS
NUISANCE_EXOTIC_SPECIES # DZ Text 50 NULLABLE DO_NOT_CLEAR

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2023-04-17 17:22:10

TOOL LOCATION

d:\public\server\apps\arcgis\server\framework\runtime\arcgis\Resources\ArcToolbox\toolboxes\Data Management Tools.tbx\AlterField

COMMAND ISSUED

AlterField vmwaters7-rad_pending.sde\PND_ATTAINS_AU_AREAS
NUISANCE_EXOTIC_SPECIES # "Nuisance Exotic Species" Text 50 NULLABLE
DO_NOT_CLEAR

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2023-04-17 17:22:12

TOOL LOCATION

d:\public\server\apps\arcgis\server\framework\runtime\arcgis\Resources\ArcToolbox\toolboxes\Data Management Tools.tbx\AlterField

COMMAND ISSUED

AlterField vmwaters7-rad_pending.sde\PND_ATTAINS_AU_AREAS
NUISANCE_NATIVE_SPECIES # DZ Text 50 NULLABLE DO_NOT_CLEAR

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2023-04-17 17:22:15

TOOL LOCATION

d:\public\server\apps\arcgis\server\framework\runtime\arcgis\Resources\ArcToolbox\toolboxes\Data Management Tools.tbx\AlterField

COMMAND ISSUED

AlterField vmwaters7-rad_pending.sde\PND_ATTAINS_AU_AREAS
NUISANCE_NATIVE_SPECIES # "Nuisance Native Species" Text 50 NULLABLE
DO_NOT_CLEAR

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2023-04-17 17:22:17

TOOL LOCATION

d:\public\server\apps\arcgis\server\framework\runtime\arcgis\Resources\ArcToolbox\toolboxes\Data Management Tools.tbx\AlterField

COMMAND ISSUED

AlterField vmwaters7-rad_pending.sde\PND_ATTAINS_AU_AREAS OTHER_CAUSE # DZ
Text 50 NULLABLE DO_NOT_CLEAR

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2023-04-17 17:22:20

TOOL LOCATION

d:\public\server\apps\arcgis\server\framework\runtime\arcgis\Resources\ArcToolbox\toolboxes\Data Management Tools.tbx\AlterField

COMMAND ISSUED

AlterField vmwaters7-rad_pending.sde\PND_ATTAINS_AU_AREAS_OTHER_CAUSE # "Other Cause" Text 50 NULLABLE DO_NOT_CLEAR

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2023-04-17 17:22:22

TOOL LOCATION

d:\public\server\apps\arcgis\server\framework\runtime\arcgis\Resources\ArcToolbox\toolboxes\Data Management Tools.tbx\AlterField

COMMAND ISSUED

AlterField vmwaters7-rad_pending.sde\PND_ATTAINS_AU_AREAS_PH_ACIDITY_CAUSTIC_CONDITIONS # DZ Text 50 NULLABLE DO_NOT_CLEAR

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2023-04-17 17:22:24

TOOL LOCATION

d:\public\server\apps\arcgis\server\framework\runtime\arcgis\Resources\ArcToolbox\toolboxes\Data Management Tools.tbx\AlterField

COMMAND ISSUED

AlterField vmwaters7-rad_pending.sde\PND_ATTAINS_AU_AREAS_PH_ACIDITY_CAUSTIC_CONDITIONS # "pH Acidity Caustic Conditions" Text 50 NULLABLE DO_NOT_CLEAR

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2023-04-17 17:22:27

TOOL LOCATION

d:\public\server\apps\arcgis\server\framework\runtime\arcgis\Resources\ArcToolbox\toolboxes\Data Management Tools.tbx\AlterField

COMMAND ISSUED

AlterField vmwaters7-rad_pending.sde\PND_ATTAINS_AU_AREAS_POLYCHLORINATED_BIPHENYLS_PCBS # DZ Text 50 NULLABLE DO_NOT_CLEAR

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2023-04-17 17:22:30

TOOL LOCATION

d:\public\server\apps\arcgis\server\framework\runtime\arcgis\Resources\ArcToolbox\toolboxes\Data Management Tools.tbx\AlterField

COMMAND ISSUED

AlterField vmwaters7-rad_pending.sde\PND_ATTAINS_AU_AREAS_POLYCHLORINATED_BIPHENYLS_PCBS # "Polychlorinated Biphenyls PCBs" Text 50 NULLABLE DO_NOT_CLEAR

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2024-05-24 11:07:54

TOOL LOCATION c:\program files\arcgis\pro\Resources\ArcToolbox\toolboxes\Conversion Tools.tbx\FeatureClassToFeatureClass

COMMAND ISSUED

```
FeatureClassToFeatureClass D:\Public\Data\WatersGeoPro\vmwaters7-  
rad_pending.sde/RAD_PENDING.PND_ATTAINS_AU_AREAS  
D:\Public\Data\WatersGeoPro\gispub\OW\ATTAINS_Assessment\ATTAINS_Assessment.  
gdb attains_au_areas2 # "submissionid "Submission ID" true false false 40  
Text 0 0,First,#,D:\Public\Data\WatersGeoPro\vmwaters7-  
rad_pending.sde/RAD_PENDING.PND_ATTAINS_AU_AREAS,SUBMISSIONID,0,39;permid_jo  
inkey "PermID Joinkey" true true false 40 Text 0  
0,First,#,D:\Public\Data\WatersGeoPro\vmwaters7-  
rad_pending.sde/RAD_PENDING.PND_ATTAINS_AU_AREAS,PERMID_JOINKEY,0,39;state  
"State" true false false 2 Text 0  
0,First,#,D:\Public\Data\WatersGeoPro\vmwaters7-  
rad_pending.sde/RAD_PENDING.PND_ATTAINS_AU_AREAS,STATE,0,1;region "Region"  
true false false 2 Text 0 0,First,#,D:\Public\Data\WatersGeoPro\vmwaters7-  
rad_pending.sde/RAD_PENDING.PND_ATTAINS_AU_AREAS,REGION,0,1;organizationid  
"Organization ID" true false false 30 Text 0  
0,First,#,D:\Public\Data\WatersGeoPro\vmwaters7-  
rad_pending.sde/RAD_PENDING.PND_ATTAINS_AU_AREAS,ORGANIZATIONID,0,29;orgtype  
"Organization Type" true false false 30 Text 0  
0,First,#,D:\Public\Data\WatersGeoPro\vmwaters7-  
rad_pending.sde/RAD_PENDING.PND_ATTAINS_AU_AREAS,ORGTYP,0,29;tas303d "TAS  
303(d)" true false false 1 Text 0  
0,First,#,D:\Public\Data\WatersGeoPro\vmwaters7-  
rad_pending.sde/RAD_PENDING.PND_ATTAINS_AU_AREAS,TAS303D,0,0;organizationnam  
e "Organization Name" true false false 200 Text 0  
0,First,#,D:\Public\Data\WatersGeoPro\vmwaters7-  
rad_pending.sde/RAD_PENDING.PND_ATTAINS_AU_AREAS,ORGANIZATIONNAME,0,199;repo  
rtingcycle "Reporting Cycle" true false false 4 Long 0  
10,First,#,D:\Public\Data\WatersGeoPro\vmwaters7-  
rad_pending.sde/RAD_PENDING.PND_ATTAINS_AU_AREAS,REPORTINGCYCLE,-1,-  
1;assessmentunitidentifier "Assessment Unit Identifier" true false false 50  
Text 0 0,First,#,D:\Public\Data\WatersGeoPro\vmwaters7-  
rad_pending.sde/RAD_PENDING.PND_ATTAINS_AU_AREAS,ASSESSMENTUNITIDENTIFIER,0,  
49;assmnt_joinkey "Assessment JoinKey" true false false 40 Text 0  
0,First,#,D:\Public\Data\WatersGeoPro\vmwaters7-  
rad_pending.sde/RAD_PENDING.PND_ATTAINS_AU_AREAS,ASSMNT_JOINKEY,0,39;assessm  
entunitname "Assessment Unit Name" true false false 255 Text 0  
0,First,#,D:\Public\Data\WatersGeoPro\vmwaters7-  
rad_pending.sde/RAD_PENDING.PND_ATTAINS_AU_AREAS,ASSESSMENTUNITNAME,0,254;wa  
terbodyreportlink "Waterbody Report Link" true false false 4000 Text 0  
0,First,#,D:\Public\Data\WatersGeoPro\vmwaters7-  
rad_pending.sde/RAD_PENDING.PND_ATTAINS_AU_AREAS,WATERBODYREPORTLINK,0,3999;  
ircategory "IR Category" true true false 5 Text 0  
0,First,#,D:\Public\Data\WatersGeoPro\vmwaters7-  
rad_pending.sde/RAD_PENDING.PND_ATTAINS_AU_AREAS,IRCATEGORY,0,4;overallstatu  
s "Overall Status" true false false 50 Text 0  
0,First,#,D:\Public\Data\WatersGeoPro\vmwaters7-  
rad_pending.sde/RAD_PENDING.PND_ATTAINS_AU_AREAS,OVERALLSTATUS,0,49;isassess  
ed "Is Assessed" true false false 1 Text 0  
0,First,#,D:\Public\Data\WatersGeoPro\vmwaters7-  
rad_pending.sde/RAD_PENDING.PND_ATTAINS_AU_AREAS,ISASSESSED,0,0;isimpaired  
"Is Impaired" true false false 1 Text 0  
0,First,#,D:\Public\Data\WatersGeoPro\vmwaters7-  
rad_pending.sde/RAD_PENDING.PND_ATTAINS_AU_AREAS,ISIMPAIRED,0,0;isthreatened  
"Is Threatened" true false false 1 Text 0  
0,First,#,D:\Public\Data\WatersGeoPro\vmwaters7-  
rad_pending.sde/RAD_PENDING.PND_ATTAINS_AU_AREAS,ISTHREATENED,0,0;on303dlist
```

"On 303d List" true true false 1 Text 0
0,First,#,D:\Public\Data\WatersGeoPro\vmwaters7-
rad_pending.sde/RAD_PENDING.PND_ATTAINS_AU_AREAS,ON303DLIST,0,0;hastmdl "Has
TMDL" true false false 1 Text 0
0,First,#,D:\Public\Data\WatersGeoPro\vmwaters7-
rad_pending.sde/RAD_PENDING.PND_ATTAINS_AU_AREAS,HASTMDL,0,0;has4bplan "Has
4B Plan" true false false 1 Text 0
0,First,#,D:\Public\Data\WatersGeoPro\vmwaters7-
rad_pending.sde/RAD_PENDING.PND_ATTAINS_AU_AREAS,HAS4BPLAN,0,0;hasalternativ
eplan "Has Alternative Plan" true false false 1 Text 0
0,First,#,D:\Public\Data\WatersGeoPro\vmwaters7-
rad_pending.sde/RAD_PENDING.PND_ATTAINS_AU_AREAS,HASALTERNATIVEPLAN,0,0;hasp
rotectionplan "Has Protection Plan" true false false 1 Text 0
0,First,#,D:\Public\Data\WatersGeoPro\vmwaters7-
rad_pending.sde/RAD_PENDING.PND_ATTAINS_AU_AREAS,HASPROTECTIONPLAN,0,0;visio
npriority303d "Vision Priority 303d" true true false 1 Text 0
0,First,#,D:\Public\Data\WatersGeoPro\vmwaters7-
rad_pending.sde/RAD_PENDING.PND_ATTAINS_AU_AREAS,VISIONPRIORITY303D,0,0;cult
ural_use "Cultural Use" true true false 50 Text 0
0,First,#,D:\Public\Data\WatersGeoPro\vmwaters7-
rad_pending.sde/RAD_PENDING.PND_ATTAINS_AU_AREAS,CULTURAL_USE,0,49;drinkingw
ater_use "Drinking Water Use" true true false 50 Text 0
0,First,#,D:\Public\Data\WatersGeoPro\vmwaters7-
rad_pending.sde/RAD_PENDING.PND_ATTAINS_AU_AREAS,DRINKINGWATER_USE,0,49;ecol
ogical_use "Ecological Use" true true false 50 Text 0
0,First,#,D:\Public\Data\WatersGeoPro\vmwaters7-
rad_pending.sde/RAD_PENDING.PND_ATTAINS_AU_AREAS,ECOLOGICAL_USE,0,49;fishcon
sumption_use "Fish Consumption Use" true true false 50 Text 0
0,First,#,D:\Public\Data\WatersGeoPro\vmwaters7-
rad_pending.sde/RAD_PENDING.PND_ATTAINS_AU_AREAS,FISHCONSUMPTION_USE,0,49;re
creation_use "Recreation Use" true true false 50 Text 0
0,First,#,D:\Public\Data\WatersGeoPro\vmwaters7-
rad_pending.sde/RAD_PENDING.PND_ATTAINS_AU_AREAS,RECREATION_USE,0,49;other_u
se "Other Use" true true false 50 Text 0
0,First,#,D:\Public\Data\WatersGeoPro\vmwaters7-
rad_pending.sde/RAD_PENDING.PND_ATTAINS_AU_AREAS,OTHER_USE,0,49;algal_growth
"Algal Growth" true true false 50 Text 0
0,First,#,D:\Public\Data\WatersGeoPro\vmwaters7-
rad_pending.sde/RAD_PENDING.PND_ATTAINS_AU_AREAS,ALGAL_GROWTH,0,49;ammonia
"Ammonia" true true false 50 Text 0
0,First,#,D:\Public\Data\WatersGeoPro\vmwaters7-
rad_pending.sde/RAD_PENDING.PND_ATTAINS_AU_AREAS,AMMONIA,0,49;biotoxins
"Biotoxins" true true false 50 Text 0
0,First,#,D:\Public\Data\WatersGeoPro\vmwaters7-
rad_pending.sde/RAD_PENDING.PND_ATTAINS_AU_AREAS,BIOTOXINS,0,49;cause_unknow
n "Cause Unknown" true true false 50 Text 0
0,First,#,D:\Public\Data\WatersGeoPro\vmwaters7-
rad_pending.sde/RAD_PENDING.PND_ATTAINS_AU_AREAS,CAUSE_UNKNOWN,0,49;cause_un
known_fish_kills "Cause Unknown Fish Kills" true true false 50 Text 0
0,First,#,D:\Public\Data\WatersGeoPro\vmwaters7-
rad_pending.sde/RAD_PENDING.PND_ATTAINS_AU_AREAS,CAUSE_UNKNOWN_FISH_KILLS,0,
49;cause_unknown_impaired_biota "Cause Unknown Impaired Biota" true true
false 50 Text 0 0,First,#,D:\Public\Data\WatersGeoPro\vmwaters7-
rad_pending.sde/RAD_PENDING.PND_ATTAINS_AU_AREAS,CAUSE_UNKNOWN_IMPAIRED_BIOT
A,0,49;chlorine "Chlorine" true true false 50 Text 0
0,First,#,D:\Public\Data\WatersGeoPro\vmwaters7-
rad_pending.sde/RAD_PENDING.PND_ATTAINS_AU_AREAS,CHLORINE,0,49;dioxins
"Dioxins" true true false 50 Text 0
0,First,#,D:\Public\Data\WatersGeoPro\vmwaters7-
rad_pending.sde/RAD_PENDING.PND_ATTAINS_AU_AREAS,DIOXINS,0,49;fish_consumpti

on_advisory "Fish Consumption Advisory" true true false 50 Text 0
0,First,#,D:\Public\Data\WatersGeoPro\vmwaters7-
rad_pending.sde/RAD_PENDING.PND_ATTAINS_AU_AREAS,FISH_CONSUMPTION_ADVISORY,0
,49;flow_alterations "Flow Alterations" true true false 50 Text 0
0,First,#,D:\Public\Data\WatersGeoPro\vmwaters7-
rad_pending.sde/RAD_PENDING.PND_ATTAINS_AU_AREAS,FLOW_ALTERATIONS,0,49;habit
at_alterations "Habitat Alterations" true true false 50 Text 0
0,First,#,D:\Public\Data\WatersGeoPro\vmwaters7-
rad_pending.sde/RAD_PENDING.PND_ATTAINS_AU_AREAS,HABITAT_ALTERATIONS,0,49;hy
drologic_alteration "Hydrologic Alteration" true true false 50 Text 0
0,First,#,D:\Public\Data\WatersGeoPro\vmwaters7-
rad_pending.sde/RAD_PENDING.PND_ATTAINS_AU_AREAS,HYDROLOGIC_ALTERATION,0,49;
mercury "Mercury" true true false 50 Text 0
0,First,#,D:\Public\Data\WatersGeoPro\vmwaters7-
rad_pending.sde/RAD_PENDING.PND_ATTAINS_AU_AREAS,MERCURY,0,49;metals_other_t
han_mercury "Metals Other Than Mercury" true true false 50 Text 0
0,First,#,D:\Public\Data\WatersGeoPro\vmwaters7-
rad_pending.sde/RAD_PENDING.PND_ATTAINS_AU_AREAS,METALS_OTHER_THAN_MERCURY,0
,49;noxious_aquatic_plants "Noxious Aquatic Plants" true true false 50 Text
0 0,First,#,D:\Public\Data\WatersGeoPro\vmwaters7-
rad_pending.sde/RAD_PENDING.PND_ATTAINS_AU_AREAS,NOXIOUS_AQUATIC_PLANTS,0,49
;nuisance_exotic_species "Nuisance Exotic Species" true true false 50 Text 0
0,First,#,D:\Public\Data\WatersGeoPro\vmwaters7-
rad_pending.sde/RAD_PENDING.PND_ATTAINS_AU_AREAS,NUISANCE_EXOTIC_SPECIES,0,4
9;nuisance_native_species "Nuisance Native Species" true true false 50 Text
0 0,First,#,D:\Public\Data\WatersGeoPro\vmwaters7-
rad_pending.sde/RAD_PENDING.PND_ATTAINS_AU_AREAS,NUISANCE_NATIVE_SPECIES,0,4
9;nutrients "Nutrients" true true false 50 Text 0
0,First,#,D:\Public\Data\WatersGeoPro\vmwaters7-
rad_pending.sde/RAD_PENDING.PND_ATTAINS_AU_AREAS,NUTRIENTS,0,49;oil_and_grea
se "Oil And Grease" true true false 50 Text 0
0,First,#,D:\Public\Data\WatersGeoPro\vmwaters7-
rad_pending.sde/RAD_PENDING.PND_ATTAINS_AU_AREAS,OIL_AND_GREASE,0,49;oxygen_
depletion "Oxygen Depletion" true true false 50 Text 0
0,First,#,D:\Public\Data\WatersGeoPro\vmwaters7-
rad_pending.sde/RAD_PENDING.PND_ATTAINS_AU_AREAS,OXYGEN_DEPLETION,0,49;other
_cause "Other Cause" true true false 50 Text 0
0,First,#,D:\Public\Data\WatersGeoPro\vmwaters7-
rad_pending.sde/RAD_PENDING.PND_ATTAINS_AU_AREAS,OTHER_CAUSE,0,49;pathogens
"Pathogens" true true false 50 Text 0
0,First,#,D:\Public\Data\WatersGeoPro\vmwaters7-
rad_pending.sde/RAD_PENDING.PND_ATTAINS_AU_AREAS,PATHOGENS,0,49;pesticides
"Pesticides" true true false 50 Text 0
0,First,#,D:\Public\Data\WatersGeoPro\vmwaters7-
rad_pending.sde/RAD_PENDING.PND_ATTAINS_AU_AREAS,PESTICIDES,0,49;pfas "PFAS"
true true false 50 Text 0 0,First,#,D:\Public\Data\WatersGeoPro\vmwaters7-
rad_pending.sde/RAD_PENDING.PND_ATTAINS_AU_AREAS,PFAS,0,49;ph_acidity_causti
c_conditions "pH Acidity Caustic Conditions" true true false 50 Text 0
0,First,#,D:\Public\Data\WatersGeoPro\vmwaters7-
rad_pending.sde/RAD_PENDING.PND_ATTAINS_AU_AREAS,PH_ACIDITY_CAUSTIC_CONDITIO
NS,0,49;polychlorinated_biphenyls_pcb "Polychlorinated Biphenyls PCBs" true
true false 50 Text 0 0,First,#,D:\Public\Data\WatersGeoPro\vmwaters7-
rad_pending.sde/RAD_PENDING.PND_ATTAINS_AU_AREAS,POLYCHLORINATED_BIPHENYLS_P
CBS,0,49;radiation "Radiation" true true false 50 Text 0
0,First,#,D:\Public\Data\WatersGeoPro\vmwaters7-
rad_pending.sde/RAD_PENDING.PND_ATTAINS_AU_AREAS,RADIATION,0,49;solids_chlor
ides_sulfates "Solids Chlorides Sulfates" true true false 50 Text 0
0,First,#,D:\Public\Data\WatersGeoPro\vmwaters7-
rad_pending.sde/RAD_PENDING.PND_ATTAINS_AU_AREAS,SOLIDS_CHLORIDES_SULFATES,0
,49;sediment "Sediment" true true false 50 Text 0

```
0,First,#,D:\Public\Data\WatersGeoPro\vmwaters7-
rad_pending.sde/RAD_PENDING.PND_ATTAINS_AU_AREAS,SEDIMENT,0,49;taste_color_a
nd_odor "Taste, Color And Odor" true true false 50 Text 0
0,First,#,D:\Public\Data\WatersGeoPro\vmwaters7-
rad_pending.sde/RAD_PENDING.PND_ATTAINS_AU_AREAS,TASTE_COLOR_AND_ODOR,0,49;t
emperature "Temperature" true true false 50 Text 0
0,First,#,D:\Public\Data\WatersGeoPro\vmwaters7-
rad_pending.sde/RAD_PENDING.PND_ATTAINS_AU_AREAS,TEMPERATURE,0,49;total_toxi
cs "Total Toxics" true true false 50 Text 0
0,First,#,D:\Public\Data\WatersGeoPro\vmwaters7-
rad_pending.sde/RAD_PENDING.PND_ATTAINS_AU_AREAS,TOTAL_TOXICS,0,49;toxic_ino
rganics "Toxic Inorganics" true true false 50 Text 0
0,First,#,D:\Public\Data\WatersGeoPro\vmwaters7-
rad_pending.sde/RAD_PENDING.PND_ATTAINS_AU_AREAS,TOXIC_INORGANICS,0,49;toxic
_organics "Toxic Organics" true true false 50 Text 0
0,First,#,D:\Public\Data\WatersGeoPro\vmwaters7-
rad_pending.sde/RAD_PENDING.PND_ATTAINS_AU_AREAS,TOXIC_ORGANICS,0,49;trash
"Trash" true true false 50 Text 0
0,First,#,D:\Public\Data\WatersGeoPro\vmwaters7-
rad_pending.sde/RAD_PENDING.PND_ATTAINS_AU_AREAS,TRASH,0,49;turbidity
"Turbidity" true true false 50 Text 0
0,First,#,D:\Public\Data\WatersGeoPro\vmwaters7-
rad_pending.sde/RAD_PENDING.PND_ATTAINS_AU_AREAS,TURBIDITY,0,49;shape.area
"SHAPE.AREA" false false true 0 Double 0
0,First,#,D:\Public\Data\WatersGeoPro\vmwaters7-
rad_pending.sde/RAD_PENDING.PND_ATTAINS_AU_AREAS,SHAPE.AREA,-1,-1;shape.len
"SHAPE.LEN" false false 0 Double 0
0,First,#,D:\Public\Data\WatersGeoPro\vmwaters7-
rad_pending.sde/RAD_PENDING.PND_ATTAINS_AU_AREAS,SHAPE.LEN,-1,-1;GLOBALID
"GlobalID" false false true 38 GlobalID 0
0,First,#,D:\Public\Data\WatersGeoPro\vmwaters7-
rad_pending.sde/RAD_PENDING.PND_ATTAINS_AU_AREAS,GLOBALID,-1,-1" #
```

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2024-05-24 11:08:11

TOOL LOCATION c:\program files\arcgis\pro\Resources\ArcToolbox\toolboxes\Data Management Tools.tbx\Sort

COMMAND ISSUED

Sort

D:\Public\Data\WatersGeoPro\gispub\OW\ATTAINS_Assessment\ATTAINS_Assessment.gdb\attains_au_areas2

D:\Public\Data\WatersGeoPro\gispub\OW\ATTAINS_Assessment\ATTAINS_Assessment.gdb\attains_au_areas1 "isimpaired ASCENDING;isassessed DESCENDING;OBJECTID ASCENDING" "Upper right"

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2024-05-24 11:08:49

TOOL LOCATION c:\program files\arcgis\pro\Resources\ArcToolbox\toolboxes\Data Management Tools.tbx\Project

COMMAND ISSUED

Project

D:\Public\Data\WatersGeoPro\gispub\OW\ATTAINS_Assessment\ATTAINS_Assessment.gdb\attains_au_areas1

D:\Public\Data\WatersGeoPro\gispub\OW\ATTAINS_Assessment\ATTAINS_Assessment.gdb\attains_au_areas

```
PROJCS["WGS_1984_Web_Mercator_Auxiliary_Sphere",GEOGCS["GCS_WGS_1984",DATUM["D_WGS_1984",SPHEROID["WGS_1984",6378137.0,298.257223563]],PRIMEM["Greenwich",0.0],UNIT["Degree",0.0174532925199433]],PROJECTION["Mercator_Auxiliary_Sphere"],PARAMETER["False_Easting",0.0],PARAMETER["False_Northing",0.0],PARAMETER["Central_Meridian",0.0],PARAMETER["Standard_Parallel_1",0.0],PARAMETER["Auxiliary_Sphere_Type",0.0],UNIT["Meter",1.0]] WGS_1984_(ITRF00)_To_NAD_1983_GEOGCS["GCS_North_American_1983",DATUM["D_North_American_1983",SPHEROID["GRS_1980",6378137.0,298.257222101]],PRIMEM["Greenwich",0.0],UNIT["Degree",0.0174532925199433]] NO_PRESERVE_SHAPE # NO_VERTICAL
```

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2024-05-24 11:08:51

TOOL LOCATION c:\program files\arcgis\pro\Resources\ArcToolbox\toolboxes\Data Management Tools.tbx>DeleteField

COMMAND ISSUED

DeleteField

D:\Public\Data\WatersGeoPro\gispub\OW\ATTAINS_Assessment\ATTAINS_Assessment.gdb\attains_au_areas SE_ANNO_CAD_DATA "Delete Fields"

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2024-05-24 11:08:52

TOOL LOCATION c:\program files\arcgis\pro\Resources\ArcToolbox\toolboxes\Data Management Tools.tbx\AlterField

COMMAND ISSUED

AlterField

D:\Public\Data\WatersGeoPro\gispub\OW\ATTAINS_Assessment\ATTAINS_Assessment.gdb\attains_au_areas ORIG_FID ORIG_FID99 # "Long (32-bit integer)" 4 NULLABLE DO_NOT_CLEAR

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2024-05-24 11:08:53

TOOL LOCATION c:\program files\arcgis\pro\Resources\ArcToolbox\toolboxes\Data Management Tools.tbx\AlterField

COMMAND ISSUED

AlterField

D:\Public\Data\WatersGeoPro\gispub\OW\ATTAINS_Assessment\ATTAINS_Assessment.gdb\attains_au_areas ORIG_FID99 orig_fid # "Long (32-bit integer)" 4 NULLABLE DO_NOT_CLEAR

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2024-05-24 11:08:53

TOOL LOCATION c:\program files\arcgis\pro\Resources\ArcToolbox\toolboxes\Data Management Tools.tbx\AddIndex

COMMAND ISSUED

AddIndex

D:\Public\Data\WatersGeoPro\gispub\OW\ATTAINS_Assessment\ATTAINS_Assessment.gdb\attains_au_areas state idx01 NON_UNIQUE NON_ASCENDING

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2024-05-24 11:08:54

TOOL LOCATION c:\program files\arcgis\pro\Resources\ArcToolbox\toolboxes\Data Management Tools.tbx\AddIndex

COMMAND ISSUED

AddIndex

D:\Public\Data\WatersGeoPro\gispub\OW\ATTAINS_Assessment\ATTAINS_Assessment.gdb\attains_au_areas region idx02 NON_UNIQUE NON_ASCENDING

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2024-05-24 11:08:55

TOOL LOCATION c:\program files\arcgis\pro\Resources\ArcToolbox\toolboxes\Data Management Tools.tbx\AddIndex

COMMAND ISSUED

AddIndex

D:\Public\Data\WatersGeoPro\gispub\OW\ATTAINS_Assessment\ATTAINS_Assessment.gdb\attains_au_areas organizationid idx03 NON_UNIQUE NON_ASCENDING

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2024-05-24 11:08:56

TOOL LOCATION c:\program files\arcgis\pro\Resources\ArcToolbox\toolboxes\Data Management Tools.tbx\AddIndex

COMMAND ISSUED

AddIndex

D:\Public\Data\WatersGeoPro\gispub\OW\ATTAINS_Assessment\ATTAINS_Assessment.gdb\attains_au_areas orgtype idx04 NON_UNIQUE NON_ASCENDING

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2024-05-24 11:08:57

TOOL LOCATION c:\program files\arcgis\pro\Resources\ArcToolbox\toolboxes\Data Management Tools.tbx\AddIndex

COMMAND ISSUED

AddIndex

D:\Public\Data\WatersGeoPro\gispub\OW\ATTAINS_Assessment\ATTAINS_Assessment.gdb\attains_au_areas tas303d idx05 NON_UNIQUE NON_ASCENDING

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2024-05-24 11:08:58

TOOL LOCATION c:\program files\arcgis\pro\Resources\ArcToolbox\toolboxes\Data Management Tools.tbx\AddIndex

COMMAND ISSUED

AddIndex

D:\Public\Data\WatersGeoPro\gispub\OW\ATTAINS_Assessment\ATTAINS_Assessment.gdb\attains_au_areas organizationname idx06 NON_UNIQUE NON_ASCENDING

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2024-05-24 11:08:59

TOOL LOCATION c:\program files\arcgis\pro\Resources\ArcToolbox\toolboxes\Data Management Tools.tbx\AddIndex
COMMAND ISSUED
AddIndex
D:\Public\Data\WatersGeoPro\gispub\OW\ATTAINS_Assessment\ATTAINS_Assessment.gdb\attains_au_areas reportingcycle idx07 NON_UNIQUE NON_ASCENDING
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2024-05-24 11:09:00
TOOL LOCATION c:\program files\arcgis\pro\Resources\ArcToolbox\toolboxes\Data Management Tools.tbx\AddIndex
COMMAND ISSUED
AddIndex
D:\Public\Data\WatersGeoPro\gispub\OW\ATTAINS_Assessment\ATTAINS_Assessment.gdb\attains_au_areas assessmentunitidentifier idx08 NON_UNIQUE NON_ASCENDING
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2024-05-24 11:09:01
TOOL LOCATION c:\program files\arcgis\pro\Resources\ArcToolbox\toolboxes\Data Management Tools.tbx\AddIndex
COMMAND ISSUED
AddIndex
D:\Public\Data\WatersGeoPro\gispub\OW\ATTAINS_Assessment\ATTAINS_Assessment.gdb\attains_au_areas assmnt_joinkey idx09 NON_UNIQUE NON_ASCENDING
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2024-05-24 11:09:02
TOOL LOCATION c:\program files\arcgis\pro\Resources\ArcToolbox\toolboxes\Data Management Tools.tbx\AddIndex
COMMAND ISSUED
AddIndex
D:\Public\Data\WatersGeoPro\gispub\OW\ATTAINS_Assessment\ATTAINS_Assessment.gdb\attains_au_areas ircategory idx10 NON_UNIQUE NON_ASCENDING
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2024-05-24 11:09:03
TOOL LOCATION c:\program files\arcgis\pro\Resources\ArcToolbox\toolboxes\Data Management Tools.tbx\AddIndex
COMMAND ISSUED
AddIndex
D:\Public\Data\WatersGeoPro\gispub\OW\ATTAINS_Assessment\ATTAINS_Assessment.gdb\attains_au_areas overallstatus idx11 NON_UNIQUE NON_ASCENDING
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2024-05-24 11:09:04
TOOL LOCATION c:\program files\arcgis\pro\Resources\ArcToolbox\toolboxes\Data Management Tools.tbx\AddIndex
COMMAND ISSUED

AddIndex
D:\Public\Data\WatersGeoPro\gispub\OW\ATTAINS_Assessment\ATTAINS_Assessment.gdb\attains_au_areas isassessed idx12 NON_UNIQUE NON_ASCENDING
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2024-05-24 11:09:05
TOOL LOCATION c:\program files\arcgis\pro\Resources\ArcToolbox\toolboxes\Data Management Tools.tbx\AddIndex
COMMAND ISSUED
AddIndex
D:\Public\Data\WatersGeoPro\gispub\OW\ATTAINS_Assessment\ATTAINS_Assessment.gdb\attains_au_areas isimpaired idx13 NON_UNIQUE NON_ASCENDING
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2024-05-24 11:09:06
TOOL LOCATION c:\program files\arcgis\pro\Resources\ArcToolbox\toolboxes\Data Management Tools.tbx\AddIndex
COMMAND ISSUED
AddIndex
D:\Public\Data\WatersGeoPro\gispub\OW\ATTAINS_Assessment\ATTAINS_Assessment.gdb\attains_au_areas isthreatened idx14 NON_UNIQUE NON_ASCENDING
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2024-05-24 11:09:07
TOOL LOCATION c:\program files\arcgis\pro\Resources\ArcToolbox\toolboxes\Data Management Tools.tbx\AddIndex
COMMAND ISSUED
AddIndex
D:\Public\Data\WatersGeoPro\gispub\OW\ATTAINS_Assessment\ATTAINS_Assessment.gdb\attains_au_areas on303dlist idx15 NON_UNIQUE NON_ASCENDING
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2024-05-24 11:09:08
TOOL LOCATION c:\program files\arcgis\pro\Resources\ArcToolbox\toolboxes\Data Management Tools.tbx\AddIndex
COMMAND ISSUED
AddIndex
D:\Public\Data\WatersGeoPro\gispub\OW\ATTAINS_Assessment\ATTAINS_Assessment.gdb\attains_au_areas hastmdl idx16 NON_UNIQUE NON_ASCENDING
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2024-05-24 11:09:09
TOOL LOCATION c:\program files\arcgis\pro\Resources\ArcToolbox\toolboxes\Data Management Tools.tbx\AddIndex
COMMAND ISSUED
AddIndex
D:\Public\Data\WatersGeoPro\gispub\OW\ATTAINS_Assessment\ATTAINS_Assessment.gdb\attains_au_areas has4bplan idx17 NON_UNIQUE NON_ASCENDING

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2024-05-24 11:09:10

TOOL LOCATION c:\program files\arcgis\pro\Resources\ArcToolbox\toolboxes\Data Management Tools.tbx\AddIndex

COMMAND ISSUED

AddIndex

D:\Public\Data\WatersGeoPro\gispub\OW\ATTAINS_Assessment\ATTAINS_Assessment.gdb\attains_au_areas hasalternativeplan idx18 NON_UNIQUE NON_ASCENDING

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2024-05-24 11:09:11

TOOL LOCATION c:\program files\arcgis\pro\Resources\ArcToolbox\toolboxes\Data Management Tools.tbx\AddIndex

COMMAND ISSUED

AddIndex

D:\Public\Data\WatersGeoPro\gispub\OW\ATTAINS_Assessment\ATTAINS_Assessment.gdb\attains_au_areas hasprotectionplan idx19 NON_UNIQUE NON_ASCENDING

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2024-05-24 11:09:11

TOOL LOCATION c:\program files\arcgis\pro\Resources\ArcToolbox\toolboxes\Data Management Tools.tbx\AddIndex

COMMAND ISSUED

AddIndex

D:\Public\Data\WatersGeoPro\gispub\OW\ATTAINS_Assessment\ATTAINS_Assessment.gdb\attains_au_areas visionpriority303d idx20 NON_UNIQUE NON_ASCENDING

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2024-05-24 11:09:12

TOOL LOCATION c:\program files\arcgis\pro\Resources\ArcToolbox\toolboxes\Data Management Tools.tbx\AddIndex

COMMAND ISSUED

AddIndex

D:\Public\Data\WatersGeoPro\gispub\OW\ATTAINS_Assessment\ATTAINS_Assessment.gdb\attains_au_areas cultural_use idx21 NON_UNIQUE NON_ASCENDING

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2024-05-24 11:09:13

TOOL LOCATION c:\program files\arcgis\pro\Resources\ArcToolbox\toolboxes\Data Management Tools.tbx\AddIndex

COMMAND ISSUED

AddIndex

D:\Public\Data\WatersGeoPro\gispub\OW\ATTAINS_Assessment\ATTAINS_Assessment.gdb\attains_au_areas drinkingwater_use idx22 NON_UNIQUE NON_ASCENDING

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2024-05-24 11:09:14

TOOL LOCATION c:\program files\arcgis\pro\Resources\ArcToolbox\toolboxes\Data Management Tools.tbx\AddIndex

COMMAND ISSUED

AddIndex

D:\Public\Data\WatersGeoPro\gispub\OW\ATTAINS_Assessment\ATTAINS_Assessment.gdb\attains_au_areas ecological_use idx23 NON_UNIQUE NON_ASCENDING

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2024-05-24 11:09:15

TOOL LOCATION c:\program files\arcgis\pro\Resources\ArcToolbox\toolboxes\Data Management Tools.tbx\AddIndex

COMMAND ISSUED

AddIndex

D:\Public\Data\WatersGeoPro\gispub\OW\ATTAINS_Assessment\ATTAINS_Assessment.gdb\attains_au_areas fishconsumption_use idx24 NON_UNIQUE NON_ASCENDING

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2024-05-24 11:09:16

TOOL LOCATION c:\program files\arcgis\pro\Resources\ArcToolbox\toolboxes\Data Management Tools.tbx\AddIndex

COMMAND ISSUED

AddIndex

D:\Public\Data\WatersGeoPro\gispub\OW\ATTAINS_Assessment\ATTAINS_Assessment.gdb\attains_au_areas recreation_use idx25 NON_UNIQUE NON_ASCENDING

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2024-05-24 11:09:17

TOOL LOCATION c:\program files\arcgis\pro\Resources\ArcToolbox\toolboxes\Data Management Tools.tbx\AddIndex

COMMAND ISSUED

AddIndex

D:\Public\Data\WatersGeoPro\gispub\OW\ATTAINS_Assessment\ATTAINS_Assessment.gdb\attains_au_areas other_use idx26 NON_UNIQUE NON_ASCENDING

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2024-05-24 11:09:18

TOOL LOCATION c:\program files\arcgis\pro\Resources\ArcToolbox\toolboxes\Data Management Tools.tbx\AddIndex

COMMAND ISSUED

AddIndex

D:\Public\Data\WatersGeoPro\gispub\OW\ATTAINS_Assessment\ATTAINS_Assessment.gdb\attains_au_areas algal_growth idx27 NON_UNIQUE NON_ASCENDING

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2024-05-24 11:09:19

TOOL LOCATION c:\program files\arcgis\pro\Resources\ArcToolbox\toolboxes\Data
Management Tools.tbx\AddIndex
COMMAND ISSUED
AddIndex
D:\Public\Data\WatersGeoPro\gispub\OW\ATTAINS_Assessment\ATTAINS_Assessment.
gdb\attains_au_areas ammonia idx28 NON_UNIQUE NON_ASCENDING
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2024-05-24 11:09:20
TOOL LOCATION c:\program files\arcgis\pro\Resources\ArcToolbox\toolboxes\Data
Management Tools.tbx\AddIndex
COMMAND ISSUED
AddIndex
D:\Public\Data\WatersGeoPro\gispub\OW\ATTAINS_Assessment\ATTAINS_Assessment.
gdb\attains_au_areas biotoxins idx29 NON_UNIQUE NON_ASCENDING
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2024-05-24 11:09:21
TOOL LOCATION c:\program files\arcgis\pro\Resources\ArcToolbox\toolboxes\Data
Management Tools.tbx\AddIndex
COMMAND ISSUED
AddIndex
D:\Public\Data\WatersGeoPro\gispub\OW\ATTAINS_Assessment\ATTAINS_Assessment.
gdb\attains_au_areas cause_unknown idx30 NON_UNIQUE NON_ASCENDING
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2024-05-24 11:09:22
TOOL LOCATION c:\program files\arcgis\pro\Resources\ArcToolbox\toolboxes\Data
Management Tools.tbx\AddIndex
COMMAND ISSUED
AddIndex
D:\Public\Data\WatersGeoPro\gispub\OW\ATTAINS_Assessment\ATTAINS_Assessment.
gdb\attains_au_areas cause_unknown_fish_kills idx31 NON_UNIQUE NON_ASCENDING
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2024-05-24 11:09:23
TOOL LOCATION c:\program files\arcgis\pro\Resources\ArcToolbox\toolboxes\Data
Management Tools.tbx\AddIndex
COMMAND ISSUED
AddIndex
D:\Public\Data\WatersGeoPro\gispub\OW\ATTAINS_Assessment\ATTAINS_Assessment.
gdb\attains_au_areas cause_unknown_impaired_biota idx32 NON_UNIQUE
NON_ASCENDING
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2024-05-24 11:09:23
TOOL LOCATION c:\program files\arcgis\pro\Resources\ArcToolbox\toolboxes\Data
Management Tools.tbx\AddIndex

COMMAND ISSUED

AddIndex

D:\Public\Data\WatersGeoPro\gispub\OW\ATTAINS_Assessment\ATTAINS_Assessment.gdb\attains_au_areas chlorine idx33 NON_UNIQUE NON_ASCENDING

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2024-05-24 11:09:24

TOOL LOCATION c:\program files\arcgis\pro\Resources\ArcToolbox\toolboxes\Data Management Tools.tbx\AddIndex

COMMAND ISSUED

AddIndex

D:\Public\Data\WatersGeoPro\gispub\OW\ATTAINS_Assessment\ATTAINS_Assessment.gdb\attains_au_areas dioxins idx34 NON_UNIQUE NON_ASCENDING

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2024-05-24 11:09:25

TOOL LOCATION c:\program files\arcgis\pro\Resources\ArcToolbox\toolboxes\Data Management Tools.tbx\AddIndex

COMMAND ISSUED

AddIndex

D:\Public\Data\WatersGeoPro\gispub\OW\ATTAINS_Assessment\ATTAINS_Assessment.gdb\attains_au_areas fish_consumption_advisory idx35 NON_UNIQUE NON_ASCENDING

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2024-05-24 11:09:26

TOOL LOCATION c:\program files\arcgis\pro\Resources\ArcToolbox\toolboxes\Data Management Tools.tbx\AddIndex

COMMAND ISSUED

AddIndex

D:\Public\Data\WatersGeoPro\gispub\OW\ATTAINS_Assessment\ATTAINS_Assessment.gdb\attains_au_areas flow_alterations idx36 NON_UNIQUE NON_ASCENDING

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2024-05-24 11:09:27

TOOL LOCATION c:\program files\arcgis\pro\Resources\ArcToolbox\toolboxes\Data Management Tools.tbx\AddIndex

COMMAND ISSUED

AddIndex

D:\Public\Data\WatersGeoPro\gispub\OW\ATTAINS_Assessment\ATTAINS_Assessment.gdb\attains_au_areas habitat_alterations idx37 NON_UNIQUE NON_ASCENDING

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2024-05-24 11:09:28

TOOL LOCATION c:\program files\arcgis\pro\Resources\ArcToolbox\toolboxes\Data Management Tools.tbx\AddIndex

COMMAND ISSUED

AddIndex
D:\Public\Data\WatersGeoPro\gispub\OW\ATTAINS_Assessment\ATTAINS_Assessment.gdb\attains_au_areas hydrologic_alteration idx38 NON_UNIQUE NON_ASCENDING
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2024-05-24 11:09:29
TOOL LOCATION c:\program files\arcgis\pro\Resources\ArcToolbox\toolboxes\Data Management Tools.tbx\AddIndex
COMMAND ISSUED
AddIndex
D:\Public\Data\WatersGeoPro\gispub\OW\ATTAINS_Assessment\ATTAINS_Assessment.gdb\attains_au_areas mercury idx39 NON_UNIQUE NON_ASCENDING
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2024-05-24 11:09:30
TOOL LOCATION c:\program files\arcgis\pro\Resources\ArcToolbox\toolboxes\Data Management Tools.tbx\AddIndex
COMMAND ISSUED
AddIndex
D:\Public\Data\WatersGeoPro\gispub\OW\ATTAINS_Assessment\ATTAINS_Assessment.gdb\attains_au_areas metals_other_than_mercury idx40 NON_UNIQUE NON_ASCENDING
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2024-05-24 11:09:31
TOOL LOCATION c:\program files\arcgis\pro\Resources\ArcToolbox\toolboxes\Data Management Tools.tbx\AddIndex
COMMAND ISSUED
AddIndex
D:\Public\Data\WatersGeoPro\gispub\OW\ATTAINS_Assessment\ATTAINS_Assessment.gdb\attains_au_areas noxious_aquatic_plants idx41 NON_UNIQUE NON_ASCENDING
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2024-05-24 11:09:32
TOOL LOCATION c:\program files\arcgis\pro\Resources\ArcToolbox\toolboxes\Data Management Tools.tbx\AddIndex
COMMAND ISSUED
AddIndex
D:\Public\Data\WatersGeoPro\gispub\OW\ATTAINS_Assessment\ATTAINS_Assessment.gdb\attains_au_areas nuisance_exotic_species idx42 NON_UNIQUE NON_ASCENDING
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2024-05-24 11:09:33
TOOL LOCATION c:\program files\arcgis\pro\Resources\ArcToolbox\toolboxes\Data Management Tools.tbx\AddIndex
COMMAND ISSUED

AddIndex
D:\Public\Data\WatersGeoPro\gispub\OW\ATTAINS_Assessment\ATTAINS_Assessment.gdb\attains_au_areas nuisance_native_species idx43 NON_UNIQUE NON_ASCENDING
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2024-05-24 11:09:34
TOOL LOCATION c:\program files\arcgis\pro\Resources\ArcToolbox\toolboxes\Data Management Tools.tbx\AddIndex
COMMAND ISSUED
AddIndex
D:\Public\Data\WatersGeoPro\gispub\OW\ATTAINS_Assessment\ATTAINS_Assessment.gdb\attains_au_areas nutrients idx44 NON_UNIQUE NON_ASCENDING
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2024-05-24 11:09:35
TOOL LOCATION c:\program files\arcgis\pro\Resources\ArcToolbox\toolboxes\Data Management Tools.tbx\AddIndex
COMMAND ISSUED
AddIndex
D:\Public\Data\WatersGeoPro\gispub\OW\ATTAINS_Assessment\ATTAINS_Assessment.gdb\attains_au_areas oil_and_grease idx45 NON_UNIQUE NON_ASCENDING
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2024-05-24 11:09:35
TOOL LOCATION c:\program files\arcgis\pro\Resources\ArcToolbox\toolboxes\Data Management Tools.tbx\AddIndex
COMMAND ISSUED
AddIndex
D:\Public\Data\WatersGeoPro\gispub\OW\ATTAINS_Assessment\ATTAINS_Assessment.gdb\attains_au_areas oxygen_depletion idx46 NON_UNIQUE NON_ASCENDING
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2024-05-24 11:09:36
TOOL LOCATION c:\program files\arcgis\pro\Resources\ArcToolbox\toolboxes\Data Management Tools.tbx\AddIndex
COMMAND ISSUED
AddIndex
D:\Public\Data\WatersGeoPro\gispub\OW\ATTAINS_Assessment\ATTAINS_Assessment.gdb\attains_au_areas other_cause idx47 NON_UNIQUE NON_ASCENDING
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2024-05-24 11:09:37
TOOL LOCATION c:\program files\arcgis\pro\Resources\ArcToolbox\toolboxes\Data Management Tools.tbx\AddIndex
COMMAND ISSUED
AddIndex
D:\Public\Data\WatersGeoPro\gispub\OW\ATTAINS_Assessment\ATTAINS_Assessment.gdb\attains_au_areas pathogens idx48 NON_UNIQUE NON_ASCENDING

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2024-05-24 11:09:38

TOOL LOCATION c:\program files\arcgis\pro\Resources\ArcToolbox\toolboxes\Data Management Tools.tbx\AddIndex

COMMAND ISSUED

AddIndex

D:\Public\Data\WatersGeoPro\gispub\OW\ATTAINS_Assessment\ATTAINS_Assessment.gdb\attains_au_areas pesticides idx49 NON_UNIQUE NON_ASCENDING

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2024-05-24 11:09:39

TOOL LOCATION c:\program files\arcgis\pro\Resources\ArcToolbox\toolboxes\Data Management Tools.tbx\AddIndex

COMMAND ISSUED

AddIndex

D:\Public\Data\WatersGeoPro\gispub\OW\ATTAINS_Assessment\ATTAINS_Assessment.gdb\attains_au_areas pfas idx50 NON_UNIQUE NON_ASCENDING

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2024-05-24 11:09:40

TOOL LOCATION c:\program files\arcgis\pro\Resources\ArcToolbox\toolboxes\Data Management Tools.tbx\AddIndex

COMMAND ISSUED

AddIndex

D:\Public\Data\WatersGeoPro\gispub\OW\ATTAINS_Assessment\ATTAINS_Assessment.gdb\attains_au_areas ph_acidity_caustic_conditions idx51 NON_UNIQUE NON_ASCENDING

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2024-05-24 11:09:41

TOOL LOCATION c:\program files\arcgis\pro\Resources\ArcToolbox\toolboxes\Data Management Tools.tbx\AddIndex

COMMAND ISSUED

AddIndex

D:\Public\Data\WatersGeoPro\gispub\OW\ATTAINS_Assessment\ATTAINS_Assessment.gdb\attains_au_areas polychlorinated_biphenyls_pcbs idx52 NON_UNIQUE NON_ASCENDING

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2024-05-24 11:09:42

TOOL LOCATION c:\program files\arcgis\pro\Resources\ArcToolbox\toolboxes\Data Management Tools.tbx\AddIndex

COMMAND ISSUED

AddIndex

D:\Public\Data\WatersGeoPro\gispub\OW\ATTAINS_Assessment\ATTAINS_Assessment.gdb\attains_au_areas radiation idx53 NON_UNIQUE NON_ASCENDING

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2024-05-24 11:09:43

TOOL LOCATION c:\program files\arcgis\pro\Resources\ArcToolbox\toolboxes\Data
Management Tools.tbx\AddIndex

COMMAND ISSUED

AddIndex

D:\Public\Data\WatersGeoPro\gispub\OW\ATTAINS_Assessment\ATTAINS_Assessment.
gdb\attains_au_areas solids_chlorides_sulfates idx54 NON_UNIQUE
NON_ASCENDING

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2024-05-24 11:09:44

TOOL LOCATION c:\program files\arcgis\pro\Resources\ArcToolbox\toolboxes\Data
Management Tools.tbx\AddIndex

COMMAND ISSUED

AddIndex

D:\Public\Data\WatersGeoPro\gispub\OW\ATTAINS_Assessment\ATTAINS_Assessment.
gdb\attains_au_areas sediment idx55 NON_UNIQUE NON_ASCENDING

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2024-05-24 11:09:45

TOOL LOCATION c:\program files\arcgis\pro\Resources\ArcToolbox\toolboxes\Data
Management Tools.tbx\AddIndex

COMMAND ISSUED

AddIndex

D:\Public\Data\WatersGeoPro\gispub\OW\ATTAINS_Assessment\ATTAINS_Assessment.
gdb\attains_au_areas taste_color_and_odor idx56 NON_UNIQUE NON_ASCENDING

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2024-05-24 11:09:45

TOOL LOCATION c:\program files\arcgis\pro\Resources\ArcToolbox\toolboxes\Data
Management Tools.tbx\AddIndex

COMMAND ISSUED

AddIndex

D:\Public\Data\WatersGeoPro\gispub\OW\ATTAINS_Assessment\ATTAINS_Assessment.
gdb\attains_au_areas temperature idx57 NON_UNIQUE NON_ASCENDING

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2024-05-24 11:09:46

TOOL LOCATION c:\program files\arcgis\pro\Resources\ArcToolbox\toolboxes\Data
Management Tools.tbx\AddIndex

COMMAND ISSUED

AddIndex

D:\Public\Data\WatersGeoPro\gispub\OW\ATTAINS_Assessment\ATTAINS_Assessment.
gdb\attains_au_areas total_toxics idx58 NON_UNIQUE NON_ASCENDING

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2024-05-24 11:09:47
TOOL LOCATION c:\program files\arcgis\pro\Resources\ArcToolbox\toolboxes\Data
Management Tools.tbx\AddIndex
COMMAND ISSUED
AddIndex
D:\Public\Data\WatersGeoPro\gispub\OW\ATTAINS_Assessment\ATTAINS_Assessment.
gdb\attains_au_areas toxic_inorganics idx59 NON_UNIQUE NON_ASCENDING
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2024-05-24 11:09:48
TOOL LOCATION c:\program files\arcgis\pro\Resources\ArcToolbox\toolboxes\Data
Management Tools.tbx\AddIndex
COMMAND ISSUED
AddIndex
D:\Public\Data\WatersGeoPro\gispub\OW\ATTAINS_Assessment\ATTAINS_Assessment.
gdb\attains_au_areas toxic_organics idx60 NON_UNIQUE NON_ASCENDING
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2024-05-24 11:09:49
TOOL LOCATION c:\program files\arcgis\pro\Resources\ArcToolbox\toolboxes\Data
Management Tools.tbx\AddIndex
COMMAND ISSUED
AddIndex
D:\Public\Data\WatersGeoPro\gispub\OW\ATTAINS_Assessment\ATTAINS_Assessment.
gdb\attains_au_areas trash idx61 NON_UNIQUE NON_ASCENDING
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2024-05-24 11:09:50
TOOL LOCATION c:\program files\arcgis\pro\Resources\ArcToolbox\toolboxes\Data
Management Tools.tbx\AddIndex
COMMAND ISSUED
AddIndex
D:\Public\Data\WatersGeoPro\gispub\OW\ATTAINS_Assessment\ATTAINS_Assessment.
gdb\attains_au_areas turbidity idx62 NON_UNIQUE NON_ASCENDING
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2024-05-24 11:09:51
TOOL LOCATION c:\program files\arcgis\pro\Resources\ArcToolbox\toolboxes\Data
Management Tools.tbx\AddIndex
COMMAND ISSUED
AddIndex
D:\Public\Data\WatersGeoPro\gispub\OW\ATTAINS_Assessment\ATTAINS_Assessment.
gdb\attains_au_areas submissionid idx63 NON_UNIQUE NON_ASCENDING
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2024-05-24 13:36:14
TOOL LOCATION c:\program files\arcgis\pro\Resources\ArcToolbox\toolboxes\Data
Management Tools.tbx\Append

COMMAND ISSUED

```
Append
D:\Public\Data\DeployToGISPUB\ATTAINS_Assessment_20230908_ILMI.gdb\attains_a
u_areas
D:\Public\Data\WatersGeoPro\gispub\OW\ATTAINS_Assessment\ATTAINS_Assessment.
gdb\attains_au_areas "Use the field map to reconcile field differences"
"submissionid "Submission ID" true false false 40 Text 0
0,First,#,D:\Public\Data\DeployToGISPUB\ATTAINS_Assessment_20230908_ILMI.gdb
\attains_au_areas,submissionid,0,39;permid_joinkey "PermID Joinkey" true
true false 40 Text 0
0,First,#,D:\Public\Data\DeployToGISPUB\ATTAINS_Assessment_20230908_ILMI.gdb
\attains_au_areas,permid_joinkey,0,39;state "State" true false false 2 Text
0
0,First,#,D:\Public\Data\DeployToGISPUB\ATTAINS_Assessment_20230908_ILMI.gdb
\attains_au_areas,state,0,1;region "Region" true false false 2 Text 0
0,First,#,D:\Public\Data\DeployToGISPUB\ATTAINS_Assessment_20230908_ILMI.gdb
\attains_au_areas,region,0,1;organizationid "Organization ID" true false
false 30 Text 0
0,First,#,D:\Public\Data\DeployToGISPUB\ATTAINS_Assessment_20230908_ILMI.gdb
\attains_au_areas,organizationid,0,29;orgtype "Organization Type" true false
false 30 Text 0
0,First,#,D:\Public\Data\DeployToGISPUB\ATTAINS_Assessment_20230908_ILMI.gdb
\attains_au_areas,orgtype,0,29;tas303d "TAS 303(d)" true false false 1 Text
0
0,First,#,D:\Public\Data\DeployToGISPUB\ATTAINS_Assessment_20230908_ILMI.gdb
\attains_au_areas,tas303d,0,254;organizationname "Organization Name" true
false false 200 Text 0
0,First,#,D:\Public\Data\DeployToGISPUB\ATTAINS_Assessment_20230908_ILMI.gdb
\attains_au_areas,organizationname,0,199;reportingcycle "Reporting Cycle"
true false false 4 Long 0
0,First,#,D:\Public\Data\DeployToGISPUB\ATTAINS_Assessment_20230908_ILMI.gdb
\attains_au_areas,reportingcycle,-1,-1;assessmentunitidentifier "Assessment
Unit Identifier" true false false 50 Text 0
0,First,#,D:\Public\Data\DeployToGISPUB\ATTAINS_Assessment_20230908_ILMI.gdb
\attains_au_areas,assessmentunitidentifier,0,49;assmnt_joinkey "Assessment
JoinKey" true false false 40 Text 0
0,First,#,D:\Public\Data\DeployToGISPUB\ATTAINS_Assessment_20230908_ILMI.gdb
\attains_au_areas,assmnt_joinkey,0,39;assessmentunitname "Assessment Unit
Name" true false false 255 Text 0
0,First,#,D:\Public\Data\DeployToGISPUB\ATTAINS_Assessment_20230908_ILMI.gdb
\attains_au_areas,assessmentunitname,0,254;waterbodyreportlink "Waterbody
Report Link" true false false 4000 Text 0
0,First,#,D:\Public\Data\DeployToGISPUB\ATTAINS_Assessment_20230908_ILMI.gdb
\attains_au_areas,waterbodyreportlink,0,3999;ircategory "IR Category" true
true false 5 Text 0
0,First,#,D:\Public\Data\DeployToGISPUB\ATTAINS_Assessment_20230908_ILMI.gdb
\attains_au_areas,ircategory,0,4;overallstatus "Overall Status" true false
false 50 Text 0
0,First,#,D:\Public\Data\DeployToGISPUB\ATTAINS_Assessment_20230908_ILMI.gdb
\attains_au_areas,overallstatus,0,49;isassessed "Is Assessed" true false
false 1 Text 0
0,First,#,D:\Public\Data\DeployToGISPUB\ATTAINS_Assessment_20230908_ILMI.gdb
\attains_au_areas,isassessed,0,254;isimpaired "Is Impaired" true false false
1 Text 0
0,First,#,D:\Public\Data\DeployToGISPUB\ATTAINS_Assessment_20230908_ILMI.gdb
\attains_au_areas,isimpaired,0,254;isthreatened "Is Threatened" true false
false 1 Text 0
0,First,#,D:\Public\Data\DeployToGISPUB\ATTAINS_Assessment_20230908_ILMI.gdb
\attains_au_areas,isthreatened,0,254;on303dlist "On 303d List" true true
false 1 Text 0
```

0,First,#,D:\Public\Data\DeployToGISPUB\ATTAINS_Assessment_20230908_ILMI.gdb
\attains_au_areas,on303dlist,0,254;hasTmdl "Has TMDL" true false false 1
Text 0
0,First,#,D:\Public\Data\DeployToGISPUB\ATTAINS_Assessment_20230908_ILMI.gdb
\attains_au_areas,hasTmdl,0,254;has4bplan "Has 4B Plan" true false false 1
Text 0
0,First,#,D:\Public\Data\DeployToGISPUB\ATTAINS_Assessment_20230908_ILMI.gdb
\attains_au_areas,has4bplan,0,254;hasalternativeplan "Has Alternative Plan"
true false false 1 Text 0
0,First,#,D:\Public\Data\DeployToGISPUB\ATTAINS_Assessment_20230908_ILMI.gdb
\attains_au_areas,hasalternativeplan,0,254;hasprotectionplan "Has Protection
Plan" true false false 1 Text 0
0,First,#,D:\Public\Data\DeployToGISPUB\ATTAINS_Assessment_20230908_ILMI.gdb
\attains_au_areas,hasprotectionplan,0,254;visionpriority303d "Vision
Priority 303d" true true false 1 Text 0
0,First,#,D:\Public\Data\DeployToGISPUB\ATTAINS_Assessment_20230908_ILMI.gdb
\attains_au_areas,visionpriority303d,0,254;cultural_use "Cultural Use" true
true false 50 Text 0
0,First,#,D:\Public\Data\DeployToGISPUB\ATTAINS_Assessment_20230908_ILMI.gdb
\attains_au_areas,cultural_use,0,49;drinkingwater_use "Drinking Water Use"
true true false 50 Text 0
0,First,#,D:\Public\Data\DeployToGISPUB\ATTAINS_Assessment_20230908_ILMI.gdb
\attains_au_areas,drinkingwater_use,0,49;ecological_use "Ecological Use"
true true false 50 Text 0
0,First,#,D:\Public\Data\DeployToGISPUB\ATTAINS_Assessment_20230908_ILMI.gdb
\attains_au_areas,ecological_use,0,49;fishconsumption_use "Fish Consumption
Use" true true false 50 Text 0
0,First,#,D:\Public\Data\DeployToGISPUB\ATTAINS_Assessment_20230908_ILMI.gdb
\attains_au_areas,fishconsumption_use,0,49;recreation_use "Recreation Use"
true true false 50 Text 0
0,First,#,D:\Public\Data\DeployToGISPUB\ATTAINS_Assessment_20230908_ILMI.gdb
\attains_au_areas,recreation_use,0,49;other_use "Other Use" true true false
50 Text 0
0,First,#,D:\Public\Data\DeployToGISPUB\ATTAINS_Assessment_20230908_ILMI.gdb
\attains_au_areas,other_use,0,49;algal_growth "Algal Growth" true true false
50 Text 0
0,First,#,D:\Public\Data\DeployToGISPUB\ATTAINS_Assessment_20230908_ILMI.gdb
\attains_au_areas,algal_growth,0,49;ammonia "Ammonia" true true false 50
Text 0
0,First,#,D:\Public\Data\DeployToGISPUB\ATTAINS_Assessment_20230908_ILMI.gdb
\attains_au_areas,ammonia,0,49;biotoxins "Biotoxins" true true false 50 Text
0
0,First,#,D:\Public\Data\DeployToGISPUB\ATTAINS_Assessment_20230908_ILMI.gdb
\attains_au_areas,biotoxins,0,49;cause_unknown "Cause Unknown" true true
false 50 Text 0
0,First,#,D:\Public\Data\DeployToGISPUB\ATTAINS_Assessment_20230908_ILMI.gdb
\attains_au_areas,cause_unknown,0,49;cause_unknown_fish_kills "Cause Unknown
Fish Kills" true true false 50 Text 0
0,First,#,D:\Public\Data\DeployToGISPUB\ATTAINS_Assessment_20230908_ILMI.gdb
\attains_au_areas,cause_unknown_fish_kills,0,49;cause_unknown_impaired_biota
"Cause Unknown Impaired Biota" true true false 50 Text 0
0,First,#,D:\Public\Data\DeployToGISPUB\ATTAINS_Assessment_20230908_ILMI.gdb
\attains_au_areas,cause_unknown_impaired_biota,0,49;chlorine "Chlorine" true
true false 50 Text 0
0,First,#,D:\Public\Data\DeployToGISPUB\ATTAINS_Assessment_20230908_ILMI.gdb
\attains_au_areas,chlorine,0,49;dioxins "Dioxins" true true false 50 Text 0
0,First,#,D:\Public\Data\DeployToGISPUB\ATTAINS_Assessment_20230908_ILMI.gdb
\attains_au_areas,dioxins,0,49;fish_consumption_advisory "Fish Consumption
Advisory" true true false 50 Text 0
0,First,#,D:\Public\Data\DeployToGISPUB\ATTAINS_Assessment_20230908_ILMI.gdb

\attains_au_areas,fish_consumption_advisory,0,49;flow_alterations
"Flow Alterations" true true false 50 Text 0
0,First,#,D:\Public\Data\DeployToGISPUB\ATTAINS_Assessment_20230908_ILMI.gdb
\attains_au_areas,flow_alterations,0,49;habitat_alterations "Habitat
Alterations" true true false 50 Text 0
0,First,#,D:\Public\Data\DeployToGISPUB\ATTAINS_Assessment_20230908_ILMI.gdb
\attains_au_areas,habitat_alterations,0,49;hydrologic_alteration "Hydrologic
Alteration" true true false 50 Text 0
0,First,#,D:\Public\Data\DeployToGISPUB\ATTAINS_Assessment_20230908_ILMI.gdb
\attains_au_areas,hydrologic_alteration,0,49;mercury "Mercury" true true
false 50 Text 0
0,First,#,D:\Public\Data\DeployToGISPUB\ATTAINS_Assessment_20230908_ILMI.gdb
\attains_au_areas,mercury,0,49;metals_other_than_mercury "Metals Other Than
Mercury" true true false 50 Text 0
0,First,#,D:\Public\Data\DeployToGISPUB\ATTAINS_Assessment_20230908_ILMI.gdb
\attains_au_areas,metals_other_than_mercury,0,49;noxious_aquatic_plants
"Noxious Aquatic Plants" true true false 50 Text 0
0,First,#,D:\Public\Data\DeployToGISPUB\ATTAINS_Assessment_20230908_ILMI.gdb
\attains_au_areas,noxious_aquatic_plants,0,49;nuisance_exotic_species
"Nuisance Exotic Species" true true false 50 Text 0
0,First,#,D:\Public\Data\DeployToGISPUB\ATTAINS_Assessment_20230908_ILMI.gdb
\attains_au_areas,nuisance_exotic_species,0,49;nuisance_native_species
"Nuisance Native Species" true true false 50 Text 0
0,First,#,D:\Public\Data\DeployToGISPUB\ATTAINS_Assessment_20230908_ILMI.gdb
\attains_au_areas,nuisance_native_species,0,49;nutrients "Nutrients" true
true false 50 Text 0
0,First,#,D:\Public\Data\DeployToGISPUB\ATTAINS_Assessment_20230908_ILMI.gdb
\attains_au_areas,nutrients,0,49;oil_and_grease "Oil And Grease" true true
false 50 Text 0
0,First,#,D:\Public\Data\DeployToGISPUB\ATTAINS_Assessment_20230908_ILMI.gdb
\attains_au_areas,oil_and_grease,0,49;oxygen_depletion "Oxygen Depletion"
true true false 50 Text 0
0,First,#,D:\Public\Data\DeployToGISPUB\ATTAINS_Assessment_20230908_ILMI.gdb
\attains_au_areas,oxygen_depletion,0,49;other_cause "Other Cause" true true
false 50 Text 0
0,First,#,D:\Public\Data\DeployToGISPUB\ATTAINS_Assessment_20230908_ILMI.gdb
\attains_au_areas,other_cause,0,49;pathogens "Pathogens" true true false 50
Text 0
0,First,#,D:\Public\Data\DeployToGISPUB\ATTAINS_Assessment_20230908_ILMI.gdb
\attains_au_areas,pathogens,0,49;pesticides "Pesticides" true true false 50
Text 0
0,First,#,D:\Public\Data\DeployToGISPUB\ATTAINS_Assessment_20230908_ILMI.gdb
\attains_au_areas,pesticides,0,49;pfas "PFAS" true true false 50 Text 0
0,First,#;ph_acidity_caustic_conditions "pH Acidity Caustic Conditions" true
true false 50 Text 0
0,First,#,D:\Public\Data\DeployToGISPUB\ATTAINS_Assessment_20230908_ILMI.gdb
\attains_au_areas,ph_acidity_caustic_conditions,0,49;polychlorinated_biphenyls
ls_pcbs "Polychlorinated Biphenyls PCBs" true true false 50 Text 0
0,First,#,D:\Public\Data\DeployToGISPUB\ATTAINS_Assessment_20230908_ILMI.gdb
\attains_au_areas,polychlorinated_biphenyls_pcbs,0,49;radiation "Radiation"
true true false 50 Text 0
0,First,#,D:\Public\Data\DeployToGISPUB\ATTAINS_Assessment_20230908_ILMI.gdb
\attains_au_areas,radiation,0,49;solids_chlorides_sulfates "Solids Chlorides
Sulfates" true true false 50 Text 0
0,First,#,D:\Public\Data\DeployToGISPUB\ATTAINS_Assessment_20230908_ILMI.gdb
\attains_au_areas,solids_chlorides_sulfates,0,49;sediment "Sediment" true
true false 50 Text 0
0,First,#,D:\Public\Data\DeployToGISPUB\ATTAINS_Assessment_20230908_ILMI.gdb
\attains_au_areas,sediment,0,49;taste_color_and_odor "Taste, Color And Odor"
true true false 50 Text 0

```
0,First,#,D:\Public\Data\DeployToGISPUB\ATTAINS_Assessment_20230908_ILMI.gdb
\attains_au_areas,taste_color_and_odor,0,49;temperature "Temperature" true
true false 50 Text 0
0,First,#,D:\Public\Data\DeployToGISPUB\ATTAINS_Assessment_20230908_ILMI.gdb
\attains_au_areas,temperature,0,49;total_toxics "Total Toxics" true true
false 50 Text 0
0,First,#,D:\Public\Data\DeployToGISPUB\ATTAINS_Assessment_20230908_ILMI.gdb
\attains_au_areas,total_toxics,0,49;toxic_inorganics "Toxic Inorganics" true
true false 50 Text 0
0,First,#,D:\Public\Data\DeployToGISPUB\ATTAINS_Assessment_20230908_ILMI.gdb
\attains_au_areas,toxic_inorganics,0,49;toxic_organics "Toxic Organics" true
true false 50 Text 0
0,First,#,D:\Public\Data\DeployToGISPUB\ATTAINS_Assessment_20230908_ILMI.gdb
\attains_au_areas,toxic_organics,0,49;trash "Trash" true true false 50 Text
0
0,First,#,D:\Public\Data\DeployToGISPUB\ATTAINS_Assessment_20230908_ILMI.gdb
\attains_au_areas,trash,0,49;turbidity "Turbidity" true true false 50 Text 0
0,First,#,D:\Public\Data\DeployToGISPUB\ATTAINS_Assessment_20230908_ILMI.gdb
\attains_au_areas,turbidity,0,49;GLOBALID "GlobalID" false false true 38
GlobalID 0
0,First,#,D:\Public\Data\DeployToGISPUB\ATTAINS_Assessment_20230908_ILMI.gdb
\attains_au_areas,GLOBALID,-1,-1;orig_fid "ORIG_FID" true true false 4 Long
0
0,First,#,D:\Public\Data\DeployToGISPUB\ATTAINS_Assessment_20230908_ILMI.gdb
\attains_au_areas,orig_fid,-1,-1" # # # NOT_UPDATE_GEOMETRY
```

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2024-05-25 08:31:16

TOOL LOCATION c:\program files\arcgis\pro\Resources\ArcToolbox\toolboxes\Data Management Tools.tbx>DeleteField

COMMAND ISSUED

DeleteField

D:\Public\Data\WatersGeoPro\gispub\OW\ATTAINS_Assessment\ATTAINS_Assessment.gdb\attains_au_areas orig_fid "Delete Fields"

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2024-05-25 08:52:43

TOOL LOCATION c:\program files\arcgis\pro\Resources\ArcToolbox\toolboxes\Data Management Tools.tbx\AlterField

COMMAND ISSUED

AlterField

D:\Public\Data\WatersGeoPro\gispub\OW\ATTAINS_Assessment\ATTAINS_Assessment.gdb\attains_au_areas pfas pfas2 "Per- And Polyfluoroalkyl Substances" Text 50 NULLABLE DO_NOT_CLEAR

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2024-05-25 08:52:53

TOOL LOCATION c:\program files\arcgis\pro\Resources\ArcToolbox\toolboxes\Data Management Tools.tbx\AlterField

COMMAND ISSUED

AlterField

D:\Public\Data\WatersGeoPro\gispub\OW\ATTAINS_Assessment\ATTAINS_Assessment.gdb\attains_au_areas pfas pfas2 "Per- And Polyfluoroalkyl Substances" Text 50 NULLABLE DO_NOT_CLEAR

gdb\attains_au_areas pfas2 pfas "Per- And Polyfluoroalkyl Substances" Text
50 NULLABLE DO_NOT_CLEAR

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2024-05-27 16:24:24

TOOL LOCATION c:\program files\arcgis\pro\Resources\ArcToolbox\toolboxes\Conversion
Tools.tbx\FeatureClassToFeatureClass

COMMAND ISSUED

FeatureClassToFeatureClass

D:\Public\Data\WatersGeoPro\gispub\OW\ATTAINS_Assessment\ATTAINS_Assessment.
gdb\attains_au_areas

D:\Public\Data\WatersGeoPro\gispub\OW\ATTAINS_Assessment\scratch\ATTAINS_Assessment_20240523.gdb attains_au_areas # "submissionid "Submission ID" true
false false 40 Text 0

0,First,#,D:\Public\Data\WatersGeoPro\gispub\OW\ATTAINS_Assessment\ATTAINS_Assessment.gdb\attains_au_areas,submissionid,0,39;permid_joinkey "PermID
Joinkey" true true false 40 Text 0

0,First,#,D:\Public\Data\WatersGeoPro\gispub\OW\ATTAINS_Assessment\ATTAINS_Assessment.gdb\attains_au_areas,permid_joinkey,0,39;state "State" true false
false 2 Text 0

0,First,#,D:\Public\Data\WatersGeoPro\gispub\OW\ATTAINS_Assessment\ATTAINS_Assessment.gdb\attains_au_areas,state,0,1;region "Region" true false false 2
Text 0

0,First,#,D:\Public\Data\WatersGeoPro\gispub\OW\ATTAINS_Assessment\ATTAINS_Assessment.gdb\attains_au_areas,region,0,1;organizationid "Organization ID"
true false 30 Text 0

0,First,#,D:\Public\Data\WatersGeoPro\gispub\OW\ATTAINS_Assessment\ATTAINS_Assessment.gdb\attains_au_areas,organizationid,0,29;orgtype "Organization
Type" true false false 30 Text 0

0,First,#,D:\Public\Data\WatersGeoPro\gispub\OW\ATTAINS_Assessment\ATTAINS_Assessment.gdb\attains_au_areas,orgtype,0,29;tas303d "TAS 303(d)" true false
false 1 Text 0

0,First,#,D:\Public\Data\WatersGeoPro\gispub\OW\ATTAINS_Assessment\ATTAINS_Assessment.gdb\attains_au_areas,tas303d,0,0;organizationname "Organization
Name" true false false 200 Text 0

0,First,#,D:\Public\Data\WatersGeoPro\gispub\OW\ATTAINS_Assessment\ATTAINS_Assessment.gdb\attains_au_areas,organizationname,0,199;reportingcycle
"Reporting Cycle" true false false 4 Long 0

0,First,#,D:\Public\Data\WatersGeoPro\gispub\OW\ATTAINS_Assessment\ATTAINS_Assessment.gdb\attains_au_areas,reportingcycle,-1,-1;assessmentunitidentifier
"Assessment Unit Identifier" true false false 50 Text 0

0,First,#,D:\Public\Data\WatersGeoPro\gispub\OW\ATTAINS_Assessment\ATTAINS_Assessment.gdb\attains_au_areas,assessmentunitidentifier,0,49;assmnt_joinkey
"Assessment JoinKey" true false false 40 Text 0

0,First,#,D:\Public\Data\WatersGeoPro\gispub\OW\ATTAINS_Assessment\ATTAINS_Assessment.gdb\attains_au_areas,assmnt_joinkey,0,39;assessmentunitname
"Assessment Unit Name" true false false 255 Text 0

0,First,#,D:\Public\Data\WatersGeoPro\gispub\OW\ATTAINS_Assessment\ATTAINS_Assessment.gdb\attains_au_areas,assessmentunitname,0,254;waterbodyreportlink
"Waterbody Report Link" true false false 4000 Text 0

0,First,#,D:\Public\Data\WatersGeoPro\gispub\OW\ATTAINS_Assessment\ATTAINS_Assessment.gdb\attains_au_areas,waterbodyreportlink,0,3999;ircategory "IR
Category" true true false 5 Text 0

0,First,#,D:\Public\Data\WatersGeoPro\gispub\OW\ATTAINS_Assessment\ATTAINS_Assessment.gdb\attains_au_areas,ircategory,0,4;overallstatus "Overall Status"
true false false 50 Text 0

0,First,#,D:\Public\Data\WatersGeoPro\gispub\OW\ATTAINS_Assessment\ATTAINS_A

ssessment.gdb\attains_au_areas,overallstatus,0,49;isassessed "Is Assessed" true false false 1 Text 0
0,First,#,D:\Public\Data\WatersGeoPro\gispub\OW\ATTAINS_Assessment\ATTAINS_Assessment.gdb\attains_au_areas,isassessed,0,0;isimpaired "Is Impaired" true false false 1 Text 0
0,First,#,D:\Public\Data\WatersGeoPro\gispub\OW\ATTAINS_Assessment\ATTAINS_Assessment.gdb\attains_au_areas,isimpaired,0,0;isthreatened "Is Threatened" true false false 1 Text 0
0,First,#,D:\Public\Data\WatersGeoPro\gispub\OW\ATTAINS_Assessment\ATTAINS_Assessment.gdb\attains_au_areas,isthreatened,0,0;on303dlist "On 303d List" true true false 1 Text 0
0,First,#,D:\Public\Data\WatersGeoPro\gispub\OW\ATTAINS_Assessment\ATTAINS_Assessment.gdb\attains_au_areas,on303dlist,0,0;hastmdl "Has TMDL" true false false 1 Text 0
0,First,#,D:\Public\Data\WatersGeoPro\gispub\OW\ATTAINS_Assessment\ATTAINS_Assessment.gdb\attains_au_areas,hastmdl,0,0;has4bplan "Has 4B Plan" true false false 1 Text 0
0,First,#,D:\Public\Data\WatersGeoPro\gispub\OW\ATTAINS_Assessment\ATTAINS_Assessment.gdb\attains_au_areas,has4bplan,0,0;hasalternativeplan "Has Alternative Plan" true false false 1 Text 0
0,First,#,D:\Public\Data\WatersGeoPro\gispub\OW\ATTAINS_Assessment\ATTAINS_Assessment.gdb\attains_au_areas,hasalternativeplan,0,0;hasprotectionplan "Has Protection Plan" true false false 1 Text 0
0,First,#,D:\Public\Data\WatersGeoPro\gispub\OW\ATTAINS_Assessment\ATTAINS_Assessment.gdb\attains_au_areas,hasprotectionplan,0,0;visionpriority303d "Vision Priority 303d" true true false 1 Text 0
0,First,#,D:\Public\Data\WatersGeoPro\gispub\OW\ATTAINS_Assessment\ATTAINS_Assessment.gdb\attains_au_areas,visionpriority303d,0,0;cultural_use "Cultural Use" true true false 50 Text 0
0,First,#,D:\Public\Data\WatersGeoPro\gispub\OW\ATTAINS_Assessment\ATTAINS_Assessment.gdb\attains_au_areas,cultural_use,0,49;drinkingwater_use "Drinking Water Use" true true false 50 Text 0
0,First,#,D:\Public\Data\WatersGeoPro\gispub\OW\ATTAINS_Assessment\ATTAINS_Assessment.gdb\attains_au_areas,drinkingwater_use,0,49;ecological_use "Ecological Use" true true false 50 Text 0
0,First,#,D:\Public\Data\WatersGeoPro\gispub\OW\ATTAINS_Assessment\ATTAINS_Assessment.gdb\attains_au_areas,ecological_use,0,49;fishconsumption_use "Fish Consumption Use" true true false 50 Text 0
0,First,#,D:\Public\Data\WatersGeoPro\gispub\OW\ATTAINS_Assessment\ATTAINS_Assessment.gdb\attains_au_areas,fishconsumption_use,0,49;recreation_use "Recreation Use" true true false 50 Text 0
0,First,#,D:\Public\Data\WatersGeoPro\gispub\OW\ATTAINS_Assessment\ATTAINS_Assessment.gdb\attains_au_areas,recreation_use,0,49;other_use "Other Use" true true false 50 Text 0
0,First,#,D:\Public\Data\WatersGeoPro\gispub\OW\ATTAINS_Assessment\ATTAINS_Assessment.gdb\attains_au_areas,other_use,0,49;algal_growth "Algal Growth" true true false 50 Text 0
0,First,#,D:\Public\Data\WatersGeoPro\gispub\OW\ATTAINS_Assessment\ATTAINS_Assessment.gdb\attains_au_areas,algal_growth,0,49;ammonia "Ammonia" true true false 50 Text 0
0,First,#,D:\Public\Data\WatersGeoPro\gispub\OW\ATTAINS_Assessment\ATTAINS_Assessment.gdb\attains_au_areas,ammonia,0,49;biotoxins "Biotoxins" true true false 50 Text 0
0,First,#,D:\Public\Data\WatersGeoPro\gispub\OW\ATTAINS_Assessment\ATTAINS_Assessment.gdb\attains_au_areas,biotoxins,0,49;cause_unknown "Cause Unknown" true true false 50 Text 0
0,First,#,D:\Public\Data\WatersGeoPro\gispub\OW\ATTAINS_Assessment\ATTAINS_Assessment.gdb\attains_au_areas,cause_unknown,0,49;cause_unknown_fish_kills "Cause Unknown Fish Kills" true true false 50 Text 0
0,First,#,D:\Public\Data\WatersGeoPro\gispub\OW\ATTAINS_Assessment\ATTAINS_Assessment.gdb\attains_au_areas,cause_unknown_fish_kills,0,49;cause_unknown_fish_kills "Cause Unknown Fish Kills" true true false 50 Text 0
0,First,#,D:\Public\Data\WatersGeoPro\gispub\OW\ATTAINS_Assessment\ATTAINS_Assessment.gdb\attains_au_areas,cause_unknown_fish_kills,0,49;cause_unknown_fish_kills "Cause Unknown Fish Kills" true true false 50 Text 0

ssessment.gdb\attains_au_areas,cause_unknown_fish_kills,0,49;cause_unknown_i
mpaired_biota "Cause Unknown Impaired Biota" true true false 50 Text 0
0,First,#,D:\Public\Data\WatersGeoPro\gispub\OW\ATTAINS_Assessment\ATTAINS_A
ssessment.gdb\attains_au_areas,cause_unknown_impaired_biota,0,49;chlorine
"Chlorine" true true false 50 Text 0
0,First,#,D:\Public\Data\WatersGeoPro\gispub\OW\ATTAINS_Assessment\ATTAINS_A
ssessment.gdb\attains_au_areas,chlorine,0,49;dioxins "Dioxins" true true
false 50 Text 0
0,First,#,D:\Public\Data\WatersGeoPro\gispub\OW\ATTAINS_Assessment\ATTAINS_A
ssessment.gdb\attains_au_areas,dioxins,0,49;fish_consumption_advisory "Fish
Consumption Advisory" true true false 50 Text 0
0,First,#,D:\Public\Data\WatersGeoPro\gispub\OW\ATTAINS_Assessment\ATTAINS_A
ssessment.gdb\attains_au_areas,fish_consumption_advisory,0,49;flow_alteratio
ns "Flow Alterations" true true false 50 Text 0
0,First,#,D:\Public\Data\WatersGeoPro\gispub\OW\ATTAINS_Assessment\ATTAINS_A
ssessment.gdb\attains_au_areas,flow_alterations,0,49;habitat_alterations
"Habitat Alterations" true true false 50 Text 0
0,First,#,D:\Public\Data\WatersGeoPro\gispub\OW\ATTAINS_Assessment\ATTAINS_A
ssessment.gdb\attains_au_areas,habitat_alterations,0,49;hydrologic_alteratio
n "Hydrologic Alteration" true true false 50 Text 0
0,First,#,D:\Public\Data\WatersGeoPro\gispub\OW\ATTAINS_Assessment\ATTAINS_A
ssessment.gdb\attains_au_areas,hydrologic_alteration,0,49;mercury "Mercury"
true true false 50 Text 0
0,First,#,D:\Public\Data\WatersGeoPro\gispub\OW\ATTAINS_Assessment\ATTAINS_A
ssessment.gdb\attains_au_areas,mercury,0,49;metals_other_than_mercury
"Metals Other Than Mercury" true true false 50 Text 0
0,First,#,D:\Public\Data\WatersGeoPro\gispub\OW\ATTAINS_Assessment\ATTAINS_A
ssessment.gdb\attains_au_areas,metals_other_than_mercury,0,49;noxious_aquati
c_plants "Noxious Aquatic Plants" true true false 50 Text 0
0,First,#,D:\Public\Data\WatersGeoPro\gispub\OW\ATTAINS_Assessment\ATTAINS_A
ssessment.gdb\attains_au_areas,noxious_aquatic_plants,0,49;nuisance_exotic_s
pecies "Nuisance Exotic Species" true true false 50 Text 0
0,First,#,D:\Public\Data\WatersGeoPro\gispub\OW\ATTAINS_Assessment\ATTAINS_A
ssessment.gdb\attains_au_areas,nuisance_exotic_species,0,49;nuisance_native_
species "Nuisance Native Species" true true false 50 Text 0
0,First,#,D:\Public\Data\WatersGeoPro\gispub\OW\ATTAINS_Assessment\ATTAINS_A
ssessment.gdb\attains_au_areas,nuisance_native_species,0,49;nutrients
"Nutrients" true true false 50 Text 0
0,First,#,D:\Public\Data\WatersGeoPro\gispub\OW\ATTAINS_Assessment\ATTAINS_A
ssessment.gdb\attains_au_areas,nutrients,0,49;oil_and_grease "Oil And
Grease" true true false 50 Text 0
0,First,#,D:\Public\Data\WatersGeoPro\gispub\OW\ATTAINS_Assessment\ATTAINS_A
ssessment.gdb\attains_au_areas,oil_and_grease,0,49;oxygen_depletion "Oxygen
Depletion" true true false 50 Text 0
0,First,#,D:\Public\Data\WatersGeoPro\gispub\OW\ATTAINS_Assessment\ATTAINS_A
ssessment.gdb\attains_au_areas,oxygen_depletion,0,49;other_cause "Other
Cause" true true false 50 Text 0
0,First,#,D:\Public\Data\WatersGeoPro\gispub\OW\ATTAINS_Assessment\ATTAINS_A
ssessment.gdb\attains_au_areas,other_cause,0,49;pathogens "Pathogens" true
true false 50 Text 0
0,First,#,D:\Public\Data\WatersGeoPro\gispub\OW\ATTAINS_Assessment\ATTAINS_A
ssessment.gdb\attains_au_areas,pathogens,0,49;pesticides "Pesticides" true
true false 50 Text 0
0,First,#,D:\Public\Data\WatersGeoPro\gispub\OW\ATTAINS_Assessment\ATTAINS_A
ssessment.gdb\attains_au_areas,pesticides,0,49;pfas "Per- And
Polyfluoroalkyl Substances" true true false 50 Text 0
0,First,#,D:\Public\Data\WatersGeoPro\gispub\OW\ATTAINS_Assessment\ATTAINS_A
ssessment.gdb\attains_au_areas,pfas,0,49;ph_acidity_caustic_conditions "pH
Acidity Caustic Conditions" true true false 50 Text 0
0,First,#,D:\Public\Data\WatersGeoPro\gispub\OW\ATTAINS_Assessment\ATTAINS_A

```

assessment.gdb\attains_au_areas,ph_acidity_caustic_conditions,0,49;polychlori
nated_biphenyls_pcb "Polychlorinated Biphenyls PCBs" true true false 50
Text 0
0,First,#,D:\Public\Data\WatersGeoPro\gispub\OW\ATTAINS_Assessment\ATTAINS_A
ssessment.gdb\attains_au_areas,polychlorinated_biphenyls_pcb,0,49;radiation
"Radiation" true true false 50 Text 0
0,First,#,D:\Public\Data\WatersGeoPro\gispub\OW\ATTAINS_Assessment\ATTAINS_A
ssessment.gdb\attains_au_areas,radiation,0,49;solids_chlorides_sulfates
"Solids Chlorides Sulfates" true true false 50 Text 0
0,First,#,D:\Public\Data\WatersGeoPro\gispub\OW\ATTAINS_Assessment\ATTAINS_A
ssessment.gdb\attains_au_areas,solids_chlorides_sulfates,0,49;sediment
"Sediment" true true false 50 Text 0
0,First,#,D:\Public\Data\WatersGeoPro\gispub\OW\ATTAINS_Assessment\ATTAINS_A
ssessment.gdb\attains_au_areas,sediment,0,49;taste_color_and_odor "Taste,
Color And Odor" true true false 50 Text 0
0,First,#,D:\Public\Data\WatersGeoPro\gispub\OW\ATTAINS_Assessment\ATTAINS_A
ssessment.gdb\attains_au_areas,taste_color_and_odor,0,49;temperature
"Temperature" true true false 50 Text 0
0,First,#,D:\Public\Data\WatersGeoPro\gispub\OW\ATTAINS_Assessment\ATTAINS_A
ssessment.gdb\attains_au_areas,temperature,0,49;total_toxics "Total Toxics"
true true false 50 Text 0
0,First,#,D:\Public\Data\WatersGeoPro\gispub\OW\ATTAINS_Assessment\ATTAINS_A
ssessment.gdb\attains_au_areas,total_toxics,0,49;toxic_inorganics "Toxic
Inorganics" true true false 50 Text 0
0,First,#,D:\Public\Data\WatersGeoPro\gispub\OW\ATTAINS_Assessment\ATTAINS_A
ssessment.gdb\attains_au_areas,toxic_inorganics,0,49;toxic_organics "Toxic
Organics" true true false 50 Text 0
0,First,#,D:\Public\Data\WatersGeoPro\gispub\OW\ATTAINS_Assessment\ATTAINS_A
ssessment.gdb\attains_au_areas,toxic_organics,0,49;trash "Trash" true true
false 50 Text 0
0,First,#,D:\Public\Data\WatersGeoPro\gispub\OW\ATTAINS_Assessment\ATTAINS_A
ssessment.gdb\attains_au_areas,trash,0,49;turbidity "Turbidity" true true
false 50 Text 0
0,First,#,D:\Public\Data\WatersGeoPro\gispub\OW\ATTAINS_Assessment\ATTAINS_A
ssessment.gdb\attains_au_areas,turbidity,0,49;GLOBALID "GlobalID" false
false true 38 GlobalID 0
0,First,#,D:\Public\Data\WatersGeoPro\gispub\OW\ATTAINS_Assessment\ATTAINS_A
ssessment.gdb\attains_au_areas,GLOBALID,-1,-1;Shape_Length "Shape_Length"
false true true 8 Double 0
0,First,#,D:\Public\Data\WatersGeoPro\gispub\OW\ATTAINS_Assessment\ATTAINS_A
ssessment.gdb\attains_au_areas,Shape_Length,-1,-1;Shape_Area "Shape_Area"
false true true 8 Double 0
0,First,#,D:\Public\Data\WatersGeoPro\gispub\OW\ATTAINS_Assessment\ATTAINS_A
ssessment.gdb\attains_au_areas,Shape_Area,-1,-1" #

```

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

[Hide Geoprocessing history ▲](#)

Distribution ►

DISTRIBUTOR ►

CONTACT INFORMATION

INDIVIDUAL'S NAME ATTAINS

ORGANIZATION'S NAME U.S. Environmental Protection Agency, Office of Water

CONTACT'S ROLE resource provider

CONTACT INFORMATION ►

PHONE

VOICE 202-566-1705

ADDRESS

TYPE

DELIVERY POINT 1200 Pennsylvania Avenue, NW MC 4503T

CITY Washington

ADMINISTRATIVE AREA DC

POSTAL CODE 20460

E-MAIL ADDRESS attains@epa.gov

Hide Contact information ▲

ORDERING PROCESS

TERMS AND FEES None

Hide Distributor ▲

DISTRIBUTION FORMAT

* NAME Shapefile

VERSION unknown

TRANSFER OPTIONS

* TRANSFER SIZE 0.589

ONLINE SOURCE

LOCATION

https://gispub.epa.gov/arcgis/rest/services/OW/ATTAINS_Assessment/MapServer

NAME ArcGIS Server Map Service

Hide Distribution ▲

Fields ►

DETAILS FOR OBJECT [MS_EPAATTAINS_areas_2024](#) ►

* TYPE Feature Class

* ROW COUNT 99

FIELD FID ►

* ALIAS FID

* DATA TYPE OID

* WIDTH 4

* PRECISION 0

* SCALE 0

* FIELD DESCRIPTION

Internal feature number.

* DESCRIPTION SOURCE

Esri

* DESCRIPTION OF VALUES

Sequential unique whole numbers that are automatically generated.

Hide Field FID ▲

FIELD Shape ▶

- * ALIAS Shape
- * DATA TYPE Geometry
- * WIDTH 0
- * PRECISION 0
- * SCALE 0
- * FIELD DESCRIPTION
Feature geometry.
- * DESCRIPTION SOURCE
Esri
- * DESCRIPTION OF VALUES
Coordinates defining the features.

Hide Field Shape ▲

FIELD OBJECTID ▶

- * ALIAS OBJECTID
- * DATA TYPE Integer
- * WIDTH 10
- * PRECISION 10
- * SCALE 0
- * FIELD DESCRIPTION
Internal feature number.
- * DESCRIPTION SOURCE
Esri
- * DESCRIPTION OF VALUES
Sequential unique whole numbers that are automatically generated.

Hide Field OBJECTID ▲

FIELD submission ▶

- * ALIAS submission
- * DATA TYPE String
- * WIDTH 40
- * PRECISION 0
- * SCALE 0

[Hide Field submission ▲](#)

FIELD permid_joi ▶

- * ALIAS permid_joi
- * DATA TYPE String
- * WIDTH 40
- * PRECISION 0
- * SCALE 0

[Hide Field permid_joi ▲](#)

FIELD state ▶

- * ALIAS state
- * DATA TYPE String
- * WIDTH 2
- * PRECISION 0
- * SCALE 0

[Hide Field state ▲](#)

FIELD region ▶

- * ALIAS region
- * DATA TYPE String
- * WIDTH 2
- * PRECISION 0
- * SCALE 0

[Hide Field region ▲](#)

FIELD organizati ▶

- * ALIAS organizati
- * DATA TYPE String
- * WIDTH 30
- * PRECISION 0
- * SCALE 0

[Hide Field organizati ▲](#)

FIELD orgtype ▶

- * ALIAS orgtype
- * DATA TYPE String
- * WIDTH 30
- * PRECISION 0
- * SCALE 0

Hide Field orgtype ▲

FIELD tas303d ►

- * ALIAS tas303d
- * DATA TYPE String
- * WIDTH 1
- * PRECISION 0
- * SCALE 0

Hide Field tas303d ▲

FIELD organiza_1 ►

- * ALIAS organiza_1
- * DATA TYPE String
- * WIDTH 200
- * PRECISION 0
- * SCALE 0

Hide Field organiza_1 ▲

FIELD reportingc ►

- * ALIAS reportingc
- * DATA TYPE Integer
- * WIDTH 10
- * PRECISION 10
- * SCALE 0

Hide Field reportingc ▲

FIELD assessment ►

- * ALIAS assessment
- * DATA TYPE String
- * WIDTH 50
- * PRECISION 0
- * SCALE 0

Hide Field assessment ▲

FIELD assmnt_joi ►

- * ALIAS assmnt_joi
- * DATA TYPE String
- * WIDTH 40
- * PRECISION 0
- * SCALE 0

[Hide Field assmnt_joi ▲](#)

FIELD [assessme_1 ▶](#)

- * ALIAS assessme_1
- * DATA TYPE String
- * WIDTH 254
- * PRECISION 0
- * SCALE 0

[Hide Field assessme_1 ▲](#)

FIELD [waterbodyr ▶](#)

- * ALIAS waterbodyr
- * DATA TYPE String
- * WIDTH 254
- * PRECISION 0
- * SCALE 0

[Hide Field waterbodyr ▲](#)

FIELD [ircategory ▶](#)

- * ALIAS ircategory
- * DATA TYPE String
- * WIDTH 5
- * PRECISION 0
- * SCALE 0

[Hide Field ircategory ▲](#)

FIELD [overallsta ▶](#)

- * ALIAS overallsta
- * DATA TYPE String
- * WIDTH 50
- * PRECISION 0
- * SCALE 0

[Hide Field overallsta ▲](#)

FIELD [isassessed ▶](#)

- * ALIAS isassessed
- * DATA TYPE String
- * WIDTH 1
- * PRECISION 0
- * SCALE 0

Hide Field isassessed ▲

FIELD isimpaired ►

- * ALIAS isimpaired
- * DATA TYPE String
- * WIDTH 1
- * PRECISION 0
- * SCALE 0

Hide Field isimpaired ▲

FIELD isthreaten ►

- * ALIAS isthreaten
- * DATA TYPE String
- * WIDTH 1
- * PRECISION 0
- * SCALE 0

Hide Field isthreaten ▲

FIELD on303dlist ►

- * ALIAS on303dlist
- * DATA TYPE String
- * WIDTH 1
- * PRECISION 0
- * SCALE 0

Hide Field on303dlist ▲

FIELD hastmdl ►

- * ALIAS hastmdl
- * DATA TYPE String
- * WIDTH 1
- * PRECISION 0
- * SCALE 0

Hide Field hastmdl ▲

FIELD has4bplan ►

- * ALIAS has4bplan
- * DATA TYPE String
- * WIDTH 1
- * PRECISION 0
- * SCALE 0

Hide Field has4bplan ▲

FIELD hasalterna ►

- * ALIAS hasalterna
- * DATA TYPE String
- * WIDTH 1
- * PRECISION 0
- * SCALE 0

Hide Field hasalterna ▲

FIELD hasprotect ►

- * ALIAS hasprotect
- * DATA TYPE String
- * WIDTH 1
- * PRECISION 0
- * SCALE 0

Hide Field hasprotect ▲

FIELD visionprio ►

- * ALIAS visionprio
- * DATA TYPE String
- * WIDTH 1
- * PRECISION 0
- * SCALE 0

Hide Field visionprio ▲

FIELD cultural_u ►

- * ALIAS cultural_u
- * DATA TYPE String
- * WIDTH 50
- * PRECISION 0
- * SCALE 0

Hide Field cultural_u ▲

FIELD drinkingwa ►

- * ALIAS drinkingwa
- * DATA TYPE String
- * WIDTH 50
- * PRECISION 0
- * SCALE 0

Hide Field drinkingwa ▲

FIELD ecological ►

- * ALIAS ecological
- * DATA TYPE String
- * WIDTH 50
- * PRECISION 0
- * SCALE 0

Hide Field ecological ▲

FIELD fishconsum ►

- * ALIAS fishconsum
- * DATA TYPE String
- * WIDTH 50
- * PRECISION 0
- * SCALE 0

Hide Field fishconsum ▲

FIELD recreation ►

- * ALIAS recreation
- * DATA TYPE String
- * WIDTH 50
- * PRECISION 0
- * SCALE 0

Hide Field recreation ▲

FIELD other_use ►

- * ALIAS other_use
- * DATA TYPE String
- * WIDTH 50
- * PRECISION 0
- * SCALE 0

Hide Field other_use ▲

FIELD algal_grow ►

- * ALIAS algal_grow
- * DATA TYPE String
- * WIDTH 50
- * PRECISION 0
- * SCALE 0

[Hide Field algal_grow ▲](#)

FIELD ammonia ►

- * ALIAS ammonia
- * DATA TYPE String
- * WIDTH 50
- * PRECISION 0
- * SCALE 0

[Hide Field ammonia ▲](#)

FIELD biotoxins ►

- * ALIAS biotoxins
- * DATA TYPE String
- * WIDTH 50
- * PRECISION 0
- * SCALE 0

[Hide Field biotoxins ▲](#)

FIELD cause_unkn ►

- * ALIAS cause_unkn
- * DATA TYPE String
- * WIDTH 50
- * PRECISION 0
- * SCALE 0

[Hide Field cause_unkn ▲](#)

FIELD cause_un_1 ►

- * ALIAS cause_un_1
- * DATA TYPE String
- * WIDTH 50
- * PRECISION 0
- * SCALE 0

[Hide Field cause_un_1 ▲](#)

FIELD cause_un_2 ►

- * ALIAS cause_un_2
- * DATA TYPE String
- * WIDTH 50
- * PRECISION 0
- * SCALE 0

[Hide Field cause_un_2 ▲](#)

FIELD chlorine ►

- * ALIAS chlorine
- * DATA TYPE String
- * WIDTH 50
- * PRECISION 0
- * SCALE 0

[Hide Field chlorine ▲](#)

FIELD dioxins ►

- * ALIAS dioxins
- * DATA TYPE String
- * WIDTH 50
- * PRECISION 0
- * SCALE 0

[Hide Field dioxins ▲](#)

FIELD fish_consus ►

- * ALIAS fish_consus
- * DATA TYPE String
- * WIDTH 50
- * PRECISION 0
- * SCALE 0

[Hide Field fish_consus ▲](#)

FIELD flow_alter ►

- * ALIAS flow_alter
- * DATA TYPE String
- * WIDTH 50
- * PRECISION 0
- * SCALE 0

[Hide Field flow_alter ▲](#)

FIELD habitat_al ►

- * ALIAS habitat_al
- * DATA TYPE String
- * WIDTH 50
- * PRECISION 0
- * SCALE 0

Hide Field habitat_al ▲

FIELD hydrologic ►

- * ALIAS hydrologic
- * DATA TYPE String
- * WIDTH 50
- * PRECISION 0
- * SCALE 0

Hide Field hydrologic ▲

FIELD mercury ►

- * ALIAS mercury
- * DATA TYPE String
- * WIDTH 50
- * PRECISION 0
- * SCALE 0

Hide Field mercury ▲

FIELD metals_oth ►

- * ALIAS metals_oth
- * DATA TYPE String
- * WIDTH 50
- * PRECISION 0
- * SCALE 0

Hide Field metals_oth ▲

FIELD noxious_aq ►

- * ALIAS noxious_aq
- * DATA TYPE String
- * WIDTH 50
- * PRECISION 0
- * SCALE 0

Hide Field noxious_aq ▲

FIELD nuisance_e ►

- * ALIAS nuisance_e
- * DATA TYPE String
- * WIDTH 50
- * PRECISION 0
- * SCALE 0

[Hide Field nuisance_e ▲](#)

FIELD nuisance_n ►

- * ALIAS nuisance_n
- * DATA TYPE String
- * WIDTH 50
- * PRECISION 0
- * SCALE 0

[Hide Field nuisance_n ▲](#)

FIELD nutrients ►

- * ALIAS nutrients
- * DATA TYPE String
- * WIDTH 50
- * PRECISION 0
- * SCALE 0

[Hide Field nutrients ▲](#)

FIELD oil_and_gr ►

- * ALIAS oil_and_gr
- * DATA TYPE String
- * WIDTH 50
- * PRECISION 0
- * SCALE 0

[Hide Field oil_and_gr ▲](#)

FIELD oxygen_dep ►

- * ALIAS oxygen_dep
- * DATA TYPE String
- * WIDTH 50
- * PRECISION 0
- * SCALE 0

[Hide Field oxygen_dep ▲](#)

FIELD other_caus ►

- * ALIAS other_caus
- * DATA TYPE String
- * WIDTH 50
- * PRECISION 0
- * SCALE 0

Hide Field other_caus ▲

FIELD pathogens ►

- * ALIAS pathogens
- * DATA TYPE String
- * WIDTH 50
- * PRECISION 0
- * SCALE 0

Hide Field pathogens ▲

FIELD pesticides ►

- * ALIAS pesticides
- * DATA TYPE String
- * WIDTH 50
- * PRECISION 0
- * SCALE 0

Hide Field pesticides ▲

FIELD pfas ►

- * ALIAS pfas
- * DATA TYPE String
- * WIDTH 50
- * PRECISION 0
- * SCALE 0

Hide Field pfas ▲

FIELD ph_acidity ►

- * ALIAS ph_acidity
- * DATA TYPE String
- * WIDTH 50
- * PRECISION 0
- * SCALE 0

Hide Field ph_acidity ▲

FIELD polychlori ►

- * ALIAS polychlori
- * DATA TYPE String
- * WIDTH 50
- * PRECISION 0
- * SCALE 0

Hide Field polychlori ▲

FIELD radiation ►

- * ALIAS radiation
- * DATA TYPE String
- * WIDTH 50
- * PRECISION 0
- * SCALE 0

Hide Field radiation ▲

FIELD solids_chl ►

- * ALIAS solids_chl
- * DATA TYPE String
- * WIDTH 50
- * PRECISION 0
- * SCALE 0

Hide Field solids_chl ▲

FIELD sediment ►

- * ALIAS sediment
- * DATA TYPE String
- * WIDTH 50
- * PRECISION 0
- * SCALE 0

Hide Field sediment ▲

FIELD taste_colo ►

- * ALIAS taste_colo
- * DATA TYPE String
- * WIDTH 50
- * PRECISION 0
- * SCALE 0

Hide Field taste_colo ▲

FIELD temperatur ►

- * ALIAS temperatur
- * DATA TYPE String
- * WIDTH 50
- * PRECISION 0
- * SCALE 0

Hide Field temperatur ▲

FIELD total_toxi ►
* ALIAS total_toxi
* DATA TYPE String
* WIDTH 50
* PRECISION 0
* SCALE 0

Hide Field total_toxi ▲

FIELD toxic_inor ►
* ALIAS toxic_inor
* DATA TYPE String
* WIDTH 50
* PRECISION 0
* SCALE 0

Hide Field toxic_inor ▲

FIELD toxic_orga ►
* ALIAS toxic_orga
* DATA TYPE String
* WIDTH 50
* PRECISION 0
* SCALE 0

Hide Field toxic_orga ▲

FIELD trash ►
* ALIAS trash
* DATA TYPE String
* WIDTH 50
* PRECISION 0
* SCALE 0

Hide Field trash ▲

FIELD turbidity ►
* ALIAS turbidity
* DATA TYPE String
* WIDTH 50
* PRECISION 0
* SCALE 0

[Hide Field turbidity ▲](#)

FIELD GLOBALID ►

- * ALIAS GLOBALID
- * DATA TYPE String
- * WIDTH 38
- * PRECISION 0
- * SCALE 0

[Hide Field GLOBALID ▲](#)

FIELD Shape_Leng ►

- * ALIAS Shape_Leng
- * DATA TYPE Double
- * WIDTH 19
- * PRECISION 0
- * SCALE 0

[Hide Field Shape_Leng ▲](#)

FIELD Shape_Area ►

- * ALIAS Shape_Area
- * DATA TYPE Double
- * WIDTH 19
- * PRECISION 0
- * SCALE 0
- * FIELD DESCRIPTION
Area of feature in internal units squared.
- * DESCRIPTION SOURCE
Esri
- * DESCRIPTION OF VALUES
Positive real numbers that are automatically generated.

[Hide Field Shape_Area ▲](#)

[Hide Details for object MS_EPAATTAINS_areas_2024 ▲](#)

[Hide Fields ▲](#)

Metadata Details ►

METADATA LANGUAGE eng; USA (UNITED STATES)
METADATA CHARACTER SET utf8 - 8 bit UCS Transfer Format

METADATA IDENTIFIER epa.gov:98CDC528-ABE6-8717-E053-FEDD43863FD2

SCOPE OF THE DATA DESCRIBED BY THE METADATA dataset

SCOPE NAME * dataset

* LAST UPDATE 2024-07-22

ARCGIS METADATA PROPERTIES

METADATA FORMAT ArcGIS 1.0

METADATA STYLE ISO 19139 Metadata Implementation Specification

STANDARD OR PROFILE USED TO EDIT METADATA ISO19139

CREATED IN ARCGIS FOR THE ITEM 2024-07-22 12:26:14

LAST MODIFIED IN ARCGIS FOR THE ITEM 2024-07-22 12:43:46

AUTOMATIC UPDATES

HAVE BEEN PERFORMED Yes

LAST UPDATE 2024-07-22 12:43:46

[Hide Metadata Details ▲](#)

Metadata Contacts ►

METADATA CONTACT

INDIVIDUAL'S NAME ATTAINS

ORGANIZATION'S NAME U.S. Environmental Protection Agency, Office of Water

CONTACT'S ROLE resource provider

CONTACT INFORMATION ►

PHONE

VOICE 202-566-1705

ADDRESS

TYPE

DELIVERY POINT 1200 Pennsylvania Avenue, N.W., Mail Code 4503T

CITY Washington

ADMINISTRATIVE AREA DC

POSTAL CODE 20460

E-MAIL ADDRESS attains@epa.gov

[Hide Contact information ▲](#)

[Hide Metadata Contacts ▲](#)

Metadata Maintenance ►

MAINTENANCE

DATE OF NEXT UPDATE 2022-06-08

OTHER MAINTENANCE REQUIREMENTS

This metadata was automatically generated from the FGDC Content Standard for Digital Geospatial Metadata standard (version FGDC-STD-001-1998) using the 2024-02-09T11:11:00 version of the FGDC CSDGM to ISO 19139 transform.

[Hide Metadata Maintenance ▲](#)

Thumbnail and Enclosures ►

THUMBNAIL

THUMBNAIL TYPE JPG

[Hide Thumbnail and Enclosures ▲](#)

FGDC Metadata (read-only) ▼

DETAILED DESCRIPTION

ENTITY TYPE

ENTITY TYPE LABEL MS_EPAATTAINS_areas_2024

ATTRIBUTE

ATTRIBUTE LABEL FID

ATTRIBUTE DEFINITION

Internal feature number.

ATTRIBUTE DEFINITION SOURCE Esri

ATTRIBUTE DOMAIN VALUES

UNREPRESENTABLE DOMAIN

Sequential unique whole numbers that are automatically generated.

ATTRIBUTE

ATTRIBUTE LABEL Shape

ATTRIBUTE DEFINITION

Feature geometry.

ATTRIBUTE DEFINITION SOURCE Esri

ATTRIBUTE DOMAIN VALUES

UNREPRESENTABLE DOMAIN

Coordinates defining the features.

ATTRIBUTE

ATTRIBUTE LABEL OBJECTID

ATTRIBUTE DEFINITION

Internal feature number.

ATTRIBUTE DEFINITION SOURCE Esri

ATTRIBUTE DOMAIN VALUES

UNREPRESENTABLE DOMAIN

Sequential unique whole numbers that are automatically generated.

ATTRIBUTE

ATTRIBUTE LABEL submission

ATTRIBUTE

ATTRIBUTE LABEL permid_joi

ATTRIBUTE

ATTRIBUTE LABEL state

ATTRIBUTE
ATTRIBUTE LABEL region

ATTRIBUTE
ATTRIBUTE LABEL organizati

ATTRIBUTE
ATTRIBUTE LABEL orgtype

ATTRIBUTE
ATTRIBUTE LABEL tas303d

ATTRIBUTE
ATTRIBUTE LABEL organiza_1

ATTRIBUTE
ATTRIBUTE LABEL reportingc

ATTRIBUTE
ATTRIBUTE LABEL assessment

ATTRIBUTE
ATTRIBUTE LABEL assmnt_joi

ATTRIBUTE
ATTRIBUTE LABEL assessme_1

ATTRIBUTE
ATTRIBUTE LABEL waterbodyr

ATTRIBUTE
ATTRIBUTE LABEL ircategory

ATTRIBUTE
ATTRIBUTE LABEL overallsta

ATTRIBUTE
ATTRIBUTE LABEL isassessed

ATTRIBUTE
ATTRIBUTE LABEL isimpaired

ATTRIBUTE
ATTRIBUTE LABEL isthreaten

ATTRIBUTE
ATTRIBUTE LABEL on303dlist

ATTRIBUTE
ATTRIBUTE LABEL hastmdl

ATTRIBUTE
ATTRIBUTE LABEL has4bplan

ATTRIBUTE
ATTRIBUTE LABEL hasalterna

ATTRIBUTE

ATTRIBUTE LABEL hasprotect

ATTRIBUTE

ATTRIBUTE LABEL visionprio

ATTRIBUTE

ATTRIBUTE LABEL cultural_u

ATTRIBUTE

ATTRIBUTE LABEL drinkingwa

ATTRIBUTE

ATTRIBUTE LABEL ecological

ATTRIBUTE

ATTRIBUTE LABEL fishconsum

ATTRIBUTE

ATTRIBUTE LABEL recreation

ATTRIBUTE

ATTRIBUTE LABEL other_use

ATTRIBUTE

ATTRIBUTE LABEL algal_grow

ATTRIBUTE

ATTRIBUTE LABEL ammonia

ATTRIBUTE

ATTRIBUTE LABEL biotoxins

ATTRIBUTE

ATTRIBUTE LABEL cause_unkn

ATTRIBUTE

ATTRIBUTE LABEL cause_un_1

ATTRIBUTE

ATTRIBUTE LABEL cause_un_2

ATTRIBUTE

ATTRIBUTE LABEL chlorine

ATTRIBUTE

ATTRIBUTE LABEL dioxins

ATTRIBUTE

ATTRIBUTE LABEL fish_consus

ATTRIBUTE

ATTRIBUTE LABEL flow_alter

ATTRIBUTE

ATTRIBUTE LABEL habitat_al

ATTRIBUTE

ATTRIBUTE LABEL hydrologic

ATTRIBUTE LABEL mercury
ATTRIBUTE LABEL metals_oth
ATTRIBUTE LABEL noxious_aq
ATTRIBUTE LABEL nuisance_e
ATTRIBUTE LABEL nuisance_n
ATTRIBUTE LABEL nutrients
ATTRIBUTE LABEL oil_and_gr
ATTRIBUTE LABEL oxygen_dep
ATTRIBUTE LABEL other_caus
ATTRIBUTE LABEL pathogens
ATTRIBUTE LABEL pesticides
ATTRIBUTE LABEL pfas

ATTRIBUTE

ATTRIBUTE

ATTRIBUTE

ATTRIBUTE

ATTRIBUTE

ATTRIBUTE

ATTRIB
UTE

ATTRIB
UTE

ATTRI
BUTE

ATT
RIB
UTE

A
TT
RI
B
UT
E

A
T
T
R
I
B
U
T
E

A
T
T
R

ATTRIBUTE LABEL ph_acidity

I
B
U
T
E

ATTRIBUTE LABEL polychlori

A
T
T
R
I
B
U
T
E

ATTRIBUTE LABEL radiation

A
T
T
R
I
B
U
T
E

ATTRIBUTE LABEL solids_chl

A
T
T
R
I
B
U
T
E

ATTRIBUTE LABEL sediment

A
T
T
R
I
B
U
T
E

ATTRIBUTE LABEL taste_colo

A
T
T
R
I
B
U
T
E

A
T
T
R
I
B
U
T
E

ATTRIBUTE LABEL temperatur

A
T
T
R
I
B
U
T
E

ATTRIBUTE LABEL total_toxi

A
T
T
R
I
B
U
T
E

ATTRIBUTE LABEL toxic_inor

A
T
T
R
I
B
U
T
E

ATTRIBUTE LABEL toxic_organ

ATTRIBUTE LABEL trash

ATTRIBUTE LABEL turbidity

ATTRIBUTE LABEL GLOBALID

ATTRIBUTE LABEL Shape_Leng

ATTRIBUTE LABEL Shape_Area

ATTRIBUTE DEFINITION

Area of feature in internal units squared.

ATTRIBUTE DEFINITION SOURCE Esri

ATTRIBUTE DOMAIN VALUES

UNREPRESENTABLE DOMAIN

Positive real numbers that are automatically generated.

[Hide Entities and Attributes ▲](#)