

All Places of Worship

Identification Information:

Citation:

Citation Information:

Publication Date: 20090918

Title: All Places of Worship

Edition: 4th Quarter

Geospatial Data Presentation Form: vector digital data

Description:

Abstract: Places of Worship in the United States. The Places of Worship dataset is composed of any type of building or portion of a building that is used, constructed, designed, or adapted to be used as a place for religious and spiritual activities. These facilities include, but are not limited to, the following types: chapels, churches, mosques, shrines, synagogues, and temples. The license free Large Protestant Churches, Mosques, Jewish Synagogues, and Roman Catholic Churches in Large Cities datasets were merged together to create the initial data for the Places of Worship dataset. Additional entities have been added from TGS research. This dataset contains Buddhist, Christian, Hindu, Islamic, Judaic, and Sikh places of worship. Unitarian places of worship have been included when a congregation from one of these religions meets at a church owned by a Unitarian congregation. Some Protestant denominations are not currently represented in this dataset. The Places of Worship dataset is not intended to include homes of religious leaders (unless they also serve as a place of organized worship), religious schools (unless they also serve as a place of organized worship for people other than those enrolled in the school), Jewish Mikvahs or Hillel facilities, and buildings that serve a purely administrative purpose. If a building's primary purpose is something other than worship (e.g., a community center, a public school), but a religious group uses the building for worship on a regular basis, it was included in this dataset if it otherwise met the criteria for inclusion. Convents and monasteries are included in this dataset, regardless of whether or not the facilities are open to the public, because religious services are regularly held at these locations. TGS was not tasked with ensuring the completeness of this layer. No entities are included in this dataset for the Commonwealth of the Northern Mariana Islands. On 08/07/2007, TGS ceased making phone calls to verify information about religious locations. Therefore, most entities in this dataset were verified using alternative reference sources such as topographic maps, parcel maps, various sources of imagery, and internet research. The [CONTHOW] (contact how) value for these entities has been set to "ALT REF". The website <http://www.gettochurch.org> was used for verification during processing.

As of August 2009, this website is no longer active. Records with "-DOD" appended to the end of the [NAME] value are located on a military base, as defined by the Defense Installation Spatial Data Infrastructure (DISDI) military installations and military range boundaries. "#" and "*" characters were automatically removed from standard HSIP fields that TGS populated. Double spaces were replaced by single spaces in these same fields. At the request of NGA, text fields in this dataset have been set to all upper case to facilitate consistent database engine search results. At the request of NGA, all diacritics (e.g., the German umlaut or the Spanish tilde) have been replaced with their closest equivalent English character to facilitate use with database systems that may not support diacritics. The currentness of this dataset is indicated by the [CONTDATE] field. Based upon the values in this field, the oldest record dates from 07/16/2007 and the newest record dates from 09/10/2009.

Purpose: Homeland Security Use Cases: Use cases describe how the data may be used and help to define and clarify requirements. 1. A disaster or health emergency has occurred, or is predicted for a locality. Places of worship or congregations that may be affected must be identified. 2. An assessment as to the evacuation needs and issues for a given area needs to be made as part of a disaster mitigation plan. Places of worship that may need to be evacuated must be identified. 3. Facilities that can serve as shelters must be identified. 4. A threat has been made toward places of worship and other religious institutions. These locations need to be identified, their leadership contacted, and their buildings protected.

Supplemental Information: If you are using this dataset as a shapefile, please be aware that it was converted from a Geodatabase. As a result, this shapefile may have attribution and metadata errors resulting from the conversion process. The following are known issues: null values may have been changed to 0s (zeros) or to blank values, numbers (including latitude and longitude) may have been rounded up or down, there may be issues with Unicode character strings, and time cannot be stored in a date field. Field names may have been truncated to no longer than 10 characters or completely changed, lengthy string attributes may have been truncated to 254 characters, and attribute columns may have been deleted. Shapefiles do not support coded domains and subtypes therefore the original file geodatabase attribution and metadata information for coded domains and subtypes could be incorrect or missing in the shapefile version. Please visit the following ESRI website for more information: <http://pro.arcgis.com/en/pro-app/tool-reference/appendices/geoprocessing-considerations-for-Shapefile-output.htm>

Time Period of Content:

Time Period Information:

Range of Dates/Times:

Beginning Date: 20070716

Ending Date: 20090910

Currentness Reference: ground condition

Status:

Progress: Complete

Spatial Domain:

Bounding Coordinates:

West Bounding Coordinate: -170.731937

East Bounding Coordinate: 144.812211

North Bounding Coordinate: 71.303071

South Bounding Coordinate: -14.337511

Keywords:

Theme:

Theme Keyword Thesaurus: ISO 19115 Topic Category

Theme Keyword: structure

Theme Keyword: society

Theme:

Theme Keyword Thesaurus: LCSH - Library of Congress subject headings
(Washington, DC: LC, Cataloging Distribution Service) <http://authorities.loc.gov/>

Theme Keyword: Church.

Theme Keyword: Jewish community centers

Theme Keyword: Hindu shrines

Theme Keyword: Catholic Church.

Theme Keyword: Synagogues.

Theme Keyword: Buddhist centers

Theme Keyword: Mosques.

Theme Keyword: Chapels

Theme Keyword: Protestant

Theme Keyword: Missionary Church

Theme Keyword: Monasteries

Theme Keyword: Missions.

Theme Keyword: Cathedrals.

Theme Keyword: Buddhist Churches of America

Theme Keyword: Protestant churches

Theme Keyword: Protestant church buildings

Theme Keyword: Synagogues as community centers

Theme Keyword: Jewish Christians.

Theme Keyword: Islam.

Theme Keyword: Christian.

Theme Keyword: Buddhism.

Theme Keyword: Convents.

Theme Keyword: Judaism.

Theme Keyword: Christian shrines

Theme Keyword: Catholic

Theme Keyword: Unitarian Universalist churches.

Place:

Place Keyword Thesaurus: LCSH - Library of Congress subject headings

(Washington, DC: LC, Cataloging Distribution Service) <http://authorities.loc.gov/>

Place Keyword: Arkansas

Place Keyword: Maine

Place Keyword: Massachusetts

Place Keyword: Oklahoma

Place Keyword: Wyoming

Place Keyword: New Mexico

Place Keyword: Georgia

Place Keyword: Puerto Rico

Place Keyword: United States.

Place Keyword: Vermont

Place Keyword: Wisconsin

Place Keyword: Utah

Place Keyword: Texas

Place Keyword: Delaware

Place Keyword: Michigan

Place Keyword: New Jersey

Place Keyword: Guam

Place Keyword: Washington

Place Keyword: North Dakota

Place Keyword: Hawaii

Place Keyword: Oregon

Place Keyword: Washington (D.C.)

Place Keyword: Maryland

Place Keyword: Illinois

Place Keyword: Virgin Islands

Place Keyword: Rhode Island

Place Keyword: West Virginia

Place Keyword: Virginia

Place Keyword: Colorado

Place Keyword: South Carolina

Place Keyword: Idaho

Place Keyword: Alaska

Place Keyword: Kentucky

Place Keyword: Louisiana

Place Keyword: Florida
Place Keyword: California
Place Keyword: Nebraska
Place Keyword: Alabama
Place Keyword: New York
Place Keyword: Pennsylvania
Place Keyword: United States--Territories and possessions.
Place Keyword: Minnesota
Place Keyword: Arizona
Place Keyword: Tennessee
Place Keyword: South Dakota
Place Keyword: Missouri
Place Keyword: American Samoa
Place Keyword: North Carolina
Place Keyword: Nevada
Place Keyword: Connecticut
Place Keyword: Mississippi
Place Keyword: Indiana
Place Keyword: Kansas
Place Keyword: Montana
Place Keyword: New Hampshire
Place Keyword: Ohio
Place Keyword: Iowa

Access Constraints: None (Public Domain Information)

Use Constraints: None (Public Use)

Point of Contact:

Contact Information:

Contact Organization Primary:

Contact Organization: TechniGraphics, Inc.

Contact Address:

Address Type: mailing and physical

Security Information:

Security Classification System: None

Security Handling Description: None (Public Use)

Native Data Set Environment: Microsoft Windows XP Version 5.1 (Build 2600)
Service Pack 3; ESRI ArcCatalog 9.3.1.1850

Spatial Data Organization Information:

Direct Spatial Reference Method: Vector

Entity and Attribute Information:

Detailed Description:

Entity Type:**Entity Type Label:** All Places of Worship**Entity Type Definition:** The Places of Worship dataset is composed of any type of building or portion of a building that is used, constructed, designed, or adapted to be used as a place for religious and spiritual activities. These facilities include, but are not limited to, the following types: chapels, churches, mosques, shrines, synagogues, and temples.**Entity Type Definition Source:** TGS**Attribute:****Attribute Label:** TELEPHONE**Attribute Definition:** Ten (10) digit telephone number for entity formatted as nnn-
nnn-nnnn.**Attribute Definition Source:** TGS**Attribute Domain Values:****Unrepresentable Domain:** Phone numbers formatted as nnn-
nnn-nnnn. Only numeric digits are used. The area code and exchange must form a valid combination. A list of valid area code and exchange combinations can be obtained from
<<http://www.nanpa.com>>**Attribute:****Attribute Label:** NAME**Attribute Definition:** Name of entity.**Attribute Definition Source:** TGS**Attribute Domain Values:****Unrepresentable Domain:** Text**Attribute:****Attribute Label:** ST_VERSION**Attribute Definition:** Indicates the year and quarter of streets used for geocoding.**Attribute Definition Source:** TGS**Attribute Domain Values:****Enumerated Domain:****Enumerated Domain Value:** 2006**Enumerated Domain Value Definition:** 2006 version of streets provided by the territorial government of Guam were used for geocoding.**Enumerated Domain Value Definition Source:** TGS**Enumerated Domain:****Enumerated Domain Value:** 1990**Enumerated Domain Value Definition:** 1990 version of streets provided by the territorial government of American Samoa were used for geocoding.**Enumerated Domain Value Definition Source:** TGS**Enumerated Domain:**

Enumerated Domain Value: 2006Q4

Enumerated Domain Value Definition: 4th Quarter 2006 NAVTEQ street data was used for geocoding.

Enumerated Domain Value Definition Source: TGS

Enumerated Domain:

Enumerated Domain Value: 2008Q1

Enumerated Domain Value Definition: 1st Quarter 2008 NAVTEQ street data was used for geocoding.

Enumerated Domain Value Definition Source: TGS

Attribute:

Attribute Label: GEOHOW

Attribute Definition: Method by which entity was geocoded.

Attribute Definition Source: TGS

Attribute Domain Values:

Enumerated Domain:

Enumerated Domain Value: MANUAL

Enumerated Domain Value Definition: Entity was manually geocoded.

Enumerated Domain Value Definition Source: TGS

Enumerated Domain:

Enumerated Domain Value: ADJUSTED

Enumerated Domain Value Definition: Entity was shifted by TGS to an updated set of NAVTEQ streets. This only applies if the entity was manually geocoded by TGS to a previous version of NAVTEQ streets.

Enumerated Domain Value Definition Source: TGS

Attribute:

Attribute Label: ADDRESS2

Attribute Definition: Location within physical address, e.g., floor, suite, building. In some instances, the address found per web research did not correspond with NAVTEQ streets because 911 addressing was taking place in the area. For these entities, the verified address was moved to [ADDRESS2], and the [ADDRESS] is the NAVTEQ street to which the entity is linked.

Attribute Definition Source: TGS

Attribute Domain Values:

Unrepresentable Domain: Text

Attribute:

Attribute Label: ID

Attribute Definition: Unique identifier for feature.

Attribute Definition Source: TGS

Attribute Domain Values:

Unrepresentable Domain: Text

Attribute:

Attribute Label: QC_QA

Attribute Definition: Organization that performed Quality Control/Quality Assurance on the record.

Attribute Definition Source: TGS

Attribute Domain Values:

Enumerated Domain:

Enumerated Domain Value: TGS

Enumerated Domain Value Definition: TGS has performed Quality Control/Quality Assurance on the entity record.

Enumerated Domain Value Definition Source: TGS

Attribute:

Attribute Label: STATE_ID

Attribute Definition: State Places of Worship Data ID. For states that contributed data, this field is populated with the unique ID used by the state to track Places of Worship. For data obtained through TGS research, this is sometimes used for internal purposes.

Attribute Definition Source: TGS

Attribute Domain Values:

Unrepresentable Domain: Text

Attribute:

Attribute Label: ST_VENDOR

Attribute Definition: Indicates name of vendor providing original street data used for geocoding.

Attribute Definition Source: TGS

Attribute Domain Values:

Enumerated Domain:

Enumerated Domain Value: GU_GOV

Enumerated Domain Value Definition: Streets provided by the territorial government of Guam were used for geocoding.

Enumerated Domain Value Definition Source: TGS

Enumerated Domain:

Enumerated Domain Value: AS_GOV

Enumerated Domain Value Definition: Streets provided by the territorial government of American Samoa were used for geocoding.

Enumerated Domain Value Definition Source: TGS

Enumerated Domain:

Enumerated Domain Value: NAVTEQ

Enumerated Domain Value Definition: NAVTEQ streets were used for geocoding.

Enumerated Domain Value Definition Source: TGS

Enumerated Domain:

Enumerated Domain Value: TGS

Enumerated Domain Value Definition: TGS drew in a new street segment that does not exist in the file supplied by NAVTEQ.

Enumerated Domain Value Definition Source: TGS

Attribute:

Attribute Label: CATH

Attribute Definition: Indicates whether or not the place of worship holds Catholic Mass. These values were determined in part by the source data and also by technicians during processing.

Attribute Definition Source: TGS

Attribute Domain Values:

Enumerated Domain:

Enumerated Domain Value: Y

Enumerated Domain Value Definition: The place of worship holds Catholic Mass.

Enumerated Domain Value Definition Source: TGS

Enumerated Domain:

Enumerated Domain Value: N

Enumerated Domain Value Definition: The place of worship does not hold Catholic Mass.

Enumerated Domain Value Definition Source: TGS

Attribute:

Attribute Label: LOC_TYPE

Attribute Definition: Indicates the type of building used for the place of worship. The values for this field were provided by individual sources and TGS did not verify these values.

Attribute Definition Source: TGS

Attribute Domain Values:

Unrepresentable Domain: Text

Attribute:

Attribute Label: PROT

Attribute Definition: Indicates whether or not the place of worship holds Protestant religious services. These values were determined in part by the source data and also by technicians during processing.

Attribute Definition Source: TGS

Attribute Domain Values:

Enumerated Domain:

Enumerated Domain Value: N

Enumerated Domain Value Definition: The place of worship does not hold Protestant religious services.

Enumerated Domain Value Definition Source: TGS

Enumerated Domain:

Enumerated Domain Value: Y

Enumerated Domain Value Definition: The place of worship holds Protestant religious services.

Enumerated Domain Value Definition Source: TGS

Attribute:

Attribute Label: PHONELOC

Attribute Definition: Indicates whether the phone number in the [TELEPHONE] field rings to the actual location of the entity.

Attribute Definition Source: TGS

Attribute Domain Values:

Enumerated Domain:

Enumerated Domain Value: NO

Enumerated Domain Value Definition: Phone number does not ring to the actual entity location. It may ring to an administrative office or central location.

Enumerated Domain Value Definition Source: TGS

Enumerated Domain:

Enumerated Domain Value: <BLANK>

Enumerated Domain Value Definition: Unknown - It is not known if the entity's phone number rings to the entity's location.

Enumerated Domain Value Definition Source: TGS

Enumerated Domain:

Enumerated Domain Value: YES

Enumerated Domain Value Definition: Phone number rings to the actual entity location.

Enumerated Domain Value Definition Source: TGS

Attribute:

Attribute Label: MEMBERS

Attribute Definition: The number of members, listed either as individuals or as families. The values for this field were provided by individual sources and TGS did not verify these values.

Attribute Definition Source: TGS

Attribute Domain Values:

Unrepresentable Domain: Text

Attribute:

Attribute Label: ATTENDANCE

Attribute Definition: The average number of service attendees. The values for this field were provided by individual sources and TGS did not verify these values.

Attribute Definition Source: TGS

Attribute Domain Values:

Unrepresentable Domain: Numeric

Attribute:

Attribute Label: SUBTYPE

Attribute Definition: The primary religion practiced at the place of worship. The values in this field were assigned by TGS based on the source of the entities gathered in each dataset. TGS added records were populated after processing by using the [NAME] field.

Attribute Definition Source: TGS

Attribute Domain Values:

Enumerated Domain:

Enumerated Domain Value: OTHER

Enumerated Domain Value Definition: Either the primary religion does not fall under one of the defined subtypes, or the location is not used by nor belongs to one particular religion, such as a place of worship on a military base or at an airport.

Enumerated Domain Value Definition Source: TGS

Enumerated Domain:

Enumerated Domain Value: MUSLIM

Enumerated Domain Value Definition: The primary religion is Islam.

Enumerated Domain Value Definition Source: TGS

Enumerated Domain:

Enumerated Domain Value: BUDDHIST

Enumerated Domain Value Definition: The primary religion is Buddhism.

Enumerated Domain Value Definition Source: TGS

Enumerated Domain:

Enumerated Domain Value: HINDU

Enumerated Domain Value Definition: The primary religion is Hinduism.

Enumerated Domain Value Definition Source: TGS

Enumerated Domain:

Enumerated Domain Value: CHRISTIAN

Enumerated Domain Value Definition: The primary religion is Christianity.

Enumerated Domain Value Definition Source: TGS

Enumerated Domain:

Enumerated Domain Value: JUDAIC

Enumerated Domain Value Definition: The primary religion is Judaism.

Enumerated Domain Value Definition Source: TGS

Attribute:

Attribute Label: EMERGTEL

Attribute Definition: Ten (10) digit telephone number of emergency point of contact formatted as nnn-xxx-nnnn. All alphabetic characters have been translated to the corresponding numeric digit.

Attribute Definition Source: TGS

Attribute Domain Values:

Unrepresentable Domain: Phone numbers, including area code, formatted as nnn-xxx-nnnn. A list of valid area code and exchange combinations can be found at <http://www.nanpa.com>

Attribute:

Attribute Label: EMERGEXT

Attribute Definition: Telephone extension for emergency point of contact.

Attribute Definition Source: TGS

Attribute Domain Values:

Unrepresentable Domain: Text

Attribute:

Attribute Label: EMERGTITLE

Attribute Definition: Title of person or name of office for emergency point of contact.

Attribute Definition Source: TGS

Attribute Domain Values:

Unrepresentable Domain: Text

Attribute:

Attribute Label: GEOLINKID

Attribute Definition: Link ID for the street segment to which the entity was geocoded. Refer to the [ST_VENDOR] and [ST_VERSION] fields for the street vendor and version that was used to geocode the entity.

Attribute Definition Source: TGS

Attribute Domain Values:

Unrepresentable Domain: Text

Attribute:

Attribute Label: NAICSCODE

Attribute Definition: NAICS (North American Industry Classification System) Code for entity. NAICS Codes (and NAICS Descriptions) have been assigned based upon the entity's primary function, regardless of if that is the function that qualified it to be included in this dataset. On the other hand, HSIP Themes are assigned based upon the function that qualified an entity for inclusion in this dataset. It is possible that if an entity appears in more than one dataset, then it will have a different HSIP Theme in each dataset, but it should have the same NAICS Code and NAICS Description in each case.

Attribute Definition Source: TGS

Attribute Domain Values:

Codeset Domain:

Codeset Name: North American Industry Classification System (NAICS 2007)

Codeset Source: US Census Bureau -

<<http://www.census.gov/epcd/www/naics.html>>

Attribute:

Attribute Label: CONTDAT

Attribute Definition: Date entity was contacted by TGS.

Attribute Definition Source: TGS

Attribute Domain Values:

Unrepresentable Domain: Date

Attribute:

Attribute Label: DIRECTIONS

Attribute Definition: Directions to entity location, or a description of the entity's location or status.

Attribute Definition Source: TGS

Attribute Domain Values:

Unrepresentable Domain: Text

Attribute:

Attribute Label: COUNTY

Attribute Definition: County name where entity is located.

Attribute Definition Source: TGS

Attribute Domain Values:

Codeset Domain:

Codeset Name: Geographic Names Information System (GNIS)

Codeset Source: US Department of the Interior - US Geologic Survey

Attribute:

Attribute Label: FIPS

Attribute Definition: Five (5) digit FIPS (Federal Information Processing Standards) Code for the County where entity is located. The first two (2) digits represent the state and the last three (3) digits identify the county within the state.

Attribute Definition Source: TGS

Attribute Domain Values:

Codeset Domain:

Codeset Name: Federal Information Processing Standards Publications - Counties and Equivalent Entities of the U.S., Its Possessions, and Associated Areas

Codeset Source: National Institute of Standards and Technology (NIST)

<http://www.itl.nist.gov/fipspubs/co-codes/states.txt>

Attribute:

Attribute Label: ZIP

Attribute Definition: Five (5) digit USPS zip code for entity's physical location.

Attribute Definition Source: TGS

Attribute Domain Values:

Codeset Domain:

Codeset Name: USPS Address Information System - Domain is further restricted by only allowing physical (non PO Box) zip codes.

Codeset Source: United States Postal Service

Attribute:

Attribute Label: STATE

Attribute Definition: Two (2) character abbreviation for state associated with the entity's physical address. In almost all cases, this is the same as the state where the entity has been depicted geospatially. However, there are cases, particularly where an entity is part of a larger facility that cuts across state lines, where the entity's location may be depicted in a state other than the one indicated in this field. Also, the state in which an entity appears to be located may change depending on the scale of the state boundary theme being used.

Attribute Definition Source: TGS

Attribute Domain Values:

Codeset Domain:

Codeset Name: Official USPS Abbreviations - State Abbreviations

Codeset Source: United States Postal Service

http://www.usps.com/ncsc/lookups/usps_abbreviations.html

Attribute:

Attribute Label: SHAPE

Attribute Definition: Feature geometry.

Attribute Definition Source: ESRI

Attribute Domain Values:

Unrepresentable Domain: Coordinates defining the features.

Attribute:

Attribute Label: OBJECTID

Attribute Definition: Internal feature number.

Attribute Definition Source: ESRI

Attribute Domain Values:

Unrepresentable Domain: Sequential unique whole numbers that are automatically generated.

Attribute:

Attribute Label: ADDRESS

Attribute Definition: Physical street address for entity. "PO Box", "General Delivery", "Rural Route", and "Highway Contract" addresses are not considered physical addresses and should not appear in this field. Some areas do not have

regular city style addressing, so entities in those areas may not have a street number. In such cases, the name of the road on which they are located is listed in this field. Some rural areas may not have named roads. In these rare cases, this field will be blank.

Attribute Definition Source: TGS

Attribute Domain Values:

Unrepresentable Domain: Text

Attribute:

Attribute Label: GEOPREC

Attribute Definition: Geocoding precision.

Attribute Definition Source: TGS

Attribute Domain Values:

Enumerated Domain:

Enumerated Domain Value: BLOCKFACE

Enumerated Domain Value Definition: Entity is geocoded to correct block and correct side of street per street data indicated by [ST_VENDOR] and [ST_VERSION].

Enumerated Domain Value Definition Source: TGS

Enumerated Domain:

Enumerated Domain Value: ONENTITY

Enumerated Domain Value Definition: Entity is geocoded on entity rooftop per aerial imagery (in most cases USGS DOQQs).

Enumerated Domain Value Definition Source: TGS

Attribute:

Attribute Label: X

Attribute Definition: Longitude in WGS 84 Decimal Degrees.

Attribute Definition Source: TGS

Attribute Domain Values:

Range Domain:

Range Domain Minimum: -180

Range Domain Maximum: 180

Attribute Units of Measure: WGS 84 Decimal Degrees

Attribute:

Attribute Label: Y

Attribute Definition: Latitude in WGS 84 Decimal Degrees.

Attribute Definition Source: TGS

Attribute Domain Values:

Range Domain:

Range Domain Minimum: -90

Range Domain Maximum: 90

Attribute Units of Measure: WGS 84 Decimal Degrees

Attribute:

Attribute Label: DENOM

Attribute Definition: Indicates the denomination associated with the primary religion practiced at the place of worship. Some values in this field were provided by individual sources. Other values in this field were assigned by TGS, where applicable, based on the source of the entities gathered in each dataset.

Attribute Definition Source: TGS

Attribute Domain Values:

Unrepresentable Domain: Text

Attribute:

Attribute Label: GEODATE

Attribute Definition: Date entity was geocoded by TGS.

Attribute Definition Source: TGS

Attribute Domain Values:

Unrepresentable Domain: Date

Attribute:

Attribute Label: CONTHOW

Attribute Definition: Method by which entity was contacted.

Attribute Definition Source: TGS

Attribute Domain Values:

Enumerated Domain:

Enumerated Domain Value: PHONE

Enumerated Domain Value Definition: Entity was contacted by phone.

Enumerated Domain Value Definition Source: TGS

Enumerated Domain:

Enumerated Domain Value: ALT REF

Enumerated Domain Value Definition: Geospatial reference information obtained from local authorities, e.g., downloadable parcel maps, 911 streets, and shape files.

Enumerated Domain Value Definition Source: TGS

Attribute:

Attribute Label: ZIPP4

Attribute Definition: Four (4) digit USPS zip code extension. These values are automatically assigned using the entity's physical address and USPS address information system (AIS) data.

Attribute Definition Source: TGS

Attribute Domain Values:

Codeset Domain:

Codeset Name: USPS Address Information System (AIS) - ZIP9

Codeset Source: United States Postal Service

Attribute:

Attribute Label: CITY

Attribute Definition: The name of the city associated with the entity's physical address. For physical addresses that the U.S. Postal Service (USPS) delivers to, this should be a "city" acceptable to the USPS as defined in their Address Information System (AIS). Sometimes the USPS does not deliver mail to a physical address but recognizes the location (i.e., they list the location as "undeliverable"). The cities associated with these locations are acceptable. In some cases, the USPS does not recognize individual physical addresses in a city, rather, they list the city as having "General Delivery". In these cases, the city and associated zip code are acceptable (the entity's [ADDRESS] field will contain a street address, not "general delivery"). The entity may not actually be located within the city limits of the "city" specified in its [CITY] field. Instead, it may actually be located within the city limits of another city. In some cases, the "city" that appears in this field may not even be a city in an administrative sense, but it is still an acceptable "city" to the USPS. An example of this is "Notre Dame, IN". There is no city in Indiana called "Notre Dame", but this is considered an acceptable city by the USPS for any delivery going to the University of Notre Dame which is actually located in the city of South Bend. "Notre Dame", like most USPS cities, is an easily recognized place, and it gives the user of the data a good general idea of where the entity is located (if the entity is located in a small municipality, the USPS "city" may be more recognizable than the name of the municipality), and it would be part of the address one would use to send a shipment to the entity's location. Using the USPS acceptable "city" also allows someone to do a logical consistency check between the zip code and the city by using the USPS AIS. Sometimes an entity may report a city that is not accepted by the USPS, and although TGS has tried to replace those cities with an acceptable alternative, some of them may remain in this dataset.

Attribute Definition Source: TGS

Attribute Domain Values:

Unrepresentable Domain: Text

Attribute:

Attribute Label: NAICSDESCR

Attribute Definition: NAICS (North American Industry Classification System) Description for entity. At the request of NGA, the "Index Entries" that appear on the NAICS webpage (<<http://www.census.gov/epcd/www/naics.html>>) are being used to populate this field, as opposed to the "NAICS Title". While there is a one to one correspondence between NAICS Codes and "NAICS Titles", there is a one to many relationship between NAICS Codes and the "Index Entries". By using the "Index Entries", we have placed the entities that make up this layer into more specific categories; however, the user of this data should be aware that this was not the intended purpose of these "Index Entries". The "Index Entries" were intended as a

way to search the NAICS database and as a means of enumerating establishment types under the given NAICS Code. Thus, there are often two or more "Index Entries" that are synonyms, for example: "Prisons" and "Penitentiaries". In cases like this, we have standardized on one "Index Entry". NAICS Descriptions (and NAICS Codes) have been assigned based upon the entity's primary function, regardless of if that is the function that qualified it to be included in this dataset. On the other hand, HSIP Themes are assigned based upon the function that qualified an entity for inclusion in this dataset. It is possible that if an entity appears in more than one dataset, then it will have a different HSIP Theme in each dataset, but it should have the same NAICS Code and NAICS Description in each case.

Attribute Definition Source: TGS

Attribute Domain Values:

Enumerated Domain:

Enumerated Domain Value: TEMPLES, RELIGIOUS

Enumerated Domain Value Definition: TEMPLES, RELIGIOUS - [NAICS Code 813110]: Establishments primarily engaged in administering an organized religion or promoting religious activities of the Buddhist, Hindu, or Sikh religions.

Enumerated Domain Value Definition Source: TGS

Enumerated Domain:

Enumerated Domain Value: PLACES OF WORSHIP

Enumerated Domain Value Definition: PLACES OF WORSHIP - [NAICS Code 813110]: Establishments primarily engaged in administering an organized religion or promoting religious activities.

Enumerated Domain Value Definition Source: TGS

Enumerated Domain:

Enumerated Domain Value: CONVENTS (EXCEPT SCHOOLS)

Enumerated Domain Value Definition: CONVENTS (EXCEPT SCHOOLS) - [NAICS Code 813110]: Establishments that primarily serve as a religious residence for nuns.

Enumerated Domain Value Definition Source: TGS

Enumerated Domain:

Enumerated Domain Value: MONASTERIES (EXCEPT SCHOOLS)

Enumerated Domain Value Definition: MONASTERIES (EXCEPT SCHOOLS) - [NAICS Code 813110]: Establishments that primarily serve as a religious residence for monks.

Enumerated Domain Value Definition Source: TGS

Enumerated Domain:

Enumerated Domain Value: CHURCHES

Enumerated Domain Value Definition: CHURCHES - [NAICS Code 813110]: Establishments primarily engaged in administering an organized religion or promoting religious activities of the Christian religion.

Enumerated Domain Value Definition Source: TGS

Enumerated Domain:

Enumerated Domain Value: RETREAT HOUSES, RELIGIOUS

Enumerated Domain Value Definition: RETREAT HOUSES, RELIGIOUS - [NAICS Code 813110]: Establishments primarily engaged in administering an organized religion or promoting religious activities in an informal setting.

Enumerated Domain Value Definition Source: TGS

Enumerated Domain:

Enumerated Domain Value: SHRINES, RELIGIOUS

Enumerated Domain Value Definition: SHRINES, RELIGIOUS - [NAICS Code 813110]: Locations established for the purpose of veneration or worship of a specific saint, martyr, or deity.

Enumerated Domain Value Definition Source: TGS

Enumerated Domain:

Enumerated Domain Value: MOSQUES, RELIGIOUS

Enumerated Domain Value Definition: MOSQUES, RELIGIOUS - [NAICS Code 813110]: Establishments primarily engaged in administering an organized religion or promoting religious activities of the Muslim religion.

Enumerated Domain Value Definition Source: TGS

Enumerated Domain:

Enumerated Domain Value: SYNAGOGUES

Enumerated Domain Value Definition: SYNAGOGUES - [NAICS Code 813110]: Establishments primarily engaged in administering an organized religion or promoting religious activities of the Judaic religion.

Enumerated Domain Value Definition Source: TGS

Attribute:

Attribute Label: HSIPTHEMES

Attribute Definition: The HSIP "Category", "Sector", "SubLayer", and "Theme" that the entity falls within.

Attribute Definition Source: TGS

Attribute Domain Values:

Enumerated Domain:

Enumerated Domain Value: HIGH VALUE OR SYMBOLIC TARGETS; PUBLIC VENUES; PUBLIC VENUES; HOUSES OF WORSHIP

Enumerated Domain Value Definition: Entity is part of the "HIGH VALUE OR SYMBOLIC TARGETS; PUBLIC VENUES; PUBLIC VENUES; HOUSES OF WORSHIP" HSIP Theme.

Enumerated Domain Value Definition Source: HSIP Tiger Team Report

Distribution Information:

Distributor:

Contact Information:

Contact Organization Primary:

Contact Organization: (NGA) National Geospatial-Intelligence Agency

Contact Person: HSIP Team

Contact Address:

Address Type: mailing

Address: Mail Stop D-115

Address: 4600 Sangamore Road

City: Bethesda

State or Province: MD

Postal Code: 20816-5003

Country: US

Contact Electronic Mail Address: hsip_team@nga.mil

Hours: Monday - Friday 0800 - 1700 EST

Resource Description: HSIP Freedom Places of Worship 2009 Q4

Distribution Liability: Users must assume responsibility to determine the usability of this data for their purposes.

Standard Order Process:

Digital Form:

Digital Transfer Information:

Format Name: ESRI Personal Geodatabase

Format Version Number: ARC Version 9.x

Digital Transfer Option:

Offline Option:

Offline Media: dvd

Fees: None

Ordering Instructions: HSIP data may be ordered by going to:

<https://www.hifldwg.org/HSIPRequest/request.asp> and filling out the request form found there.

Metadata Reference Information:

Metadata Date: 20090918

Metadata Contact:

Contact Information:

Contact Organization Primary:

Contact Organization: TechniGraphics, Inc.

Contact Address:

Address Type: mailing and physical

Metadata Standard Name: FGDC Content Standard for Digital Geospatial Metadata

Metadata Standard Version: FGDC-STD-001-1998

Metadata Time Convention: local time

