Red Cross Chapter Facilities

Identification Information:

    Citation:

    Citation Information:

    Publication Date: 20071113

    Title: Red Cross Chapter Facilities

    Edition: 4th Quarter

    Geospatial Data Presentation Form: vector digital data

    Description:

    Abstract: Red Cross Chapters in the United States The American Red Cross is a humanitarian organization that provides emergency assistance, disaster relief and education inside the United States. In addition to domestic disaster relief, the American Red Cross offers compassionate services in five other areas: community services that help the needy; support and comfort for military members and their families; the collection, processing and distribution of lifesaving blood and blood products; educational programs that promote health and safety; and international relief and development programs. The Red Cross is Governed by volunteers and supported by community donations. This dataset contains chapter facilities operated by the American Red Cross. In cases where a chapter does not exist in a service area, local offices that act as a chapter are included. Branch offices, service centers, blood drawing events/location, temporary disaster relief centers, blood mobiles and personal homes are intended to be excluded from this dataset, but a few may be included. Non license restricted data for Q407 processing has been added from the following states: Florida, Kansas, Ohio and Washington. All data is non license restricted data. At the request of NGA, text fields in this dataset have been set to all upper case to facilitate consistent database engine search results. At the request of NGA, all diacritics (e.g. the German umlaut or the Spanish tilde) have been replaced with their closest equivalent English character to facilitate use with database systems that may not support diacritics. The currentness of this dataset is indicated by the [CONTDATE] attribute. Based upon this attribute, the oldest record dates from 07/11/2007 and the newest record dates from 11/08/2007.

    Purpose: Homeland Security Use cases describe how the data may be used, and help define and clarify requirements. 1) A disaster or health emergency has struck, or is predicted for, a locality and resources need to be summoned to respond. 2) An assessment as to the adequacy of the total capacity to handle emergency medical care in a given area needs to be made as part of a disaster mitigation plan.

    Supplemental Information: If you are using this dataset as a shapefile, please be aware that it was converted from a Geodatabase. As a result, this shapefile may

have attribution and metadata errors resulting from the conversion process. The following are known issues: null values may have been changed to 0s (zeros) or to blank values, numbers (including latitude and longitude) may have been rounded up or down, there may be issues with Unicode character strings, and time cannot be stored in a date field. Field names may have been truncated to no longer than 10 characters or completely changed, lengthy string attributes may have been truncated to 254 characters, and attribute columns may have been deleted. Shapefiles do not support coded domains and subtypes therefore the original file geodatabase attribution and metadata information for coded domains and subtypes could be incorrect or missing in the shapefile version. Please visit the following ESRI website for more information: caution-http://pro.arcgis.com/en/pro-app/tool-reference/appendices/geoprocessing-considerations-for-Shapefile-output.htm

Time Period of Content:

Time Period Information:

Range of Dates/Times:

Beginning Date: 20070711

Ending Date: 20071108

Currentness Reference: ground condition

Status:

Progress: In work

Spatial Domain:

Bounding Coordinates:

West Bounding Coordinate: -157.799441

East Bounding Coordinate: 145.727922

North Bounding Coordinate: 61.214879

South Bounding Coordinate: 13.470648

Keywords:

Theme:

Theme Keyword Thesaurus: LCSH - Library of Congress subject headings (Washington, DC: LC, Cataloging Distribution Service) http://authorities.loc.gov/

Theme Keyword: Charities

Theme Keyword: Health education

Theme Keyword: American Red Cross. Programs and Services

Theme Keyword: Disaster relief

Theme Keyword: American Red Cross. Disaster Services

Theme Keyword: Community Service Organization

Theme Keyword: American Red Cross

Theme Keyword: American Red Cross. Military/Social Services

Theme Keyword: Blood Collection and preservation

Theme Keyword: International relief

Theme Keyword: American Red Cross. General Supply Office.

Theme Keyword: American Red Cross. War Council

Theme Keyword: Safety education

Theme Keyword: American Red Cross. Health and Safety Services

Theme:

Theme Keyword Thesaurus: ISO 19115 Topic Category

Theme Keyword: health

Theme Keyword: structure

Theme:

Theme Keyword Thesaurus: ISO 19115 Topic Categories

Theme Keyword: intelligenceMilitary

Theme Keyword: structure

Theme Keyword: health

Place:

Place Keyword Thesaurus: LCSH - Library of Congress subject headings (Washington, DC: LC, Cataloging Distribution Service) http://authorities.loc.gov/

Place Keyword: Missouri

Place Keyword: Utah

Place Keyword: Alabama

Place Keyword: Massachusetts

Place Keyword: Kentucky

Place Keyword: Idaho

Place Keyword: Vermont

Place Keyword: Ohio

Place Keyword: Maine

Place Keyword: Texas

Place Keyword: Nebraska

Place Keyword: South Dakota

Place Keyword: Colorado

Place Keyword: Kansas

Place Keyword: Oregon

Place Keyword: Rhode Island

Place Keyword: Iowa

Place Keyword: Louisiana

Place Keyword: Guam

Place Keyword: Virginia

Place Keyword: New Hampshire

Place Keyword: Illinois

Place Keyword: Alaska

Place Keyword: Washington

Place Keyword: Oklahoma
Place Keyword: Arizona
Place Keyword: United States Territories and possessions
Place Keyword: Michigan
Place Keyword: Montana
Place Keyword: Nevada
Place Keyword: Delaware
Place Keyword: Georgia
Place Keyword: Mississippi
Place Keyword: United States
Place Keyword: Pennsylvania
Place Keyword: South Carolina
Place Keyword: West Virginia
Place Keyword: Arkansas
Place Keyword: New Jersey
Place Keyword: Tennessee
Place Keyword: Northern Mariana Islands
Place Keyword: Florida
Place Keyword: New York
Place Keyword: California
Place Keyword: Wisconsin
Place Keyword: North Carolina
Place Keyword: Puerto Rico
Place Keyword: New Mexico
Place Keyword: Wyoming
Place Keyword: North Dakota
Place Keyword: Hawaii
Place Keyword: Minnesota
Place Keyword: Indiana
Place Keyword: Connecticut
Place Keyword: Maryland
Access Constraints: None (Public Domain Information)
Use Constraints: None (Public Use)
Point of Contact:
Contact Information:
Contact Organization Primary:
Contact Organization: TechniGraphics,Inc.
Contact Address:
Address Type: mailing and physical
Security Information:

Security Classification System: None

Security Handling Description: None (Public Use)

Native Data Set Environment: Microsoft Windows XP Version 5.1 (Build 2600) Service Pack 2; ESRI ArcCatalog 9.2.4.1420

Spatial Data Organization Information:

Direct Spatial Reference Method: Vector

Entity and Attribute Information:

Detailed Description:

Entity Type:

Entity Type Label: AmericanRedCrossChpFacs

Entity Type Definition: The American Red Cross is a humanitarian organization that provides emergency assistance, disaster relief and education inside the United States. In addition to domestic disaster relief, the American Red Cross offers compassionate services in five other areas: community services that help the needy; support and comfort for military members and their families; the collection, processing and distribution of lifesaving blood and blood products; educational programs that promote health and safety; and international relief and development programs. The Red Cross is Governed by volunteers and supported by community donations.

Entity Type Definition Source: TGS

Attribute:

Attribute Label: Shape

Attribute Definition: Feature geometry.

Attribute Definition Source: ESRI

Attribute Domain Values:

Unrepresentable Domain: Coordinates defining the features.

Attribute:

Attribute Label: ECODE

Attribute Definition: Unique id from the American Red Cross.

Attribute Definition Source: TGS

Attribute Domain Values:

Unrepresentable Domain: Text

Attribute:

Attribute Label: POP06

Attribute Definition: Indicates the population served in 2006 by the chapter. The values that this attribute have not been validated or checked by TGS.

Attribute Definition Source: TGS

Attribute Domain Values:

Unrepresentable Domain: Number

Attribute:

Attribute Label: QC_QA

Attribute Definition: Organization that performed Quality Control/Quality Assurance on the record.

Attribute Definition Source: TGS

Attribute Domain Values:

Enumerated Domain:

Enumerated Domain Value: <BLANK>

Enumerated Domain Value Definition: The record is not TGS added or has not had Quality Control/Quality Assurance performed by TGS, or Quality Control/Quality Assurance was performed prior to 01/01/2005.

Enumerated Domain Value Definition Source: TGS

Enumerated Domain:

Enumerated Domain Value: TGS

Enumerated Domain Value Definition: TGS has performed Quality Control/Quality Assurance on the entity record after 01/01/2005.

Enumerated Domain Value Definition Source: TGS

Attribute:

Attribute Label: SVC_AREA

Attribute Definition: Indicates the service area for the chapter. The values in this attribute have not been validated or checked by TGS.

Attribute Definition Source: TGS

Attribute Domain Values:

Enumerated Domain:

Enumerated Domain Value: SERVICE AREA 1 - PACIFIC

Enumerated Domain Value Definition: Indicates the facility covers Service Area 1 - Pacific.

Enumerated Domain Value Definition Source: TGS

Enumerated Domain:

Enumerated Domain Value: SERVICE AREA 2 - WEST

Enumerated Domain Value Definition: Indicates the facility covers Service Area 2 - West.

Enumerated Domain Value Definition Source: TGS

Enumerated Domain:

Enumerated Domain Value: SERVICE AREA 8 - SOUTHEAST

Enumerated Domain Value Definition: Indicates the facility covers Service Area 8 - Southeast.

Enumerated Domain Value Definition Source: TGS

Enumerated Domain:

Enumerated Domain Value: BROWN, DONIPHAN & ATCHISON COU

Enumerated Domain Value Definition: Indicates the facility covers Brown, Doniphan and Atchison counties.
Enumerated Domain Value Definition Source: TGS
Enumerated Domain:
Enumerated Domain Value: SERVICE AREA 7 - MID-ATLANTIC
Enumerated Domain Value Definition: Indicates the facility covers Service Area 7 - Mid-Atlantic.
Enumerated Domain Value Definition Source: TGS
Enumerated Domain:
Enumerated Domain Value: SERVICE AREA 5 - GREAT LAKES
Enumerated Domain Value Definition: Indicates the facility covers Service Area 5 - Great Lakes.
Enumerated Domain Value Definition Source: TGS
Enumerated Domain:
Enumerated Domain Value: SERVICE AREA 4 - SOUTHWEST
Enumerated Domain Value Definition: Indicates the facility covers Service Area 4 - Southwest.
Enumerated Domain Value Definition Source: TGS
Enumerated Domain:
Enumerated Domain Value: SERVICE AREA 3 - MIDWEST
Enumerated Domain Value Definition: Indicates the facility covers Service Area 3 - Midwest.
Enumerated Domain Value Definition Source: TGS
Enumerated Domain:
Enumerated Domain Value: SERVICE AREA 6 - NORTHEAST
Enumerated Domain Value Definition: Indicates the facility covers Service Area 6 - Northeast.
Enumerated Domain Value Definition Source: TGS
Attribute:
Attribute Label: GEOHOW
Attribute Definition: Method by which entity was geocoded.
Attribute Definition Source: TGS
Attribute Domain Values:
Enumerated Domain:
Enumerated Domain Value: AUTO
Enumerated Domain Value Definition: Entity was automatically geocoded.
Enumerated Domain Value Definition Source: TGS
Enumerated Domain:
Enumerated Domain Value: ADJUSTED

Enumerated Domain Value Definition: Entity was shifted by TGS to an updated set of NAVTEQ streets. This only applies if the entity was manually geocoded by TGS to a previous version of NAVTEQ streets.

Enumerated Domain Value Definition Source: TGS

Enumerated Domain:

Enumerated Domain Value: PROVIDED

Enumerated Domain Value Definition: Entity was geocoded using coordinates provided by the state.

Enumerated Domain Value Definition Source: TGS

Enumerated Domain:

Enumerated Domain Value: MANUAL

Enumerated Domain Value Definition: Entity was manually geocoded.

Enumerated Domain Value Definition Source: TGS

Attribute:

Attribute Label: ST_VENDOR

Attribute Definition: Indicates name of vendor providing original street data used for geocoding.

Attribute Definition Source: TGS

Attribute Domain Values:

Enumerated Domain:

Enumerated Domain Value: TIGER

Enumerated Domain Value Definition: TIGER streets were used for geocoding.

Enumerated Domain Value Definition Source: TGS

Enumerated Domain:

Enumerated Domain Value: NAVTEQ

Enumerated Domain Value Definition: NAVTEQ streets were used for geocoding.

Enumerated Domain Value Definition Source: TGS

Enumerated Domain:

Enumerated Domain Value: TGS

Enumerated Domain Value Definition: TGS drew in a new street segment that does not exist in the file supplied by NAVTEQ.

Enumerated Domain Value Definition Source: TGS

Enumerated Domain:

Enumerated Domain Value: <BLANK>

Enumerated Domain Value Definition: Entity was geocoded using coordinates provided by the state; therefore, the street vendor is unknown.

Enumerated Domain Value Definition Source: TGS

Attribute:

Attribute Label: ST_VERSION

Attribute Definition: Indicates the year and quarter of streets used for geocoding.

Attribute Definition Source: TGS

Attribute Domain Values:

Enumerated Domain:

Enumerated Domain Value: 2006FE

Enumerated Domain Value Definition: 2006fe version of TIGER/Line streets was used for geocoding in areas where NAVTEQ does not have coverage.

Enumerated Domain Value Definition Source: TGS

Enumerated Domain:

Enumerated Domain Value: <BLANK>

Enumerated Domain Value Definition: Entity was geocoded using coordinates provided by the state; therefore, the street version is unknown.

Enumerated Domain Value Definition Source: TGS

Enumerated Domain:

Enumerated Domain Value: 2006Q4

Enumerated Domain Value Definition: 2006Q4 NAVTEQ Street Data used for geocoding.

Enumerated Domain Value Definition Source: TGS

Attribute:

Attribute Label: STATE

Attribute Definition: Two (2) character abbreviation for state associated with the entity's physical address. In almost all cases this is the same as the state where the entity has been depicted geospatially. However, there are cases, particularly where an entity is part of a larger facility that cuts across state lines, where the entity's location may be depicted in a state other than the one indicated in this attribute. Also, the state in which an entity appears to be located may change depending on the scale of the state boundary theme being used.

Attribute Definition Source: TGS

Attribute Domain Values:

Codeset Domain:

Codeset Name: Official USPS Abbreviations - State Abbreviations

Codeset Source: United States Postal Service
http://www.usps.com/ncsc/lookups/usps_abbreviations.html

Attribute:

Attribute Label: AREA_

Attribute:

Attribute Label: METLNKID

Attribute Definition: Link to Metadata.

Attribute Definition Source: TGS

Attribute Domain Values:

Unrepresentable Domain: Text

Attribute:
Attribute Label: PHONELOC
Attribute Definition: Indicates whether the phone number in the phone field rings to the actual location of the entity.
Attribute Definition Source: TGS
Attribute Domain Values:
Enumerated Domain:
Enumerated Domain Value: NO
Enumerated Domain Value Definition: Phone number does not ring to the actual entity location. It might ring to an administrative office or central location.
Enumerated Domain Value Definition Source: TGS
Enumerated Domain:
Enumerated Domain Value: YES
Enumerated Domain Value Definition: Phone number rings to the actual entity location.
Enumerated Domain Value Definition Source: TGS
Enumerated Domain:
Enumerated Domain Value: <BLANK>
Enumerated Domain Value Definition: Unknown - It is not known if the entity's phone number rings to the entity's location.
Enumerated Domain Value Definition Source: TGS
Attribute:
Attribute Label: EMERGEXT
Attribute Definition: Telephone extension for emergency point of contact.
Attribute Definition Source: TGS
Attribute Domain Values:
Unrepresentable Domain: Text
Attribute:
Attribute Label: OBJECTID
Attribute Definition: Internal feature number.
Attribute Definition Source: ESRI
Attribute Domain Values:
Unrepresentable Domain: Sequential unique whole numbers that are automatically generated.
Attribute:
Attribute Label: STATUS
Attribute Definition: Indicates the type of American Red Cross facility.
Attribute Definition Source: TGS
Attribute Domain Values:
Enumerated Domain:

Enumerated Domain Value: CHAPTER

Enumerated Domain Value Definition: Indicates the facility operates as a Chapter.

Enumerated Domain Value Definition Source: TGS

Enumerated Domain:

Enumerated Domain Value: <BLANK>

Enumerated Domain Value Definition: Unknown

Enumerated Domain Value Definition Source: TGS

Attribute:

Attribute Label: DIRECTIONS

Attribute Definition: Directions to entity location, or description of the entity's location.

Attribute Definition Source: TGS

Attribute Domain Values:

Unrepresentable Domain: Text

Attribute:

Attribute Label: COUNTY

Attribute Definition: County name where entity is located.

Attribute Definition Source: TGS

Attribute Domain Values:

Codeset Domain:

Codeset Name: Geographic Names Information System (GNIS)

Codeset Source: US Department of the Interior - US Geologic Survey

Attribute:

Attribute Label: FIPS

Attribute Definition: Five (5) digit FIPS (Federal Information Processing Standards) Code for the County where entity is located. The first two (2) digits represent the state and the last three (3) digits identify the county within the state.

Attribute Definition Source: TGS

Attribute Domain Values:

Codeset Domain:

Codeset Name: Federal Information Processing Standards Publications - Counties and Equivalent Entities of the U.S., Its Possessions, and Associated Areas

Codeset Source: National Institute of Standards (NIST)

http://www.itl.nist.gov/fipspubs/co-codes/states.txt

Attribute:

Attribute Label: HSIPTHEMES

Attribute Definition: HSIP category for entity.

Attribute Definition Source: TGS

Attribute Domain Values:

Enumerated Domain:

Enumerated Domain Value: CRITICAL INFRASTRUCTURE, PDD-63; PUBLIC HEALTH; HEALTH SERVICES; AMERICAN RED CROSS FACILITIES

Enumerated Domain Value Definition: Entity is part of the "CRITICAL INFRASTRUCTURE, PDD-63; PUBLIC HEALTH; HEALTH SERVICES; AMERICAN RED CROSS FACILITIES" HSIP Theme.

Enumerated Domain Value Definition Source: HSIP Tiger Team Report

Attribute:

Attribute Label: GEODATE

Attribute Definition: Date entity was geocoded by TGS.

Attribute Definition Source: TGS

Attribute Domain Values:

Unrepresentable Domain: Date

Attribute:

Attribute Label: CONTDATE

Attribute Definition: Date entity was contacted by TGS.

Attribute Definition Source: TGS

Attribute Domain Values:

Unrepresentable Domain: Date

Attribute:

Attribute Label: CONTHOW

Attribute Definition: Method by which entity was contacted.

Attribute Definition Source: TGS

Attribute Domain Values:

Enumerated Domain:

Enumerated Domain Value: PHONE

Enumerated Domain Value Definition: Entity was contacted by phone.

Enumerated Domain Value Definition Source: TGS

Enumerated Domain:

Enumerated Domain Value: FAX

Enumerated Domain Value Definition: Entity was contacted by fax.

Enumerated Domain Value Definition Source: TGS

Enumerated Domain:

Enumerated Domain Value: ALT REF

Enumerated Domain Value Definition: Geospatial reference information obtained from local authorities, e.g., downloadable parcel maps, 911 streets, and shapefiles.

Enumerated Domain Value Definition Source: TGS

Enumerated Domain:

Enumerated Domain Value: EMAIL

Enumerated Domain Value Definition: Entity was contacted by email.

Enumerated Domain Value Definition Source: TGS

Enumerated Domain:

Enumerated Domain Value: WEB

Enumerated Domain Value Definition: Entity information was gathered and/or verified by official entity website as a last resort.

Enumerated Domain Value Definition Source: TGS

Enumerated Domain:

Enumerated Domain Value: MAIL

Enumerated Domain Value Definition: Entity was contacted by mail.

Enumerated Domain Value Definition Source: TGS

Attribute:

Attribute Label: EMERGPHONE

Attribute Definition: Ten (10) digit telephone number of emergency point of contact formatted as nnn-nnn-nnnn. All alphabetic characters have been translated to the corresponding numeric digit.

Attribute Definition Source: TGS

Attribute Domain Values:

Unrepresentable Domain: Phone numbers, including area code, formatted as nnn-nnn-nnnn. A list of valid area code and exchange combinations can be found at http://www.nanpa.com

Attribute:

Attribute Label: GEOPREC

Attribute Definition: Geocoding precision.

Attribute Definition Source: TGS

Attribute Domain Values:

Enumerated Domain:

Enumerated Domain Value: ONENTITY

Enumerated Domain Value Definition: Entity is geocoded on entity rooftop per aerial imagery (in most cases USGS DOQQs).

Enumerated Domain Value Definition Source: TGS

Enumerated Domain:

Enumerated Domain Value: <BLANK>

Enumerated Domain Value Definition: Entity was geocoded using coordinates provided by the state; therefore, geocoding precision is unknown.

Enumerated Domain Value Definition Source: TGS

Enumerated Domain:

Enumerated Domain Value: BLOCKFACE

Enumerated Domain Value Definition: Entity is geocoded to correct block and correct side of street per street data indicated by [ST_VENDOR] and [ST_VERSION].

Enumerated Domain Value Definition Source: TGS

Attribute:

Attribute Label: X

Attribute Definition: Longitude in WGS 84 Decimal Degrees.

Attribute Definition Source: TGS

Attribute Domain Values:

Range Domain:

Range Domain Minimum: -180

Range Domain Maximum: 180

Attribute Units of Measure: WGS 84 Decimal Degrees

Attribute:

Attribute Label: NAICSDESCR

Attribute Definition: NAICS (North American Industry Classification System) Description for entity. At the request of NGA, the "Index Entries" that appear on the NAICS webpage (http://www.census.gov/epcd/www/naics.html) are being used to populate this attribute as opposed to the "NAICS Title". While there is a one to one correspondence between NAICS Codes and "NAICS Titles", there is a one to many relationship between NAICS Codes and the "Index Entries". By using the "Index Entries", we have placed the entities that make up this layer into more specific categories; however, the user of this data should be aware that this was not the intended purpose of these "Index Entries". The "Index Entries" were intended as a way to search the NAICS database and as a way of enumerating ways in which establishments falling under the given NAICS Code may be named. Thus, there are often two or more "Index Entries" that are synonyms, for example: "Prisons" and "Penitentiaries". In cases like this, we have standardized on one "Index Entry". NAICS Descriptions (and NAICS Codes) have been assigned based upon the entity's primary function, regardless of the function that qualified it to be included in this dataset. On the other hand, HSIP Themes are assigned based upon the function that qualified an entity for inclusion in this dataset. It is possible that if an entity appears in more than one dataset, then it will have a different HSIP Theme in each dataset, but it should have the same NAICS Code and NAICS Description in each case.

Attribute Definition Source: TGS

Attribute Domain Values:

Enumerated Domain:

Enumerated Domain Value: EMERGENCY RELIEF SERVICES

Enumerated Domain Value Definition: EMERGENCY RELIEF SERVICES - [NAICS Code 624230]: Entities that are primarily engaged in providing food, shelter, clothing, medical relief, disaster relief, emergency relief, refugee settlement services, immigrant resettlement services, and emergency shelters and counseling to victims of domestic or international disasters or conflicts.

Enumerated Domain Value Definition Source: TGS

Attribute:
Attribute Label: GEOLINKID
Attribute Definition: Link ID for the street segment to which the entity was geocoded. Refer to the [ST_VENDOR] and [ST_VERSION] attributes for the street vendor and version that was used to geocode the entity.
Attribute Definition Source: TGS
Attribute Domain Values:
Unrepresentable Domain: Text
Attribute:
Attribute Label: ADDRESS
Attribute Definition: Physical street address for entity. "PO Box", "General Delivery", "Rural Route", and "Highway Contract" addresses are not considered physical addresses and should not appear in this attribute. Some areas do not have regular city style addressing so entities in those areas may not have a street number. In such cases, the name of the road they are located on is listed in this attribute. Some rural areas may not have named roads. In these rare cases, this attribute will be blank.
Attribute Definition Source: TGS
Attribute Domain Values:
Unrepresentable Domain: Text
Attribute:
Attribute Label: EMERGTITLE
Attribute Definition: Title of person or name of office for emergency point of contact.
Attribute Definition Source: TGS
Attribute Domain Values:
Unrepresentable Domain: Text
Attribute:
Attribute Label: ADDRESS2
Attribute Definition: Location within physical address, e.g., floor, suite, building.
Attribute Definition Source: TGS
Attribute Domain Values:
Unrepresentable Domain: Text
Attribute:
Attribute Label: FEATTYPE
Attribute Definition: Geometry type of feature.
Attribute Definition Source: TGS
Attribute Domain Values:
Enumerated Domain:
Enumerated Domain Value: POINT

Enumerated Domain Value Definition: Feature is represented by point.

Enumerated Domain Value Definition Source: TGS

Attribute:

Attribute Label: NGAID

Attribute Definition: Unique identifier for feature.

Attribute Definition Source: TGS

Attribute Domain Values:

Unrepresentable Domain: Text

Attribute:

Attribute Label: PHONE

Attribute Definition: Seven (7) digit telephone number for entity formatted as nnn-nnnn. All alphabetic characters have been translated to the corresponding numeric digit.

Attribute Definition Source: TGS

Attribute Domain Values:

Unrepresentable Domain: Phone numbers formatted as nnn-nnnn. Only numeric digits are used. The first three (3) digits (the exchange) must form a valid combination with the area code. A list of valid area code and exchange combinations can be obtained from http://www.nanpa.com

Attribute:

Attribute Label: NAME

Attribute Definition: Name of entity.

Attribute Definition Source: TGS

Attribute Domain Values:

Unrepresentable Domain: Text

Attribute:

Attribute Label: NAICSCODE

Attribute Definition: NAICS (North American Industry Classification System) Code for entity. NAICS codes (and NAICS Descriptions) have been assigned based upon the entity's primary function, regardless of if that is the function that qualified it to be included in this dataset. On the other hand, HSIP Themes are assigned based upon the function that qualified an entity for inclusion in this dataset. It is possible that if an entity appears in more than one dataset it will have a different HSIP Theme in each dataset, but it should have the same NAICS Code and NAICS Description in each case.

Attribute Definition Source: TGS

Attribute Domain Values:

Codeset Domain:

Codeset Name: North American Industry Classification System (NAICS 2002)

Codeset Source: US Census Bureau - http://www.census.gov/epcd/www/naics.html

Attribute:

Attribute Label: SQMI

Attribute Definition: Indicates the Area (in sq. mi.)covered by the chapter. The values that this attribute have not been validated or checked by TGS.

Attribute Definition Source: TGS

Attribute Domain Values:

Unrepresentable Domain: Number

Attribute:

Attribute Label: Y

Attribute Definition: Latitude in WGS 84 Decimal Degrees.

Attribute Definition Source: TGS

Attribute Domain Values:

Range Domain:

Range Domain Minimum: -90

Range Domain Maximum: 90

Attribute Units of Measure: WGS 84 Decimal Degrees

Attribute:

Attribute Label: ZIP

Attribute Definition: Five (5) digit USPS zip code for entity's physical location.

Attribute Definition Source: TGS

Attribute Domain Values:

Codeset Domain:

Codeset Name: USPS Address Information System - Domain is further restricted by only allowing physical (non PO Box) zip codes.

Codeset Source: United States Postal Service

Attribute:

Attribute Label: ZIPP4

Attribute Definition: Four (4) digit USPS zip code extension. This attribute was automatically assigned using the entity's physical address and USPS address information system (AIS) data.

Attribute Definition Source: TGS

Attribute Domain Values:

Codeset Domain:

Codeset Name: USPS Address Information System (AIS) - ZIP9

Codeset Source: United States Postal Service

Attribute:

Attribute Label: CITY

Attribute Definition: The name of the city associated with the entity's physical address. For physical addresses that the U.S. Postal Service (USPS) delivers to, this should be a "city" acceptable to the USPS as defined in their Address Information

System (AIS). Sometimes the USPS does not deliver mail to a physical address but recognizes the location (i.e., they list the location as "undeliverable"). The cities associated with these locations are acceptable. In some cases, the USPS does not recognize individual physical addresses in a city, rather, they list the city as having "General Delivery". In these cases, the city and associated zip code are acceptable (the entity's [ADDRESS] attribute will contain a street address, not "general delivery"). The entity may not actually be located within the city limits of the "city" specified in its city field. Instead, it may actually be located within the city limits of another city. In some cases, the "city" that appears in this attribute may not even be a city in an administrative sense, but it is still an acceptable "city" to the USPS. An example of this is "Notre Dame, IN". There is no city in Indiana called "Notre Dame", but this is considered an acceptable city by the USPS for any delivery going to the University of Notre Dame which is actually located in the city of South Bend. "Notre Dame", like most USPS cities, is an easily recognized place, and it gives the user of the data a good general idea of where the entity is located (if the entity is located in a small municipality, the USPS "city" may be more recognizable than the name of the municipality), and it would be part of the address one would use to send a shipment to the entity's location. Using the USPS acceptable "city" also allows someone to do a logical consistency check between the zip code and the city by using the USPS AIS. Sometimes an entity may report a city that is not accepted by the USPS, and although TGS has tried to replace those cities with an acceptable alternative, some of them may remain in this dataset.

Attribute Definition Source: TGS

Attribute Domain Values:

Unrepresentable Domain: Text

Attribute:

Attribute Label: SHAPE

Attribute Definition: Feature geometry.

Attribute Definition Source: ESRI

Attribute Domain Values:

Unrepresentable Domain: Coordinates defining the features.

Distribution Information:

Distributor:

Contact Information:

Contact Organization Primary:

Contact Organization: (NGA) National Geospatial-Intelligence Agency

Contact Person: HSIP Team

Contact Position: Database Administrator

Contact Address:

Address Type: mailing

Address: Mail Stop D-115

Address: 4600 Sangamore Road

City: Bethesda

State or Province: MD

Postal Code: 20816-5003

Country: US

Contact Electronic Mail Address: hsip_team@nga.mil

Hours: Monday - Friday 0800 - 1700 EST

Resource Description: HSIP Red Cross Chapters 2007 D2 of 2

Distribution Liability: Users must assume responsibility to determine the usability of this data for their purposes.

Standard Order Process:

Digital Form:

Digital Transfer Information:

Format Name: ESRI Personal Geodatabase

Format Version Number: ARC Version 9.x

Digital Transfer Option:

Offline Option:

Offline Media: dvd

Fees: None

Ordering Instructions: HSIP data may be ordered by going to: https://www.hifldwg.org/HSIPRequest/request.asp and filling out the request form found there.

Metadata Reference Information:

Metadata Date: 20071113

Metadata Contact:

Contact Information:

Contact Organization Primary:

Contact Organization: TechniGraphics, Inc.

Contact Address:

Address Type: mailing and physical

Metadata Standard Name: FGDC Content Standard for Digital Geospatial Metadata

Metadata Standard Version: FGDC-STD-001-1998

Metadata Time Convention: local time