

MS State Parks

Shapefile



Tags

parks, Mississippi

Summary

MS State Parks

Description

boundaries of the State Parks of Mississippi as determined by the MS Dept. of Wildlife, Fisheries, and Parks (MDWFP)

Credits

MDWFP, MARIS

Use limitations

There are no access and use limitations for this item.

Extent

West -91.612820 **East** -88.097196

North 35.002225 **South** 30.247245

Scale Range

Maximum (zoomed in) 1:5,000

Minimum (zoomed out) 1:150,000,000

ArcGIS Metadata ►

Topics and Keywords ►

* CONTENT TYPE Downloadable Data

Hide Topics and Keywords ▲

Citation ►

TITLE MS State Parks

PUBLICATION DATE 2019-01-16 00:00:00

PRESENTATION FORMATS * digital map

Hide Citation ▲

Citation Contacts ▶

RESPONSIBLE PARTY

INDIVIDUAL'S NAME Mike Hankins
ORGANIZATION'S NAME MS Dept. of Wildlife Fisheries and Parks
CONTACT'S POSITION GIS Analyst
CONTACT'S ROLE originator

CONTACT INFORMATION ▶

PHONE
VOICE 601-432-2160

ADDRESS

TYPE
DELIVERY POINT 1505 Eastover Drive
CITY Jackson
ADMINISTRATIVE AREA MS
POSTAL CODE 39211
COUNTRY US
E-MAIL ADDRESS mikehankins@mdwfp.state.ms.us

Hide Contact information ▲

RESPONSIBLE PARTY

INDIVIDUAL'S NAME Steve Walker
ORGANIZATION'S NAME MARIS
CONTACT'S POSITION GIS Operations Manager
CONTACT'S ROLE distributor

CONTACT INFORMATION ▶

PHONE
VOICE 601-432-6149

ADDRESS

TYPE physical
DELIVERY POINT 3825 Ridgewood Rd
CITY Jackson
ADMINISTRATIVE AREA MS
POSTAL CODE 39211
COUNTRY US
E-MAIL ADDRESS swalker@mississippi.edu

HOURS OF SERVICE
M-F 7-3 CDT

Hide Contact information ▲

Hide Citation Contacts ▲

Resource Details ▶

DATASET LANGUAGES * English (UNITED STATES)

DATASET CHARACTER SET utf8 - 8 bit UCS Transfer Format

STATUS completed

SPATIAL REPRESENTATION TYPE * vector

* PROCESSING ENVIRONMENT Version 6.2 (Build 9200) ; Esri ArcGIS 10.6.1.9270

CREDITS

MDWFP, MARIS

ARCGIS ITEM PROPERTIES

* NAME MS_State_Parks

* SIZE 0.119

* LOCATION file:///\\DESKTOP-TP9LNVL\F\$\DATA\00_CULTURAL\MS_State_Parks.shp

* ACCESS PROTOCOL Local Area Network

[Hide Resource Details ▲](#)

Extents ►

EXTENT

GEOGRAPHIC EXTENT

BOUNDING RECTANGLE

EXTENT TYPE Extent used for searching

* WEST LONGITUDE -91.612820

* EAST LONGITUDE -88.097196

* NORTH LATITUDE 35.002225

* SOUTH LATITUDE 30.247245

* EXTENT CONTAINS THE RESOURCE Yes

EXTENT IN THE ITEM'S COORDINATE SYSTEM

* WEST LONGITUDE 329939.594845

* EAST LONGITUDE 650880.088039

* SOUTH LATITUDE 1051586.476088

* NORTH LATITUDE 1577495.545051

* EXTENT CONTAINS THE RESOURCE Yes

[Hide Extents ▲](#)

Resource Maintenance ►

RESOURCE MAINTENANCE

UPDATE FREQUENCY as needed

[Hide Resource Maintenance ▲](#)

Spatial Reference ►

ARCGIS COORDINATE SYSTEM

* TYPE Projected

* GEOGRAPHIC COORDINATE REFERENCE GCS_North_American_1983

* PROJECTION NAD_1983_Mississippi_TM

* COORDINATE REFERENCE DETAILS

PROJECTED COORDINATE SYSTEM

WELL-KNOWN IDENTIFIER 102609

X ORIGIN -5122200
Y ORIGIN -12297100
XY SCALE 450339697.45066422
Z ORIGIN -100000
Z SCALE 10000
M ORIGIN -100000
M SCALE 10000
XY TOLERANCE 0.001
Z TOLERANCE 0.001
M TOLERANCE 0.001
HIGH PRECISION true
LATEST WELL-KNOWN IDENTIFIER 3814
WELL-KNOWN TEXT
PROJCS["NAD_1983_Mississippi_TM",GEOGCS["GCS_North_American_1983",DATUM["D_North_American_1983",SPHEROID["GRS_1980",6378137.0,298.257222101]],PRIMEM["Greenwich",0.0],UNIT["Degree",0.0174532925199433]],PROJECTION["Transverse_Mercator"],PARAMETER["False_Easting",500000.0],PARAMETER["False_Northing",1300000.0],PARAMETER["Central_Meridian",-89.75],PARAMETER["Scale_Factor",0.9998335],PARAMETER["Latitude_Of_Origin",32.5],UNIT["Meter",1.0],AUTHORITY["EPSG",3814]]

REFERENCE SYSTEM IDENTIFIER

- * VALUE 3814
- * CODESPACE EPSG
- * VERSION 6.17.1(10.0.0)

[Hide Spatial Reference ▲](#)

Spatial Data Properties ►

VECTOR ►

- * LEVEL OF TOPOLOGY FOR THIS DATASET geometry only

GEOMETRIC OBJECTS

- FEATURE CLASS NAME MS_State_Parks
- * OBJECT TYPE composite
 - * OBJECT COUNT 53

[Hide Vector ▲](#)

ARCGIS FEATURE CLASS PROPERTIES ►

- FEATURE CLASS NAME MS_State_Parks
- * FEATURE TYPE Simple
 - * GEOMETRY TYPE Polygon
 - * HAS TOPOLOGY FALSE
 - * FEATURE COUNT 53
 - * SPATIAL INDEX TRUE
 - * LINEAR REFERENCING FALSE

[Hide ArcGIS Feature Class Properties ▲](#)

[Hide Spatial Data Properties ▲](#)

Geoprocessing history ►

PROCESS

PROCESS NAME

DATE 2013-01-03 16:12:47

TOOL LOCATION c:\program files\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK BOUNDARY" NAME ""MOD "+ [NAME]" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2013-01-03 16:18:37

TOOL LOCATION c:\program files\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK BOUNDARY" NAME ""MOD JP Coleman"+ [NAME]" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2013-01-03 16:18:51

TOOL LOCATION c:\program files\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK BOUNDARY" NAME ""MOD JP Coleman "+ [NAME]" VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2013-01-11 11:32:17

TOOL LOCATION c:\program files\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK BOUNDARY" NAME LTrim([NAME]) VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2013-01-11 11:35:07

TOOL LOCATION c:\program files\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK BOUNDARY" NAME Mid([NAME]5,30) VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME

DATE 2013-01-11 11:38:05

TOOL LOCATION c:\program files\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data Management Tools.tbx\CalculateField

COMMAND ISSUED

CalculateField "PARK BOUNDARY" NAME Mid([NAME],5) VB #

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2013-01-11 11:38:32
TOOL LOCATION c:\program files\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK BOUNDARY" NAME Mid([NAME],4) VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2013-01-11 11:38:58
TOOL LOCATION c:\program files\arcgis\desktop10.1\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK BOUNDARY" NAME Mid([NAME],5) VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2014-06-09 08:30:23
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK BOUNDARY" state_owned "yes" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2014-10-23 09:41:19
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.2\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK BOUNDARY" state_owned "Y" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2015-04-06 09:01:50
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK BOUNDARY" LABEL UCase([NAME]) VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2015-04-06 09:02:22
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK BOUNDARY" LABEL "JP COLEMAN" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS
PROCESS NAME
DATE 2015-04-06 09:17:56
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField

COMMAND ISSUED
CalculateField "PARK BOUNDARY" LABEL [LABEL]+" SP" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2016-04-22 09:11:27
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "PARK BOUNDARY" COMM_DISTRICT "3" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2016-04-22 13:55:38
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "STATE PARKS A" COMM_DISTRICT "1" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

PROCESS

PROCESS NAME
DATE 2016-04-26 11:03:59
TOOL LOCATION c:\program files (x86)\arcgis\desktop10.3\ArcToolbox\Toolboxes\Data
Management Tools.tbx\CalculateField
COMMAND ISSUED
CalculateField "STATE PARKS" COMM_DISTRICT "5" VB #
INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

[Hide Geoprocessing history ▲](#)

Distribution ►

DISTRIBUTION FORMAT
* NAME Shapefile

TRANSFER OPTIONS
* TRANSFER SIZE 0.119

[Hide Distribution ▲](#)

Fields ►

DETAILS FOR OBJECT MS_State_Parks ►

* TYPE Feature Class
* ROW COUNT 53

FIELD FID ►

* ALIAS FID
* DATA TYPE OID
* WIDTH 4
* PRECISION 0

- * SCALE 0
- * FIELD DESCRIPTION
Internal feature number.

- * DESCRIPTION SOURCE
Esri

- * DESCRIPTION OF VALUES
Sequential unique whole numbers that are automatically generated.

Hide Field FID ▲

FIELD OBJECTID ►

- * ALIAS OBJECTID
- * DATA TYPE Integer
- * WIDTH 10
- * PRECISION 10
- * SCALE 0
- * FIELD DESCRIPTION
Internal feature number.

- * DESCRIPTION SOURCE
Esri

- * DESCRIPTION OF VALUES
Sequential unique whole numbers that are automatically generated.

Hide Field OBJECTID ▲

FIELD NAME ►

- * ALIAS NAME
- * DATA TYPE String
- * WIDTH 50
- * PRECISION 0
- * SCALE 0
- FIELD DESCRIPTION
name of park or park section

- DESCRIPTION SOURCE
MDWFP

Hide Field NAME ▲

FIELD SHAPE ►

- * ALIAS Shape
- * DATA TYPE Geometry

- * WIDTH 0
- * PRECISION 0
- * SCALE 0
- * FIELD DESCRIPTION
Feature geometry.

- * DESCRIPTION SOURCE
Esri

- * DESCRIPTION OF VALUES
Coordinates defining the features.

[Hide Field SHAPE ▲](#)

[Hide Details for object MS_State_Parks ▲](#)

[Hide Fields ▲](#)

Metadata Details ►

- * METADATA LANGUAGE English (UNITED STATES)
- * METADATA CHARACTER SET utf8 - 8 bit UCS Transfer Format

SCOPE OF THE DATA DESCRIBED BY THE METADATA * dataset
SCOPE NAME * dataset

* LAST UPDATE 2019-01-16

ARCGIS METADATA PROPERTIES

METADATA FORMAT ArcGIS 1.0
METADATA STYLE FGDC CSDGM Metadata
STANDARD OR PROFILE USED TO EDIT METADATA FGDC

CREATED IN ARCGIS FOR THE ITEM 2019-01-16 10:44:58
LAST MODIFIED IN ARCGIS FOR THE ITEM 2019-01-16 10:52:46

AUTOMATIC UPDATES

HAVE BEEN PERFORMED Yes
LAST UPDATE 2019-01-16 10:45:31

[Hide Metadata Details ▲](#)

Metadata Contacts ►

METADATA CONTACT

INDIVIDUAL'S NAME Steve Walker
ORGANIZATION'S NAME MARIS
CONTACT'S POSITION GIS Operations Manager

CONTACT'S ROLE distributor

CONTACT INFORMATION ►

PHONE

VOICE 601-432-6149

ADDRESS

TYPE physical

DELIVERY POINT 3825 Ridgewood Rd

CITY Jackson

ADMINISTRATIVE AREA MS

POSTAL CODE 39211

COUNTRY US

E-MAIL ADDRESS swalker@mississippi.edu

HOURS OF SERVICE

M-F 7-3 CDT

[Hide Contact information ▲](#)

[Hide Metadata Contacts ▲](#)

Metadata Maintenance ►

MAINTENANCE

UPDATE FREQUENCY as needed

[Hide Metadata Maintenance ▲](#)

Thumbnail and Enclosures ►

THUMBNAIL

THUMBNAIL TYPE JPG

[Hide Thumbnail and Enclosures ▲](#)

FGDC Metadata (read-only) ▼

DETAILED DESCRIPTION

ENTITY TYPE

ENTITY TYPE LABEL MS_State_Parks

ATTRIBUTE

ATTRIBUTE LABEL FID

ATTRIBUTE DEFINITION

Internal feature number.

ATTRIBUTE DEFINITION SOURCE Esri

ATTRIBUTE DOMAIN VALUES

UNREPRESENTABLE DOMAIN

Sequential unique whole numbers that are automatically generated.

ATTRIBUTE

ATTRIBUTE LABEL OBJECTID

ATTRIBUTE DEFINITION
Internal feature number.
ATTRIBUTE DEFINITION SOURCE Esri
ATTRIBUTE DOMAIN VALUES
UNREPRESENTABLE DOMAIN
Sequential unique whole numbers that are automatically generated.

ATTRIBUTE
ATTRIBUTE LABEL NAME
ATTRIBUTE DEFINITION
name of park or park section
ATTRIBUTE DEFINITION SOURCE MDWFP

ATTRIBUTE
ATTRIBUTE LABEL SHAPE
ATTRIBUTE DEFINITION
Feature geometry.
ATTRIBUTE DEFINITION SOURCE Esri
ATTRIBUTE DOMAIN VALUES
UNREPRESENTABLE DOMAIN
Coordinates defining the features.

[Hide Entities and Attributes ▲](#)