

Breaklines

File Geodatabase Feature Class

Thumbnail Not Available

Tags

elevation, Digital Elevation Model, Digital Terrain Model, DTM, Topography, Altitude, Height, Breaklines

Summary

The purpose of this project was to develop statewide Digital Elevation Data (DTM) from the statewide two foot resolution 2006/2007 aerial imagery.

Description

This metadata record describes the production of a Digital Terrain Model (DTM) and contours for the state of Mississippi. The DTM was compiled at a scale 400 feet from imagery with a 2' ground sample distance (GSD) from a previous statewide project. Part of the imagery acquisition occurred January through March, 2006. With additional acquisition occurred January, 2007. The following contributed to the Mississippi Statewide dataset: Fugro EarthData, Inc., Mississippi Geographic Information, LLC, Mississippi Department Environmental Quality, NOAA Coastal Services Center, Mississippi DOT, Mississippi State University, and Mississippi Coordinating Council for Remote Sensing and GIS.

Credits

There are no credits for this item.

Use limitations

Data should be used only as originally intended and is not for engineering or design purposes.

Extent

West -90.779054 **East** -89.963212
North 33.046469 **South** 32.495979

Scale Range

There is no scale range for this item.

ArcGIS Metadata ►

Topics and Keywords ►

* CONTENT TYPE Downloadable Data

Hide Topics and Keywords ▲

Citation ►

* TITLE Breaklines

PRESENTATION FORMATS * digital map

Hide Citation ▲

Resource Details ►

DATASET LANGUAGES * English (UNITED STATES)

SPATIAL REPRESENTATION TYPE * vector

* PROCESSING ENVIRONMENT Microsoft Windows 7 Version 6.1 (Build 7601) Service Pack 1; Esri ArcGIS 10.2.1.3497

CREDITS

ARCGIS ITEM PROPERTIES

* NAME Breaklines

* LOCATION file:///\\SWALKER-

PC\E\$\DATA\MDEM_Vector_2015\MS_DTM_Project\Counties\Yazoo.gdb

* ACCESS PROTOCOL Local Area Network

[Hide Resource Details ▲](#)

Extents ►

EXTENT

VERTICAL EXTENT

* MINIMUM VALUE 57.049886

* MAXIMUM VALUE 399.279844

EXTENT

GEOGRAPHIC EXTENT

BOUNDING RECTANGLE

EXTENT TYPE Extent used for searching

* WEST LONGITUDE -90.779054

* EAST LONGITUDE -89.963212

* NORTH LATITUDE 33.046469

* SOUTH LATITUDE 32.495979

* EXTENT CONTAINS THE RESOURCE Yes

EXTENT IN THE ITEM'S COORDINATE SYSTEM

* WEST LONGITUDE 2159999.999841

* EAST LONGITUDE 2409999.999840

* SOUTH LATITUDE 1090000.000040

* NORTH LATITUDE 1290000.000302

* EXTENT CONTAINS THE RESOURCE Yes

[Hide Extents ▲](#)

Resource Constraints ►

CONSTRAINTS

LIMITATIONS OF USE

Data should be used only as originally intended and is not for engineering or design purposes.

[Hide Resource Constraints ▲](#)

Spatial Reference ►

ARCGIS COORDINATE SYSTEM

* TYPE Projected

* GEOGRAPHIC COORDINATE REFERENCE GCS_North_American_1983_HARN

* PROJECTION NAD_1983_HARN_StatePlane_Mississippi_West_FIPS_2302_Feet
* COORDINATE REFERENCE DETAILS
PROJECTED COORDINATE SYSTEM
WELL-KNOWN IDENTIFIER 2900
X ORIGIN -17463400
Y ORIGIN -43523900
XY SCALE 3048.00609601219
Z ORIGIN -100000
Z SCALE 3048.00609601219
M ORIGIN -100000
M SCALE 10000
XY TOLERANCE 0.003280833333333333
Z TOLERANCE 0.003280833333333333
M TOLERANCE 0.001
HIGH PRECISION true
LATEST WELL-KNOWN IDENTIFIER 2900
WELL-KNOWN TEXT
PROJCS["NAD_1983_HARN_StatePlane_Mississippi_West_FIPS_2302_Feet",GEOGCS["GCS_North_American_1983_HARN",DATUM["D_North_American_1983_HARN",SPHEROID["GRS_1980",6378137.0,298.257222101]],PRIMEM["Greenwich",0.0],UNIT["Degree",0.0174532925199433]],PROJECTION["Transverse_Mercator"],PARAMETER["False_Easting",2296583.333333333],PARAMETER["False_Northing",0.0],PARAMETER["Central_Meridian",-90.33333333333333],PARAMETER["Scale_Factor",0.99995],PARAMETER["Latitude_Of_Origin",29.5],UNIT["Foot_US",0.3048006096012192],AUTHORITY["EPSG",2900]],VERTCS["NAVD_1988",VDATUM["North_American_Vertical_Datum_1988"],PARAMETER["Vertical_Shift",0.0],PARAMETER["Direction",1.0],UNIT["Foot",0.3048]]

REFERENCE SYSTEM IDENTIFIER

- * VALUE 2900
- * CODESPACE EPSG
- * VERSION 8.2.6

[Hide Spatial Reference ▲](#)

Spatial Data Properties ►

VECTOR ►

- * LEVEL OF TOPOLOGY FOR THIS DATASET geometry only

GEOMETRIC OBJECTS

- FEATURE CLASS NAME Breaklines
- * OBJECT TYPE composite
 - * OBJECT COUNT 247759

[Hide Vector ▲](#)

ARCGIS FEATURE CLASS PROPERTIES ►

- FEATURE CLASS NAME Breaklines
- * FEATURE TYPE Simple
 - * GEOMETRY TYPE Polyline
 - * HAS TOPOLOGY FALSE
 - * FEATURE COUNT 247759

- * SPATIAL INDEX TRUE
- * LINEAR REFERENCING TRUE

[Hide ArcGIS Feature Class Properties ▲](#)

[Hide Spatial Data Properties ▲](#)

Distribution ►

DISTRIBUTOR ►

AVAILABLE FORMAT

- * NAME File Geodatabase Feature Class

TRANSFER OPTIONS

ONLINE SOURCE

* LOCATION

file:///\\ARMISTEAD\E\09_0024_Miss_Co_BLKs\WEST\Block1W\1BW\1BW_FINAL\Counties\Yazoo.gdb

* ACCESS PROTOCOL Local Area Network

* DESCRIPTION Downloadable Data

[Hide Distributor ▲](#)

DISTRIBUTION FORMAT

- * NAME File Geodatabase Feature Class

[Hide Distribution ▲](#)

Fields ►

DETAILS FOR OBJECT [Breaklines](#) ►

* TYPE Feature Class

* ROW COUNT 247759

DEFINITION

Lines

DEFINITION SOURCE

Fugro EarthData, Inc.

FIELD [OBJECTID](#) ►

* ALIAS OBJECTID

* DATA TYPE OID

* WIDTH 4

* PRECISION 0

* SCALE 0

FIELD DESCRIPTION

Internal feature number.

DESCRIPTION SOURCE

ESRI

DESCRIPTION OF VALUES

Sequential unique whole numbers that are automatically generated.

Hide Field OBJECTID ▲

FIELD SHAPE ►

- * ALIAS SHAPE
- * DATA TYPE Geometry
- * WIDTH 0
- * PRECISION 0
- * SCALE 0

FIELD DESCRIPTION

Feature geometry.

DESCRIPTION SOURCE

ESRI

DESCRIPTION OF VALUES

Sequential unique whole numbers that are automatically generated.

Hide Field SHAPE ▲

FIELD SOURCE_DATADESC ►

- * ALIAS SOURCE_DATADESC
- * DATA TYPE String
- * WIDTH 100
- * PRECISION 0
- * SCALE 0

FIELD DESCRIPTION

Aerial Imagery

DESCRIPTION SOURCE

Fugro EarthData

DESCRIPTION OF VALUES

Imagery

Hide Field SOURCE_DATADESC ▲

FIELD DATA_SECURITY ►

- * ALIAS Data_Security
- * DATA TYPE SmallInteger

* WIDTH 2

* PRECISION 0

* SCALE 0

FIELD DESCRIPTION

Security classification code

DESCRIPTION SOURCE

National data model values

LIST OF VALUES

VALUE 0

DESCRIPTION Unknown

ENUMERATED DOMAIN VALUE DEFINITION SOURCE National data Model

VALUE 1

DESCRIPTION top secret

ENUMERATED DOMAIN VALUE DEFINITION SOURCE National data model

VALUE 2

DESCRIPTION secret

ENUMERATED DOMAIN VALUE DEFINITION SOURCE National data model

VALUE 3

DESCRIPTION confidential

ENUMERATED DOMAIN VALUE DEFINITION SOURCE national data model

VALUE 4

DESCRIPTION restricted

ENUMERATED DOMAIN VALUE DEFINITION SOURCE national data model

VALUE 5

DESCRIPTION unclassified

ENUMERATED DOMAIN VALUE DEFINITION SOURCE national data model

VALUE 6

DESCRIPTION Sensitive

ENUMERATED DOMAIN VALUE DEFINITION SOURCE national data model

ACCURACY INFORMATION

ACCURACY 5

EXPLANATION

unclassified

MEASUREMENT FREQUENCY Unknown

Hide Field DATA_SECURITY ▲

FIELD DISTRIBUTION_POLICY ►

* ALIAS Distribution_Policy

* DATA TYPE String

* WIDTH 4

* PRECISION 0

* SCALE 0

FIELD DESCRIPTION

access and use constraints of data E4

DESCRIPTION SOURCE

national data model

LIST OF VALUES

VALUE A1

DESCRIPTION emergency service provider - internal use only
ENUMERATED DOMAIN VALUE DEFINITION SOURCE national data model

VALUE A2

DESCRIPTION emergency service provider - bitmap display via web
ENUMERATED DOMAIN VALUE DEFINITION SOURCE national data model

VALUE A3

DESCRIPTION emergency service provider - free distribution to third parties
ENUMERATED DOMAIN VALUE DEFINITION SOURCE national data model

VALUE A4

DESCRIPTION emergency service provider - free distribution to third parties via internet
ENUMERATED DOMAIN VALUE DEFINITION SOURCE national data model

VALUE B1

DESCRIPTION government agencies or thier delegated agents - internal use only
ENUMERATED DOMAIN VALUE DEFINITION SOURCE national data model

VALUE B2

DESCRIPTION government agencies or their delegated agents - bitmap display via web
ENUMERATED DOMAIN VALUE DEFINITION SOURCE national data model

VALUE B3

DESCRIPTION government agencies or their delegated agents - free distribution to third parties
ENUMERATED DOMAIN VALUE DEFINITION SOURCE national data model

VALUE B4

DESCRIPTION government agencies or their delegated agents - free distribution to third parties via internet
ENUMERATED DOMAIN VALUE DEFINITION SOURCE national data model

VALUE C1

DESCRIPTION other public or educational institutions - internal use only
ENUMERATED DOMAIN VALUE DEFINITION SOURCE national data model

VALUE C2

DESCRIPTION other public or educational institutions bitmap display via web
ENUMERATED DOMAIN VALUE DEFINITION SOURCE national data model

VALUE C3

DESCRIPTION other public or educational institutions - free distibutions to third parties
ENUMERATED DOMAIN VALUE DEFINITION SOURCE national data model

VALUE C4

DESCRIPTION other public or educational institutions - free distribution to third parties via internet
ENUMERATED DOMAIN VALUE DEFINITION SOURCE national data model

VALUE D1
DESCRIPTION data contributors - internal use only
ENUMERATED DOMAIN VALUE DEFINITION SOURCE national data model

VALUE D2
DESCRIPTION data contributors - bitmap display via internet
ENUMERATED DOMAIN VALUE DEFINITION SOURCE national data model

VALUE D3
DESCRIPTION data contributors - free distribution to third parties
ENUMERATED DOMAIN VALUE DEFINITION SOURCE national data model

VALUE D4
DESCRIPTION data contributors - free distribution to third parties via internet
ENUMERATED DOMAIN VALUE DEFINITION SOURCE national data model

VALUE E1
DESCRIPTION Public domain - internall use only
ENUMERATED DOMAIN VALUE DEFINITION SOURCE national data model

VALUE E2
DESCRIPTION Public domain - bitmap display via web
ENUMERATED DOMAIN VALUE DEFINITION SOURCE national data model

VALUE E3
DESCRIPTION Public domain - free distribution to third parties
ENUMERATED DOMAIN VALUE DEFINITION SOURCE national data model

VALUE E4
DESCRIPTION Public domain - free distribution to third parties via internet
ENUMERATED DOMAIN VALUE DEFINITION SOURCE national data model

ACCURACY INFORMATION

ACCURACY 4

EXPLANATION

Public domain - free distribution to third parties via internet

MEASUREMENT FREQUENCY None planned

Hide Field DISTRIBUTION_POLICY ▲

FIELD LOADDATE ►

* ALIAS LOADDATE

* DATA TYPE Date

* WIDTH 8

* PRECISION 0

* SCALE 0

FIELD DESCRIPTION

Date

DESCRIPTION SOURCE

ESRI

LIST OF VALUES

VALUE Date

DESCRIPTION Image capture and processing date

ENUMERATED DOMAIN VALUE DEFINITION SOURCE Date of service

Hide Field LOADDATE ▲

FIELD QUALITY ►

* ALIAS Quality

* DATA TYPE Integer

* WIDTH 4

* PRECISION 0

* SCALE 0

FIELD DESCRIPTION

Attribute code on the quality of the data base on MDEM standards

DESCRIPTION SOURCE

national data model

LIST OF VALUES

VALUE 1

DESCRIPTION MDEM

ENUMERATED DOMAIN VALUE DEFINITION SOURCE National Data Model

VALUE 2

DESCRIPTION Non MDEM

ENUMERATED DOMAIN VALUE DEFINITION SOURCE national data model

VALUE 0

DESCRIPTION unknown

ENUMERATED DOMAIN VALUE DEFINITION SOURCE national data model

ACCURACY INFORMATION

ACCURACY 1

EXPLANATION

MDEM

MEASUREMENT FREQUENCY None planned

Hide Field QUALITY ▲

FIELD SCALE ►

* ALIAS Scale

* DATA TYPE Integer

* WIDTH 4

* PRECISION 0

* SCALE 0

FIELD DESCRIPTION

1:4800

DESCRIPTION SOURCE

national data model

LIST OF VALUES

VALUE 0

DESCRIPTION unknown or scale NA

ENUMERATED DOMAIN VALUE DEFINITION SOURCE national data model

VALUE 1

DESCRIPTION small scale

ENUMERATED DOMAIN VALUE DEFINITION SOURCE national data model

VALUE 2

DESCRIPTION medium scale

ENUMERATED DOMAIN VALUE DEFINITION SOURCE national data model

VALUE 3

DESCRIPTION large scale

ENUMERATED DOMAIN VALUE DEFINITION SOURCE national data model

ACCURACY INFORMATION

ACCURACY 2

EXPLANATION

medium

MEASUREMENT FREQUENCY None planned

Hide Field SCALE ▲

FIELD Level ▶

* ALIAS Level

* DATA TYPE Double

* WIDTH 8

* PRECISION 0

* SCALE 0

FIELD DESCRIPTION

Microstation designation

DESCRIPTION SOURCE

Microstation

DESCRIPTION OF VALUES

Microstation level

Hide Field Level ▲

FIELD SHAPE_Length ▶

* ALIAS SHAPE_Length

* DATA TYPE Double

* WIDTH 8

* PRECISION 0

* SCALE 0

FIELD DESCRIPTION

Length of feature in internal units.

DESCRIPTION SOURCE

ESRI

DESCRIPTION OF VALUES

Positive real numbers that are automatically generated.

Hide Field SHAPE_Length ▲

Hide Details for object Breaklines ▲

DETAILS FOR OBJECT **MassPoints** ►

DEFINITION

Ground points

DEFINITION SOURCE

Fugro EarthData, Inc.

FIELD ►

FIELD DESCRIPTION

Points

DESCRIPTION SOURCE

Compilation

DESCRIPTION OF VALUES

Sequential unique whole numbers that are automatically generated.

Hide Field ▲

Hide Details for object MassPoints ▲

DETAILS FOR OBJECT **MassPoints** ►

DEFINITION

Ground points

DEFINITION SOURCE

Fugro EarthData, Inc.

FIELD ►

FIELD DESCRIPTION

Points

DESCRIPTION SOURCE

Compilation

DESCRIPTION OF VALUES

Sequential unique whole numbers that are automatically generated.

Hide Field ▲

Hide Details for object MassPoints ▲

DETAILS FOR OBJECT Contour ►

DEFINITION

Generated contours

DEFINITION SOURCE

Fugro EarthData, Inc.

FIELD ►

FIELD DESCRIPTION

Contours

DESCRIPTION SOURCE

Compilation

DESCRIPTION OF VALUES

Positive real numbers that are automatically generated.

Hide Field ▲

Hide Details for object Contour ▲

Hide Fields ▲

Metadata Details ►

- * METADATA LANGUAGE English (UNITED STATES)
- * METADATA CHARACTER SET 8859part1 - Latin alphabet No. 1

SCOPE OF THE DATA DESCRIBED BY THE METADATA * dataset

SCOPE NAME * dataset

* LAST UPDATE 2015-10-01

ARCGIS METADATA PROPERTIES

METADATA FORMAT ESRI-ISO

CREATED IN ARCGIS FOR THE ITEM 2011-02-20 15:02:49

LAST MODIFIED IN ARCGIS FOR THE ITEM 2015-10-01 08:42:45

AUTOMATIC UPDATES

HAVE BEEN PERFORMED Yes

LAST UPDATE 2015-10-01 08:42:45

[Hide Metadata Details ▲](#)

FGDC Metadata (read-only) ▼

CITATION

CITATION INFORMATION

ORIGINATOR Fugro EarthData, Inc.

PUBLICATION DATE 2010

PUBLICATION TIME Unknown

TITLE

Breaklines

EDITION 1st Edition

GEOSPATIAL DATA PRESENTATION FORM vector digital data

PUBLICATION INFORMATION

PUBLICATION PLACE Frederick, Maryland

PUBLISHER Fugro EarthData, Inc.

ONLINE LINKAGE

\\ARMISTEAD\E\09_0024_Miss_Co_BLKs\WEST\Block1W\1BW\1BW_FINAL\Counties\Yazoo.gdb

DESCRIPTION

ABSTRACT

This metadata record describes the production of a Digital Terrain Model (DTM) and contours for the state of Mississippi. The DTM was compiled at a scale 400 feet from imagery with a 2' ground sample distance (GSD) from a previous statewide project. Part of the imagery acquisition occurred January through March, 2006. With additional acquisition occurred January, 2007. The following contributed to the Mississippi Statewide dataset: Fugro EarthData, Inc., Mississippi Geographic Information, LLC, Mississippi Department Environmental Quality, NOAA Coastal Services Center, Mississippi DOT, Mississippi State University, and Mississippi Coordinating Council for Remote Sensing and GIS.

PURPOSE

The purpose of this project was to develop statewide Digital Elevation Data (DTM) from the statewide two foot resolution 2006/2007 aerial imagery.

TIME PERIOD OF CONTENT

TIME PERIOD INFORMATION

SINGLE DATE/TIME

CALENDAR DATE REQUIRED: he year (and optionally month, or month and day) for which the data set corresponds to the ground.

RANGE OF DATES/TIMES

BEGINNING DATE 2006
ENDING DATE 2010
CURRENTNESS REFERENCE
ground condition
STATUS
PROGRESS Complete
MAINTENANCE AND UPDATE FREQUENCY Unknown

SPATIAL DOMAIN
BOUNDING COORDINATES
WEST BOUNDING COORDINATE -90.779054
EAST BOUNDING COORDINATE -89.963212
NORTH BOUNDING COORDINATE 33.046469
SOUTH BOUNDING COORDINATE 32.495979

KEYWORDS
THEME
THEME KEYWORD THESAURUS ISO 19115 Topic Category
THEME KEYWORD elevation
THEME KEYWORD Digital Elevation Model
THEME KEYWORD Digital Terrain Model
THEME KEYWORD DTM
THEME KEYWORD Topography
THEME KEYWORD Altitude
THEME KEYWORD Height
THEME KEYWORD Breaklines

PLACE
PLACE KEYWORD THESAURUS Geographic Names Information System
PLACE KEYWORD Mississippi
PLACE KEYWORD USA
PLACE KEYWORD North America

STRATUM
STRATUM KEYWORD THESAURUS Land
STRATUM KEYWORD Land Surface

TEMPORAL
TEMPORAL KEYWORD THESAURUS Date
TEMPORAL KEYWORD 2006
TEMPORAL KEYWORD 2007

ACCESS CONSTRAINTS
None

USE CONSTRAINTS
Data should be used only as originally intended and is not for engineering or design purposes.

POINT OF CONTACT
CONTACT INFORMATION
CONTACT ORGANIZATION PRIMARY
CONTACT ORGANIZATION Geospatial Resources Division MDEQ - Office of Geology
CONTACT POSITION Director Geospatial Resources Division
CONTACT ADDRESS
ADDRESS TYPE mailing address
ADDRESS PO Box 2279
CITY Jackson
STATE OR PROVINCE Mississippi

POSTAL CODE 39225-2279
COUNTRY UNITED STATES

CONTACT VOICE TELEPHONE 601-961-5506
CONTACT FACSIMILE TELEPHONE 601-961-5521
CONTACT ELECTRONIC MAIL ADDRESS Stephen_Champlin@deq.state.ms.us
HOURS OF SERVICE Monday through Friday, 8:30am to 5:00pm

SECURITY INFORMATION

SECURITY CLASSIFICATION SYSTEM National data model
SECURITY CLASSIFICATION Unclassified
SECURITY HANDLING DESCRIPTION None

NATIVE DATA SET ENVIRONMENT

Microsoft Windows XP Version 5.1 (Build 2600) Service Pack 3; ESRI ArcCatalog 9.2.6.1500

[Hide Identification ▲](#)

ATTRIBUTE ACCURACY

ATTRIBUTE ACCURACY REPORT

The accuracy of the data is dependant upon the 2 foot pixel resolution aerial imagery. See positional accuracy for attributes pertaining to elevation.

QUANTITATIVE ATTRIBUTE ACCURACY ASSESSMENT

ATTRIBUTE ACCURACY VALUE 3.3

ATTRIBUTE ACCURACY EXPLANATION

RMSE value based on NGS points

LOGICAL CONSISTENCY REPORT

Compliance with the accuracy standard was ensured by the collection of photo identifiable GPS ground control

after the acquisition of aerial imagery. The following checks were performed.

1. The ground control and airborne GPS data stream were validated through a fully analytical bundle aerotriangulation adjustment. The RMSE is less than 1, 10,000th of the flying height.
2. The DEM data was checked against the project control. The technician visited and confirmed the accuracy of the points during initial processing.
3. Digital orthophotography was validated through an inspection of edge matching and visual inspection for image quality.

The following methods are used to assure imagery accuracy.

1. Use of IMU (inertial measurement unit) and ground control network utilizing GPS techniques.
2. Use of airborne GPS (global positioning system) in conjunction with the acquisition of imagery. The following software is used for validation of the imagery and surface modeling.
 1. Aerotriangulation - ISTAR
 2. DEM data - ISTAR
 3. Digital Orthophotography - ISTAR, OrthoPro, and Photoshop.
 4. Bentley - MicroStation
 5. ISTAR
 6. ESRI - ArcView, ArcMap
 7. EarthData proprietary software
 8. Adobe - Photoshop

COMPLETENESS REPORT

The data was collected from two foot pixel aerial imagery. The data set includes obscured areas and seasonal standing water. Refer to metadata process steps for methodology.

POSITIONAL ACCURACY
HORIZONTAL POSITIONAL ACCURACY
HORIZONTAL POSITIONAL ACCURACY REPORT

This data has been produced to be fully compliant with the ASPRS Class 2 at a scale of 1 = 400 feet with a 2' GSD. Resulting horizontal accuracies of +/- 4 RMSE will meet or exceed ASPRS accuracy standards.

QUANTITATIVE HORIZONTAL POSITIONAL ACCURACY ASSESSMENT

HORIZONTAL POSITIONAL ACCURACY VALUE 1.84'

HORIZONTAL POSITIONAL ACCURACY EXPLANATION

Measurement of ground control versus stereo pairs after AT processing

VERTICAL POSITIONAL ACCURACY

VERTICAL POSITIONAL ACCURACY REPORT

Map scale 1:4800 with a 5 foot ASPRS Class II contour interval for the area. Data will reference Mississippi State Plane East and West coordinates, NAD83, NAVD88 vertical datum in US Survey Feet. Accuracy of all final map products will meet or exceed ASPRS Class II accuracy standards for large scale maps. Resulting vertical accuracies of +/- 3.3 RMSE will meet or exceed ASPRS accuracy standards.

QUANTITATIVE VERTICAL POSITIONAL ACCURACY ASSESSMENT

VERTICAL POSITIONAL ACCURACY VALUE 3.3' RMSE

VERTICAL POSITIONAL ACCURACY EXPLANATION

EarthData extracted a set of 6,167 NGS points throughout the state in order to complete the final product assessment.

LINEAGE

SOURCE INFORMATION

SOURCE CITATION

CITATION INFORMATION

ORIGINATOR EarthData International, Inc. (Aviation Division)

PUBLICATION DATE 2006-03-04

TITLE

Aerial Imagery

EDITION 1

GEOSPATIAL DATA PRESENTATION FORM remote-sensing image

SOURCE SCALE DENOMINATOR 4800

TYPE OF SOURCE MEDIA disc

SOURCE TIME PERIOD OF CONTENT

TIME PERIOD INFORMATION

RANGE OF DATES/TIMES

BEGINNING DATE 2006-01-03

ENDING DATE 2006-03-04

SOURCE CURRENTNESS REFERENCE

ground condition

SOURCE CITATION ABBREVIATION

Aerial Imagery

SOURCE CONTRIBUTION

Base imagery used to compile Breaklines, Mass points, Hydrography, and Transportation..

SOURCE INFORMATION

SOURCE CITATION

CITATION INFORMATION

ORIGINATOR Waggoner Engineering, Inc.

PUBLICATION DATE 2006-06-07

PUBLICATION TIME Unknown

TITLE

Mississippi Statewide - Photo Control

EDITION 1

GEOSPATIAL DATA PRESENTATION FORM model

OTHER CITATION DETAILS

The additional 72 points were collected in 2009.

SOURCE SCALE DENOMINATOR 4800
TYPE OF SOURCE MEDIA electronic mail system
SOURCE TIME PERIOD OF CONTENT

TIME PERIOD INFORMATION

SINGLE DATE/TIME

CALENDAR DATE 2006-04-13

SOURCE CURRENTNESS REFERENCE

ground condition

SOURCE CITATION ABBREVIATION

Ground Control

SOURCE CONTRIBUTION

Waggoner Engineering, Inc., under contract to EarthData International, Inc. successfully established ground control for the Mississippi Statewide project (Part A). A total of 43

ground control points in Mississippi were acquired using GPS for both vertical and horizontal coordinate values. All 43 points utilized photo identifiable points.

Additional 72 points were surveyed to supplement the compilation project. These points were collected using a similar methodology as the previous project.

SOURCE INFORMATION

SOURCE CITATION

CITATION INFORMATION

ORIGINATOR Fugro EarthData, Inc.

PUBLICATION DATE 2009

TITLE

Aerial Triangulation

EDITION 1

GEOSPATIAL DATA PRESENTATION FORM tabular digital data

SOURCE SCALE DENOMINATOR 4800

TYPE OF SOURCE MEDIA disc

SOURCE TIME PERIOD OF CONTENT

TIME PERIOD INFORMATION

SINGLE DATE/TIME

CALENDAR DATE 2010

SOURCE CURRENTNESS REFERENCE

ground condition

SOURCE CITATION ABBREVIATION

AT

SOURCE CONTRIBUTION

Aerial triangulation report was submitted with the data. This process is an extension of ground survey data to allow compilation of mapping data.

PROCESS STEP

PROCESS DESCRIPTION

Fugro EarthData, Inc. completed all phases of aerotriangulation (AT) for the 73 flight lines covering the Mississippi, Block 1 ADS40 Orthophotography Mapping Project. All final ADS40 data and related products will be delivered to the client in the projection(s) and datum(s) of UTM 16N, NAD83, Meters. All coordinates and measurements in this report will be presented in UTM 16N, NAD83, GRS80, Meters, unless otherwise stated. The results of this Aerial Triangulation solution are sufficient to support ASPRS Class 2 five foot contours.

Collections: 9

Collection Dates: January 3rd, 11th, 24th, 29th, and 31st, February 7th and 9th, 2006

Ground Sample Distance (GSD): 1 pixel is equal to 2 ft

Flight Level(s): 18900 ft above mean terrain (AMT)

Camera Type: Leica ADS-40

Camera Serial Number(s): SP9, SH-30034, SP6

All imagery for the collection of was acquired on the dates January 3rd, 11th, 24th, 29th, and 31st, February 7th and 9th, 2006 from an altitude of 18900 ft above mean terrain (AMT). The resulting Ground Sample Distance (GSD) of 1 pixel is equal to 2 ft of ground coverage. Fugro EarthData, Inc. acquired all photography using the Leica ADS-40 digital airborne sensor, serial number(s) SP9, SH-30034, SP6, each with a calibrated focal length of 62.77 mm. The entire project collection was completed with a total of 9 lift(s).

SOURCE USED CITATION ABBREVIATION

Ground Control

SOURCE USED CITATION ABBREVIATION

Aerial Imagery

PROCESS DATE 2009-09-22

SOURCE PRODUCED CITATION ABBREVIATION

AT

PROCESS CONTACT

CONTACT INFORMATION

CONTACT ORGANIZATION PRIMARY

CONTACT ORGANIZATION Fugro EarthData, Inc.

CONTACT PERSON John Knowlton

CONTACT POSITION Project Manager

CONTACT ADDRESS

ADDRESS TYPE mailing and physical address

ADDRESS 7320 Executive Way

CITY Frederick

STATE OR PROVINCE MD

POSTAL CODE 21704

COUNTRY UNITED STATES

CONTACT VOICE TELEPHONE 301-948-8550 x212

CONTACT FACSIMILE TELEPHONE 301-963-2064

CONTACT ELECTRONIC MAIL ADDRESS jknowlton@earthdata.com

HOURS OF SERVICE Monday through Friday, 8:30am to 5:00pm

PROCESS STEP

PROCESS DESCRIPTION

Fugro EarthData, Inc. completed all phases of aerotriangulation (AT) for the 75 flight lines covering the Mississippi, Block 2 ADS40 Orthophotography Mapping Project. All final ADS40 data and related products will be delivered to the client in the projection(s) and datum(s) of UTM 16N, NAD83, Meters. All coordinates and measurements in this report will be presented in UTM 16N, NAD83, GRS80, Meters, unless otherwise stated. The results of this Aerial Triangulation solution are sufficient to support ASPRS Class 2 five foot contours.

Collections: 11

Collection Dates: January 5th, 7th, 14th, and 31st, February 4th, 7th, 9th, and 13th, 2006

Ground Sample Distance (GSD): 1 pixel is equal to 2 ft

Flight Level(s):18900ft above mean terrain (AMT)

Camera Type: Leica ADS40

Camera Serial Number(s): SP9, SH-30034, SP12, SP6

All imagery for the collection of was acquired on the dates January 5th, 7th, 14th, and 31st, February 4th, 7th, 9th, and 13th, 2006 from an altitude of 18900 ft above mean terrain (AMT). The resulting Ground Sample Distance (GSD) of 1 pixel is equal to 2 ft of ground coverage. Fugro EarthData, Inc. acquired all photography using the Leica ADS40 digital airborne sensor, serial number(s) SP9, SH-30034, SP12, SP6, each with

a calibrated focal length of 62.77 mm. The entire project collection was completed with a total of 11 lift(s).

PROCESS DATE 2009-09-22

PROCESS CONTACT
CONTACT INFORMATION
CONTACT ORGANIZATION PRIMARY
CONTACT ORGANIZATION Fugro EarthData, Inc.
CONTACT PERSON John Knowlton
CONTACT POSITION Project Manager
CONTACT ADDRESS
ADDRESS TYPE mailing and physical address
ADDRESS 7320 Executive Way
CITY Frederick
STATE OR PROVINCE MD
POSTAL CODE 21704
COUNTRY UNITED STATES

CONTACT VOICE TELEPHONE 301-948-8550
CONTACT FACSIMILE TELEPHONE 301-863-2064
CONTACT ELECTRONIC MAIL ADDRESS jknowlton@earthdata.com
HOURS OF SERVICE M-F 8-5

PROCESS STEP

PROCESS DESCRIPTION

Fugro EarthData, Inc. completed all phases of aerotriangulation (AT) for the 73 flight lines covering the Mississippi, Block 3 ADS40 Orthophotography Mapping Project. All final ADS40 data and related products will be delivered to the client in the projection(s) and datum(s) of UTM 16N, NAD83, Meters. All coordinates and measurements in this report will be presented in UTM 16N, NAD83, GRS80, Meters, unless otherwise stated. The results of this Aerial Triangulation solution are sufficient to support ASPRS Class 2 five foot contours.

Collections: 13

Collection Dates: January 5th, 7th, 11th, 14th, and 25th, February 13th, March 1st and 4th, 2006

Ground Sample Distance (GSD): 1 pixel is equal to 2 ft

Flight Level(s): 18900 ft above mean terrain (AMT)

Camera Type: Leica ADS40

Camera Serial Number(s): SP9, SH-30034, SP12, SP6, SP17, SP19

All imagery for the collection of was acquired on the dates January 5th, 7th, 11th, 14th, and 25th, February 13th, March 1st and 4th, 2006 from an altitude of 18901 ft above mean terrain (AMT). The resulting Ground Sample Distance (GSD) of 1 pixel is equal to 2 ft of ground coverage. Fugro EarthData, Inc. acquired all photography using the Leica ADS40 digital airborne sensor, serial number(s) SP9, SH-30034, SP12, SP6, SP17, SP19, each with a calibrated focal length of 62.77 mm. The entire project collection was completed with a total of 13 lift(s).

PROCESS DATE 2009-09-22

PROCESS CONTACT
CONTACT INFORMATION
CONTACT ORGANIZATION PRIMARY
CONTACT ORGANIZATION Fugro EarthData, Inc.
CONTACT PERSON John Knowlton
CONTACT POSITION Project Manager
CONTACT ADDRESS
ADDRESS TYPE mailing and physical address
ADDRESS 7320 Executive Way

CITY Frederick
STATE OR PROVINCE MD
POSTAL CODE 21704
COUNTRY UNITED STATES

CONTACT VOICE TELEPHONE 301-948-8550
CONTACT FACSIMILE TELEPHONE 301-963-2064
CONTACT ELECTRONIC MAIL ADDRESS jknowlton@earthdata.com

PROCESS STEP

PROCESS DESCRIPTION

Block 4 was processed under this work order but was scheduled to have additional field points incorporated into the solution on a later contract. Fugro EarthData, Inc. completed all phases of aerotriangulation (AT) for the 56 flight lines covering the Mississippi, Block 4 ADS40 Orthophotography Mapping Project. All final ADS40 data and related products will be delivered to the client in the projection(s) and datum(s) of UTM 16N, NAD83, Meters. All coordinates and measurements in this report will be presented in UTM 16N, NAD83, GRS80, Meters, unless otherwise stated. The results of this Aerial Triangulation solution are sufficient to support ASPRS Class 2 five foot contours.

Collections: 9

Collection Dates: January 5th, 7th, 14th, 29th, 8th and 29th, 2007

Ground Sample Distance (GSD): 1 pixel is equal to 2 ft

Flight Level(s): 18900 ft above mean terrain (AMT)

Camera Type: Leica ADS40

Camera Serial Number(s): SP12, SP6, SP19, SP17

All imagery for the collection of was acquired on the dates January 5th, 7th, 14th, 29th, 8th and 29th, 2007 from an altitude of 18901 ft above mean terrain (AMT). The resulting Ground Sample Distance (GSD) of 1 pixel is equal to 2 ft of ground coverage. Fugro EarthData, Inc. acquired all photography using the Leica ADS40 digital airborne sensor, serial number(s) SP12, SP6, SP19, SP17, each with a calibrated focal length of 62.77 mm. The entire project collection was completed with a total of 9 lift(s).

PROCESS DATE 2009-10-28

PROCESS CONTACT

CONTACT INFORMATION

CONTACT ORGANIZATION PRIMARY

CONTACT ORGANIZATION Fugro EarthData, Inc.

CONTACT PERSON John Knowlton

CONTACT POSITION Project Manager

CONTACT ADDRESS

ADDRESS TYPE mailing and physical address

ADDRESS 7320 Executive Way

CITY Frederick

STATE OR PROVINCE MD

POSTAL CODE 21704

COUNTRY UNITED STATES

CONTACT VOICE TELEPHONE 301-948-8550
CONTACT FACSIMILE TELEPHONE 301-963-2064
CONTACT ELECTRONIC MAIL ADDRESS jknowlton@earthdata.com

PROCESS STEP

PROCESS DESCRIPTION

Fugro EarthData, Inc. completed all phases of aerotriangulation (AT) for the 56 flight lines covering the Mississippi, Block 5 ADS40 Orthophotography Mapping Project. All

final ADS40 data and related products will be delivered to the client in the projection(s) and datum(s) of UTM 16N, NAD83, Meters. All coordinates and measurements in this report will be presented in UTM 16N, NAD83, GRS80, Meters, unless otherwise stated. The results of this Aerial Triangulation solution are sufficient to support ASPRS Class 2 five foot contours.

Collections: 12

Collection Dates: January 2nd, 6th, 9th, and 29th, March 8th, 9th, 16th, and 17th, 2007

Ground Sample Distance (GSD): 1 pixel is equal to 2 ft

Flight Level(s): 18900 ft above mean terrain (AMT)

Camera Type: Leica ADS40

Camera Serial Number(s): SP9, SP19

All imagery for the collection of was acquired on the dates January 2nd, 6th, 9th, and 29th, March 8th, 9th, 16th, and 17th, 2007 from an altitude of 18901 ft above mean terrain (AMT). The resulting Ground Sample Distance (GSD) of 1 pixel is equal to 2 ft of ground coverage. Fugro EarthData, Inc. acquired all photography using the Leica ADS40 digital airborne sensor, serial number(s) SP9, SP19, each with a calibrated focal length of 62.77 mm. The entire project collection was completed with a total of 12 lift(s).

PROCESS DATE 2009-09-22

PROCESS CONTACT

CONTACT INFORMATION

CONTACT ORGANIZATION PRIMARY

CONTACT ORGANIZATION Fugro EarthData, Inc.

CONTACT PERSON John Knowlton

CONTACT POSITION Project Manager

CONTACT ADDRESS

ADDRESS TYPE mailing and physical address

ADDRESS 7320 Executive Way

CITY Frederick

STATE OR PROVINCE MD

POSTAL CODE 21704

COUNTRY UNITED STATES

CONTACT VOICE TELEPHONE 301-948-8550

CONTACT FACSIMILE TELEPHONE 301-963-2064

CONTACT ELECTRONIC MAIL ADDRESS jknowlton@earthdata.com

PROCESS STEP

PROCESS DESCRIPTION

Stereo pairs generated from the 2' GSD orthoimagery, were used for compiling the breaklines and mass points.

Breaklines were captured along water features and designate closed marsh, other open water and other water bodies (i.e. streams) were captured to the standard cartographic specifications for 400-scale mapping.

Supporting compiled features include a 200' post grid of mass points and other required breaklines necessary to support generation of 5' Class II contours. Breaklines were placed in such locations as sharp peaks and valleys, cliffs, drop offs, cut, fill, road crowns, drainage features, etc. It should be noted that these supplemental breaklines were compiled on an as-needed basis only, and will not serve as a complete transportation or other planimetric data layer. Breaklines were placed to suitably define the terrain for the contours to meet the accuracy standard. Following breakline compilation, extraneous mass points may have been eliminated near breakline features that take precedence for contour generation. As a result, the final deliverable mass

point data set may have isolated areas that do not comply with the nominal 200' spacing.

SOURCE USED CITATION ABBREVIATION
Ground Control

SOURCE USED CITATION ABBREVIATION
Aerial Imagery

PROCESS DATE 2010

PROCESS CONTACT
CONTACT INFORMATION
CONTACT ORGANIZATION PRIMARY
CONTACT ORGANIZATION Fugro EarthData, Inc.
CONTACT PERSON John Knowlton
CONTACT POSITION Project Manager
CONTACT ADDRESS
ADDRESS TYPE mailing and physical address
ADDRESS 7320 Executive Way
CITY Frederick
STATE OR PROVINCE MD
POSTAL CODE 21704
COUNTRY UNITED STATES

CONTACT VOICE TELEPHONE 301-948-8550
CONTACT FACSIMILE TELEPHONE 301-963-2064
CONTACT ELECTRONIC MAIL ADDRESS jknowlton@earthdata.com

PROCESS STEP

PROCESS DESCRIPTION
Following compilation and editing of the mass points and breaklines, a triangulated irregular network (TIN) was generated as the first step in contour generation. Using the resulting TIN, the contours were generated at a 5' interval. The 5-foot contours were auto-generated using TerraModeler software running on MicroStation. The TIN is considered a production product only and will not be delivered. All resulting contour datasets were translated from MicroStation to ArcInfo geodatabase meeting the requirements of the client supplied database schema.

PROCESS DATE 2010

PROCESS CONTACT
CONTACT INFORMATION
CONTACT ORGANIZATION PRIMARY
CONTACT ORGANIZATION Fugro EarthData, Inc.
CONTACT PERSON John Knowlton
CONTACT POSITION Project Manager
CONTACT ADDRESS
ADDRESS TYPE mailing and physical address
ADDRESS 7320 Executive Way
CITY Frederick
STATE OR PROVINCE MD
POSTAL CODE 21704
COUNTRY UNITED STATES

CONTACT VOICE TELEPHONE 301-948-8550
CONTACT FACSIMILE TELEPHONE 301-963-2064
CONTACT ELECTRONIC MAIL ADDRESS jknowlton@earthdata.com

PROCESS STEP

PROCESS DESCRIPTION

In areas with water above normal levels the elevation was established where the water was at its lowest point on either end of the high water. The elevation was then computed on either end to establish flow direction. Water direction was checked at inflows from side streams as well and flow direction was verified.

PROCESS DATE 2010

PROCESS CONTACT
CONTACT INFORMATION
CONTACT ORGANIZATION PRIMARY
CONTACT ORGANIZATION Fugro Earthdata, Inc.
CONTACT POSITION Project Manager
CONTACT ADDRESS
ADDRESS TYPE mailing and physical address
ADDRESS 7320 Executive Way
CITY Frederick
STATE OR PROVINCE MD
POSTAL CODE 21704
COUNTRY UNITED STATES

CONTACT VOICE TELEPHONE 301-948-8550
CONTACT FACSIMILE TELEPHONE 301-
HOURS OF SERVICE 8-5 M-F

PROCESS STEP

PROCESS DESCRIPTION

The aerial imagery acquisition for the Mississippi Statewide project (Part A) was flown to support the creation of digital orthophotography with a 2' GSD. The imagery was acquired in 31 lifts consisting of 285 lines running east, west. The imagery was flown at 18,900 feet above mean terrain. Imagery was flown with a 30% overlap between flight lines. All imagery was collected using the Leica ADS40 digital pushbroom sensor. The aerial imagery acquisition for Part B MS was flown to support the creation of digital orthophotography with a 2ft GSD. The imagery was acquired in 6 lifts consisting of 116 lines running east, west. The imagery was flown at 18900 Des. Alt AGL (ft). Imagery was flown with a 30% overlap between flight lines. All imagery was collected using the Leica ADS40 digital pushbroom sensor.

PROCESS DATE 2006

PROCESS STEP

PROCESS DESCRIPTION

Metadata imported.

SOURCE USED CITATION ABBREVIATION

C:\Final_Files_to_use\MS_breaklines.xml

CLOUD COVER 0

[Hide Data Quality](#) ▲

HORIZONTAL COORDINATE SYSTEM DEFINITION
PLANAR

PLANAR COORDINATE INFORMATION

PLANAR COORDINATE ENCODING METHOD coordinate pair

COORDINATE REPRESENTATION

ABSCISSA RESOLUTION 0.000328

ORDINATE RESOLUTION 0.000328

PLANAR DISTANCE UNITS survey feet

GEODETTIC MODEL

HORIZONTAL DATUM NAME D_North_American_1983_HARN

ELLIPSOID NAME Geodetic Reference System 80
SEMI-MAJOR AXIS 6378137.000000
DENOMINATOR OF FLATTENING RATIO 298.257222

VERTICAL COORDINATE SYSTEM DEFINITION
ALTITUDE SYSTEM DEFINITION
ALTITUDE DATUM NAME North American Vertical Datum of 1988
ALTITUDE RESOLUTION 0.000328
ALTITUDE DISTANCE UNITS Feet
ALTITUDE ENCODING METHOD Explicit elevation coordinate included with horizontal coordinates

Hide Spatial Reference ▲

DETAILED DESCRIPTION
ENTITY TYPE
ENTITY TYPE LABEL Breaklines
ENTITY TYPE DEFINITION

Lines

ENTITY TYPE DEFINITION SOURCE Fugro EarthData, Inc.

ATTRIBUTE
ATTRIBUTE LABEL OBJECTID
ATTRIBUTE DEFINITION

Internal feature number.

ATTRIBUTE DEFINITION SOURCE ESRI

ATTRIBUTE DOMAIN VALUES

UNREPRESENTABLE DOMAIN

Sequential unique whole numbers that are automatically generated.

ATTRIBUTE
ATTRIBUTE LABEL SHAPE
ATTRIBUTE DEFINITION

Feature geometry.

ATTRIBUTE DEFINITION SOURCE ESRI

ATTRIBUTE DOMAIN VALUES

UNREPRESENTABLE DOMAIN

Sequential unique whole numbers that are automatically generated.

ATTRIBUTE
ATTRIBUTE LABEL SOURCE_DATADESC
ATTRIBUTE DEFINITION

Aerial Imagery

ATTRIBUTE DEFINITION SOURCE Fugro EarthData

ATTRIBUTE DOMAIN VALUES

UNREPRESENTABLE DOMAIN

Imagery

ATTRIBUTE
ATTRIBUTE LABEL DATA_SECURITY
ATTRIBUTE DEFINITION

Security classification code

ATTRIBUTE DEFINITION SOURCE National data model values

ATTRIBUTE DOMAIN VALUES

ENUMERATED DOMAIN

ENUMERATED DOMAIN VALUE 0

ENUMERATED DOMAIN VALUE DEFINITION

Unknown

ENUMERATED DOMAIN VALUE DEFINITION SOURCE

National data Model
ENUMERATED DOMAIN
ENUMERATED DOMAIN VALUE 1
ENUMERATED DOMAIN VALUE DEFINITION
top secret
ENUMERATED DOMAIN VALUE DEFINITION SOURCE
National data model
ENUMERATED DOMAIN
ENUMERATED DOMAIN VALUE 2
ENUMERATED DOMAIN VALUE DEFINITION
secret
ENUMERATED DOMAIN VALUE DEFINITION SOURCE
National data model
ENUMERATED DOMAIN
ENUMERATED DOMAIN VALUE 3
ENUMERATED DOMAIN VALUE DEFINITION
confidential
ENUMERATED DOMAIN VALUE DEFINITION SOURCE
national data model
ENUMERATED DOMAIN
ENUMERATED DOMAIN VALUE 4
ENUMERATED DOMAIN VALUE DEFINITION
restricted
ENUMERATED DOMAIN VALUE DEFINITION SOURCE
national data model
ENUMERATED DOMAIN
ENUMERATED DOMAIN VALUE 5
ENUMERATED DOMAIN VALUE DEFINITION
unclassified
ENUMERATED DOMAIN VALUE DEFINITION SOURCE
national data model
ENUMERATED DOMAIN
ENUMERATED DOMAIN VALUE 6
ENUMERATED DOMAIN VALUE DEFINITION
Sensitive
ENUMERATED DOMAIN VALUE DEFINITION SOURCE
national data model
ATTRIBUTE VALUE ACCURACY INFORMATION
ATTRIBUTE VALUE ACCURACY 5
ATTRIBUTE VALUE ACCURACY EXPLANATION
unclassified
ATTRIBUTE MEASUREMENT FREQUENCY
Unknown
ATTRIBUTE
ATTRIBUTE LABEL DISTRIBUTION_POLICY
ATTRIBUTE DEFINITION
access and use constraints of data E4
ATTRIBUTE DEFINITION SOURCE national data model
ATTRIBUTE DOMAIN VALUES
ENUMERATED DOMAIN
ENUMERATED DOMAIN VALUE A1
ENUMERATED DOMAIN VALUE DEFINITION
emergency service provider - internal use only
ENUMERATED DOMAIN VALUE DEFINITION SOURCE
national data model
ENUMERATED DOMAIN
ENUMERATED DOMAIN VALUE A2
ENUMERATED DOMAIN VALUE DEFINITION

emergency service provider - bitmap display via web
ENUMERATED DOMAIN VALUE DEFINITION SOURCE
national data model
ENUMERATED DOMAIN
ENUMERATED DOMAIN VALUE A3
ENUMERATED DOMAIN VALUE DEFINITION
emergency service provider - free distribution to third parties
ENUMERATED DOMAIN VALUE DEFINITION SOURCE
national data model
ENUMERATED DOMAIN
ENUMERATED DOMAIN VALUE A4
ENUMERATED DOMAIN VALUE DEFINITION
emergency service provider - free distribution to third parties via internet
ENUMERATED DOMAIN VALUE DEFINITION SOURCE
national data model
ENUMERATED DOMAIN
ENUMERATED DOMAIN VALUE B1
ENUMERATED DOMAIN VALUE DEFINITION
government agencies or thier delegated agents - internal use only
ENUMERATED DOMAIN VALUE DEFINITION SOURCE
national data model
ENUMERATED DOMAIN
ENUMERATED DOMAIN VALUE B2
ENUMERATED DOMAIN VALUE DEFINITION
government agencies or their delegated agents - bitmap display via web
ENUMERATED DOMAIN VALUE DEFINITION SOURCE
national data model
ENUMERATED DOMAIN
ENUMERATED DOMAIN VALUE B3
ENUMERATED DOMAIN VALUE DEFINITION
government agencies or their delegated agents - free distribution to third parties
ENUMERATED DOMAIN VALUE DEFINITION SOURCE
national data model
ENUMERATED DOMAIN
ENUMERATED DOMAIN VALUE B4
ENUMERATED DOMAIN VALUE DEFINITION
government agencies or their delegated agents - free distribution to third parties via internet
ENUMERATED DOMAIN VALUE DEFINITION SOURCE
national data model
ENUMERATED DOMAIN
ENUMERATED DOMAIN VALUE C1
ENUMERATED DOMAIN VALUE DEFINITION
other public or educational institutions - internal use only
ENUMERATED DOMAIN VALUE DEFINITION SOURCE
national data model
ENUMERATED DOMAIN
ENUMERATED DOMAIN VALUE C2
ENUMERATED DOMAIN VALUE DEFINITION
other public or educational institutions bitmap display via web
ENUMERATED DOMAIN VALUE DEFINITION SOURCE
national data model
ENUMERATED DOMAIN
ENUMERATED DOMAIN VALUE C3
ENUMERATED DOMAIN VALUE DEFINITION
other public or educational institutions - free distibutions to third parties
ENUMERATED DOMAIN VALUE DEFINITION SOURCE
national data model
ENUMERATED DOMAIN

ENUMERATED DOMAIN VALUE C4
ENUMERATED DOMAIN VALUE DEFINITION
other public or educational institutions - free distribution to third parties via internet
ENUMERATED DOMAIN VALUE DEFINITION SOURCE
national data model

ENUMERATED DOMAIN
ENUMERATED DOMAIN VALUE D1
ENUMERATED DOMAIN VALUE DEFINITION
data contributors - internal use only
ENUMERATED DOMAIN VALUE DEFINITION SOURCE
national data model

ENUMERATED DOMAIN
ENUMERATED DOMAIN VALUE D2
ENUMERATED DOMAIN VALUE DEFINITION
data contributors - bitmap display via internet
ENUMERATED DOMAIN VALUE DEFINITION SOURCE
national data model

ENUMERATED DOMAIN
ENUMERATED DOMAIN VALUE D3
ENUMERATED DOMAIN VALUE DEFINITION
data contributors - free distribution to third parties
ENUMERATED DOMAIN VALUE DEFINITION SOURCE
national data model

ENUMERATED DOMAIN
ENUMERATED DOMAIN VALUE D4
ENUMERATED DOMAIN VALUE DEFINITION
data contributors - free distribution to third parties via internet
ENUMERATED DOMAIN VALUE DEFINITION SOURCE
national data model

ENUMERATED DOMAIN
ENUMERATED DOMAIN VALUE E1
ENUMERATED DOMAIN VALUE DEFINITION
Public domain - internal use only
ENUMERATED DOMAIN VALUE DEFINITION SOURCE
national data model

ENUMERATED DOMAIN
ENUMERATED DOMAIN VALUE E2
ENUMERATED DOMAIN VALUE DEFINITION
Public domain - bitmap display via web
ENUMERATED DOMAIN VALUE DEFINITION SOURCE
national data model

ENUMERATED DOMAIN
ENUMERATED DOMAIN VALUE E3
ENUMERATED DOMAIN VALUE DEFINITION
Public domain - free distribution to third parties
ENUMERATED DOMAIN VALUE DEFINITION SOURCE
national data model

ENUMERATED DOMAIN
ENUMERATED DOMAIN VALUE E4
ENUMERATED DOMAIN VALUE DEFINITION
Public domain - free distribution to third parties via internet
ENUMERATED DOMAIN VALUE DEFINITION SOURCE
national data model

ATTRIBUTE VALUE ACCURACY INFORMATION
ATTRIBUTE VALUE ACCURACY 4
ATTRIBUTE VALUE ACCURACY EXPLANATION
Public domain - free distribution to third parties via internet
ATTRIBUTE MEASUREMENT FREQUENCY
None planned

ATTRIBUTE
ATTRIBUTE LABEL LOADDATE
ATTRIBUTE DEFINITION
Date
ATTRIBUTE DEFINITION SOURCE ESRI
ATTRIBUTE DOMAIN VALUES
ENUMERATED DOMAIN
ENUMERATED DOMAIN VALUE Date
ENUMERATED DOMAIN VALUE DEFINITION
Image capture and processing date
ENUMERATED DOMAIN VALUE DEFINITION SOURCE
Date of service

ATTRIBUTE
ATTRIBUTE LABEL QUALITY
ATTRIBUTE DEFINITION
Attribute code on the quality of the data base on MDEM standards
ATTRIBUTE DEFINITION SOURCE national data model
ATTRIBUTE DOMAIN VALUES
ENUMERATED DOMAIN
ENUMERATED DOMAIN VALUE 1
ENUMERATED DOMAIN VALUE DEFINITION
MDEM
ENUMERATED DOMAIN VALUE DEFINITION SOURCE
National Data Model
ENUMERATED DOMAIN
ENUMERATED DOMAIN VALUE 2
ENUMERATED DOMAIN VALUE DEFINITION
Non MDEM
ENUMERATED DOMAIN VALUE DEFINITION SOURCE
national data model
ENUMERATED DOMAIN
ENUMERATED DOMAIN VALUE 0
ENUMERATED DOMAIN VALUE DEFINITION
unknown
ENUMERATED DOMAIN VALUE DEFINITION SOURCE
national data model
ATTRIBUTE VALUE ACCURACY INFORMATION
ATTRIBUTE VALUE ACCURACY 1
ATTRIBUTE VALUE ACCURACY EXPLANATION
MDEM
ATTRIBUTE MEASUREMENT FREQUENCY
None planned

ATTRIBUTE
ATTRIBUTE LABEL SCALE
ATTRIBUTE DEFINITION
1:4800
ATTRIBUTE DEFINITION SOURCE national data model
ATTRIBUTE DOMAIN VALUES
ENUMERATED DOMAIN
ENUMERATED DOMAIN VALUE 0
ENUMERATED DOMAIN VALUE DEFINITION
unknown or scale NA
ENUMERATED DOMAIN VALUE DEFINITION SOURCE
national data model
ENUMERATED DOMAIN
ENUMERATED DOMAIN VALUE 1

ENUMERATED DOMAIN VALUE DEFINITION
small scale
ENUMERATED DOMAIN VALUE DEFINITION SOURCE
national data model
ENUMERATED DOMAIN
ENUMERATED DOMAIN VALUE 2
ENUMERATED DOMAIN VALUE DEFINITION
medium scale
ENUMERATED DOMAIN VALUE DEFINITION SOURCE
national data model
ENUMERATED DOMAIN
ENUMERATED DOMAIN VALUE 3
ENUMERATED DOMAIN VALUE DEFINITION
large scale
ENUMERATED DOMAIN VALUE DEFINITION SOURCE
national data model
ATTRIBUTE VALUE ACCURACY INFORMATION
ATTRIBUTE VALUE ACCURACY 2
ATTRIBUTE VALUE ACCURACY EXPLANATION
medium
ATTRIBUTE MEASUREMENT FREQUENCY
None planned

ATTRIBUTE
ATTRIBUTE LABEL Level
ATTRIBUTE DEFINITION
Microstation designation
ATTRIBUTE DEFINITION SOURCE Microstation
ATTRIBUTE DOMAIN VALUES
UNREPRESENTABLE DOMAIN
Microstation level

ATTRIBUTE
ATTRIBUTE LABEL SHAPE_Length
ATTRIBUTE DEFINITION
Length of feature in internal units.
ATTRIBUTE DEFINITION SOURCE ESRI
ATTRIBUTE DOMAIN VALUES
UNREPRESENTABLE DOMAIN
Positive real numbers that are automatically generated.

DETAILED DESCRIPTION
ENTITY TYPE
ENTITY TYPE LABEL MassPoints
ENTITY TYPE DEFINITION
Ground points
ENTITY TYPE DEFINITION SOURCE Fugro EarthData, Inc.

ATTRIBUTE
ATTRIBUTE DEFINITION
Points
ATTRIBUTE DEFINITION SOURCE Compilation
ATTRIBUTE DOMAIN VALUES
UNREPRESENTABLE DOMAIN
Sequential unique whole numbers that are automatically generated.

DETAILED DESCRIPTION
ENTITY TYPE
ENTITY TYPE LABEL MassPoints

ENTITY TYPE DEFINITION
Ground points
ENTITY TYPE DEFINITION SOURCE Fugro EarthData, Inc.

ATTRIBUTE
ATTRIBUTE DEFINITION
Points
ATTRIBUTE DEFINITION SOURCE Compilation
ATTRIBUTE DOMAIN VALUES
UNREPRESENTABLE DOMAIN
Sequential unique whole numbers that are automatically generated.

DETAILED DESCRIPTION
ENTITY TYPE
ENTITY TYPE LABEL Contour
ENTITY TYPE DEFINITION
Generated contours
ENTITY TYPE DEFINITION SOURCE Fugro EarthData, Inc.

ATTRIBUTE
ATTRIBUTE DEFINITION
Contours
ATTRIBUTE DEFINITION SOURCE Compilation
ATTRIBUTE DOMAIN VALUES
UNREPRESENTABLE DOMAIN
Positive real numbers that are automatically generated.

Hide Entities and Attributes ▲

DISTRIBUTOR
CONTACT INFORMATION
CONTACT ORGANIZATION PRIMARY
CONTACT ORGANIZATION Mississippi Geospatial Clearinghouse, Mississippi Department
Information Technology Service
CONTACT ADDRESS
ADDRESS TYPE physical address
ADDRESS 301 N. Lamar Street, Suite 508
CITY Jackson
STATE OR PROVINCE MS
POSTAL CODE 39201-1495
COUNTRY UNITED STATES

CONTACT VOICE TELEPHONE (601) 359-1395
CONTACT FACSIMILE TELEPHONE (601) 354-6016
HOURS OF SERVICE 8:00 - 5:00

RESOURCE DESCRIPTION Mississippi Statewide Digital Terrain Model (DTM) and Contour
Mapping 2006-2007
DISTRIBUTION LIABILITY
The Mississippi Office of Geology provides the data to any interested party as is in the
present format.

STANDARD ORDER PROCESS
DIGITAL FORM
DIGITAL TRANSFER INFORMATION
FORMAT NAME ARCE
FORMAT VERSION NUMBER gdb
FORMAT SPECIFICATION
available in a variety of formats

DIGITAL TRANSFER OPTION
ONLINE OPTION
COMPUTER CONTACT INFORMATION
NETWORK ADDRESS
NETWORK RESOURCE NAME <http://www.gis.ms.gov>

OFFLINE OPTION
OFFLINE MEDIA portable hard drive
RECORDING CAPACITY
RECORDING DENSITY 1
RECORDING DENSITY UNITS NA
RECORDING FORMAT MS
COMPATIBILITY INFORMATION
MS

FEES none
ORDERING INSTRUCTIONS
see Geospatial Clearinghouse website for instructions.

AVAILABLE TIME PERIOD
TIME PERIOD INFORMATION
SINGLE DATE/TIME
CALENDAR DATE 2010

Hide Distribution Information ▲

METADATA DATE 2011-02-20
METADATA REVIEW DATE 2010-08-10
METADATA CONTACT
CONTACT INFORMATION
CONTACT ORGANIZATION PRIMARY
CONTACT ORGANIZATION Fugro EarthData, Inc.
CONTACT PERSON John Knowlton
CONTACT POSITION Project Manager
CONTACT ADDRESS
ADDRESS TYPE mailing and physical address
ADDRESS 7320 Executive Way
CITY Frederick
STATE OR PROVINCE MD
POSTAL CODE 21704
COUNTRY UNITED STATES

CONTACT VOICE TELEPHONE 301-948-8550 x212
CONTACT FACSIMILE TELEPHONE 301-963-2064
CONTACT ELECTRONIC MAIL ADDRESS jknowlton@earthdata.com
HOURS OF SERVICE Monday through Friday, 8:30am to 5:00pm

METADATA STANDARD NAME FGDC Content Standards for Digital Geospatial Metadata
METADATA STANDARD VERSION FGDC-STD-001-1998
METADATA TIME CONVENTION local time

METADATA USE CONSTRAINTS
None

METADATA EXTENSIONS
ONLINE LINKAGE <http://www.esri.com/metadata/esriprof80.html>
PROFILE NAME ESRI Metadata Profile

Hide Metadata Reference ▲