

MS Voting Precincts - 2012

Shapefile

Thumbnail Not Available

Tags

There are no tags for this item.

Summary

This data set is the updated Voting Precincts for Mississippi.

Description

This is the updated voting precincts for Mississippi. The original data is the December 2010 US Census Bureau's precinct files by county. In March 2012, MARIS staff updated precinct boundaries for those counties that had received approval of new boundaries by March 3 2012. Other counties' boundaries are based on the 2008 precincts turned into the US Census Bureau for inclusion in the 2010 Census. The following is a list of counties that were updated: DESOTO, MADISON, OKTIBBEHA, WALTHALL, YAZOO, HINDS, RANKIN, JONES, JACKSON..

Credits

There are no credits for this item.

Use limitations

There are no access and use limitations for this item.

ArcGIS Metadata ▶

Topics and Keywords ▶

* CONTENT TYPE Downloadable Data

Hide Topics and Keywords ▲

Citation ▶

TITLE MS Voting Precincts - 2012
CREATION DATE 2012-03-30 00:00:00

PRESENTATION FORMATS * digital map

Locales ▶

LOCALE (UNITED STATES)

Resource Details ▶

DATASET LANGUAGES * English (UNITED STATES)
DATASET CHARACTER SET utf8 - 8 bit UCS Transfer Format

SPATIAL REPRESENTATION TYPE * vector

* PROCESSING ENVIRONMENT Microsoft Windows XP Version 5.1 (Build 2600) Service Pack 3;
ESRI ArcGIS 10.0.4.4000

ARCGIS ITEM PROPERTIES

* NAME precincts_12
* SIZE 22.543
* LOCATION file://\SWALKER-6712\E\$\DATA\Updated_Precincts_12\precincts_12.shp
* ACCESS PROTOCOL Local Area Network

Extents ▶

EXTENT
GEOGRAPHIC EXTENT
BOUNDING RECTANGLE
EXTENT TYPE Extent used for searching

- * WEST LONGITUDE -91.737508
- * EAST LONGITUDE -88.095839
- * NORTH LATITUDE 35.005536
- * SOUTH LATITUDE 30.139022
- * EXTENT CONTAINS THE RESOURCE Yes

EXTENT IN THE ITEM'S COORDINATE SYSTEM

- * WEST LONGITUDE 318558.009746
- * EAST LONGITUDE 650997.953624
- * SOUTH LATITUDE 1039767.637839
- * NORTH LATITUDE 1577862.780447
- * EXTENT CONTAINS THE RESOURCE Yes

Resource Points of Contact ▶

POINT OF CONTACT

INDIVIDUAL'S NAME Steve Walker
ORGANIZATION'S NAME MARIS
CONTACT'S POSITION GIS Operations Manager
CONTACT'S ROLE custodian

Resource Maintenance ▶

RESOURCE MAINTENANCE

UPDATE FREQUENCY not planned

Spatial Reference ▶

ARCGIS COORDINATE SYSTEM

- * TYPE Projected
- * GEOGRAPHIC COORDINATE REFERENCE GCS_North_American_1983
- * PROJECTION mstm
- * COORDINATE REFERENCE DETAILS

PROJECTED COORDINATE SYSTEM

X ORIGIN -5122200
Y ORIGIN -12297100
XY SCALE 450339697.45066422
Z ORIGIN -100000
Z SCALE 10000
M ORIGIN -100000
M SCALE 10000
XY TOLERANCE 0.001
Z TOLERANCE 0.001
M TOLERANCE 0.001
HIGH PRECISION true

WELL-KNOWN TEXT

PROJCS["mstm",GEOGCS["GCS_North_American_1983",DATUM["D_North_American_1983",SPHEROID["GRS_1980",6378137.0,298.257222101]],PRIMEM["Greenwich",0.0],UNIT["Degree",0.0174532925199433]],PROJECTION["Transverse_Mercator"],PARAMETER["False_Easting",500000.0],PARAMETER["False_Northing",1300000.0],PARAMETER["Central_Meridian",-89.75],PARAMETER["Scale_Factor",0.9998335],PARAMETER["Latitude_Of_Origin",32.5],UNIT["Meter",1.0]]

REFERENCE SYSTEM IDENTIFIER

- * VALUE 0

Spatial Data Properties ▶

VECTOR ▶

* LEVEL OF TOPOLOGY FOR THIS DATASET geometry only

GEOMETRIC OBJECTS

FEATURE CLASS NAME precincts_12

* OBJECT TYPE composite

* OBJECT COUNT 1962

ARCGIS FEATURE CLASS PROPERTIES ▶

* FEATURE TYPE Simple

* GEOMETRY TYPE Polygon

* HAS TOPOLOGY FALSE

* FEATURE COUNT 1962

* SPATIAL INDEX TRUE

* LINEAR REFERENCING FALSE

Geoprocessing history ▶

PROCESS

PROCESS NAME

DATE 2011-02-11 07:38:49

TOOL LOCATION C:\Program Files\ArcGIS\Desktop10.0\ArcToolbox\Toolboxes\Data Management Tools.tbx\Merge

COMMAND ISSUED

Distribution ▶

DISTRIBUTION FORMAT

* NAME Shapefile

TRANSFER OPTIONS

* TRANSFER SIZE 22.543

Fields ▶

DETAILS FOR OBJECT precincts_12 ▶

* TYPE Feature Class

* ROW COUNT 1962

DEFINITION

2010 Census Voting District (VTD) County-based

DEFINITION SOURCE

U.S. Census Bureau

FIELD FID ▶

* ALIAS FID

* DATA TYPE OID

* WIDTH 4

* PRECISION 0

* SCALE 0

* FIELD DESCRIPTION

Internal feature number.

* DESCRIPTION SOURCE

ESRI

* DESCRIPTION OF VALUES Sequential unique whole numbers that are automatically generated.

FIELD Shape ►

* ALIAS Shape
* DATA TYPE Geometry
* WIDTH 0
* PRECISION 0
* SCALE 0
* FIELD DESCRIPTION
Feature geometry.

* DESCRIPTION SOURCE
ESRI

* DESCRIPTION OF VALUES Coordinates defining the features.

FIELD STATEFP10 ►

* ALIAS STATEFP10
* DATA TYPE String
* WIDTH 2
* PRECISION 0
* SCALE 0

FIELD DESCRIPTION

2010 Census state Federal Information Processing Standards

(FIPS) code

DESCRIPTION SOURCE

U.S. Census Bureau

CODED VALUES

NAME OF CODELIST INCITS.38-200x (R2004), Codes for the Identification of the States, the District of Columbia, Puerto Rico, and the Insular Areas of the United States (Formerly FIPS 5-2)

SOURCE U.S. Census Bureau

FIELD COUNTYFP10 ►

* ALIAS COUNTYFP10
* DATA TYPE String
* WIDTH 3
* PRECISION 0
* SCALE 0

FIELD DESCRIPTION

2010 Census county Federal Information Processing Standards

(FIPS) code

DESCRIPTION SOURCE

U.S. Census Bureau

CODED VALUES

NAME OF CODELIST INCITS.31-200x (R2007), Codes for the Identification of the Counties and Equivalent Areas of the United States, Puerto Rico, and the Insular Areas of the United States (Formerly FIPS 6-4)

SOURCE U.S. Census Bureau

FIELD VTDST10 ►

- * ALIAS VTDST10
- * DATA TYPE String
- * WIDTH 6
- * PRECISION 0
- * SCALE 0

FIELD DESCRIPTION

2010 Census voting district code

DESCRIPTION SOURCE

U.S. Census Bureau

LIST OF VALUES

VALUE Any ASCII alphabetic or numeric character combination plus hyphens from one to six characters

DESCRIPTION Voting district code

ENUMERATED DOMAIN VALUE DEFINITION SOURCE U.S. Census Bureau

VALUE ZZZZZZ

DESCRIPTION No voting district defined

ENUMERATED DOMAIN VALUE DEFINITION SOURCE U.S. Census Bureau

FIELD GEOID10 ►

- * ALIAS GEOID10
- * DATA TYPE String
- * WIDTH 11
- * PRECISION 0
- * SCALE 0

FIELD DESCRIPTION

Voting district identifier; a concatenation of 2010 Census

state FIPS code, county FIPS code, and voting district code

DESCRIPTION SOURCE

U.S. Census Bureau

CODED VALUES

NAME OF CODELIST INCITS.38-200x (R2004), Codes for the Identification of the States, the District of Columbia, Puerto Rico, and the Insular Areas of the United States (Formerly FIPS 5-2), INCITS.31-200x (R2007), Codes for the Identification of the Counties and Equivalent Areas of the United States, Puerto Rico, and the Insular Areas of the United States (Formerly FIPS 6-4), and the voting district code found in VTDST10

SOURCE U.S. Census Bureau

FIELD VTDI10 ►

- * ALIAS VTDI10
- * DATA TYPE String
- * WIDTH 1
- * PRECISION 0
- * SCALE 0

FIELD DESCRIPTION

2010 Census voting district indicator

DESCRIPTION SOURCE

U.S. Census Bureau

LIST OF VALUES

VALUE A

DESCRIPTION Actual

ENUMERATED DOMAIN VALUE DEFINITION SOURCE U.S. Census Bureau

VALUE P

DESCRIPTION Pseudo (adjusted)

ENUMERATED DOMAIN VALUE DEFINITION SOURCE U.S. Census Bureau

FIELD NAME10 ►

- * ALIAS NAME10
- * DATA TYPE String
- * WIDTH 100
- * PRECISION 0
- * SCALE 0

FIELD DESCRIPTION

2010 Census voting district name

DESCRIPTION SOURCE

U.S. Census Bureau

CODED VALUES

NAME OF CODELIST Refer to the Census 2000 Redistricting Data (Public Law 94 -171) Summary File at URL: <http://www.census.gov/prod/cen2000/doc/pl94-171.pdf>

SOURCE U.S. Census Bureau

FIELD NAMELSAD10 ►

- * ALIAS NAMELSAD10
- * DATA TYPE String
- * WIDTH 100
- * PRECISION 0
- * SCALE 0

FIELD DESCRIPTION

2010 Census name and the translated legal/statistical area

description for voting district

DESCRIPTION SOURCE

U.S. Census Bureau

DESCRIPTION OF VALUES Refer to the Census 2000 Redistricting Data (Public Law 94 - 171) Summary File at URL: <http://www.census.gov/prod/cen2000/doc/pl94-71.pdf> and the translated legal/statistical area description codes for voting districts that appear in LSAD10

FIELD LSAD10 ►

- * ALIAS LSAD10
- * DATA TYPE String
- * WIDTH 2
- * PRECISION 0
- * SCALE 0

FIELD DESCRIPTION

2010 Census legal/statistical area description code for voting

district

DESCRIPTION SOURCE

U.S. Census Bureau

LIST OF VALUES

VALUE 00

DESCRIPTION Blank

ENUMERATED DOMAIN VALUE DEFINITION SOURCE U.S. Census Bureau

VALUE V1

DESCRIPTION Voting District

ENUMERATED DOMAIN VALUE DEFINITION SOURCE U.S. Census Bureau

VALUE V2

DESCRIPTION Voting District

ENUMERATED DOMAIN VALUE DEFINITION SOURCE U.S. Census Bureau

FIELD MTFCC10 ►

- * ALIAS MTFCC10
- * DATA TYPE String
- * WIDTH 5
- * PRECISION 0
- * SCALE 0

FIELD DESCRIPTION

MAF/TIGER feature class code

DESCRIPTION SOURCE

U.S. Census Bureau

LIST OF VALUES

VALUE G5240

DESCRIPTION Voting District

ENUMERATED DOMAIN VALUE DEFINITION SOURCE U.S. Census Bureau

FIELD FUNCSTAT10 ►

* ALIAS FUNCSTAT10
* DATA TYPE String
* WIDTH 1
* PRECISION 0
* SCALE 0

FIELD DESCRIPTION

2010 Census functional status

DESCRIPTION SOURCE

U.S. Census Bureau

LIST OF VALUES

VALUE F

DESCRIPTION Fictitious entity created to fill the Census Bureau geographic hierarchy

ENUMERATED DOMAIN VALUE DEFINITION SOURCE U.S. Census Bureau

VALUE N

DESCRIPTION Nonfunctioning legal entity

ENUMERATED DOMAIN VALUE DEFINITION SOURCE U.S. Census Bureau

VALUE S

DESCRIPTION Statistical entity

ENUMERATED DOMAIN VALUE DEFINITION SOURCE U.S. Census Bureau

FIELD ALAND10 ►

* ALIAS ALAND10
* DATA TYPE Double
* WIDTH 14
* PRECISION 14
* SCALE 0

FIELD DESCRIPTION

2010 Census land area (square meters)

DESCRIPTION SOURCE

U.S. Census Bureau

LIST OF VALUES

VALUE 0 to 9,999,999,999,999

DESCRIPTION Blank

ENUMERATED DOMAIN VALUE DEFINITION SOURCE U.S. Census Bureau

FIELD AWATER10 ►

* ALIAS AWATER10
* DATA TYPE Double
* WIDTH 14
* PRECISION 14
* SCALE 0

FIELD DESCRIPTION

2010 Census water area (square meters)

DESCRIPTION SOURCE

U.S. Census Bureau

LIST OF VALUES

VALUE 0 to 9,999,999,999,999

DESCRIPTION Blank

ENUMERATED DOMAIN VALUE DEFINITION SOURCE U.S. Census Bureau

FIELD INTPTLAT10 ►

* ALIAS INTPTLAT10

* DATA TYPE String

* WIDTH 11

* PRECISION 0

* SCALE 0

FIELD DESCRIPTION

2010 Census latitude of the internal point

DESCRIPTION SOURCE

U.S. Census Bureau

LIST OF VALUES

VALUE 00

DESCRIPTION Blank

ENUMERATED DOMAIN VALUE DEFINITION SOURCE U.S. Census Bureau

FIELD INTPTLON10 ►

* ALIAS INTPTLON10

* DATA TYPE String

* WIDTH 12

* PRECISION 0

* SCALE 0

FIELD DESCRIPTION

2010 Census longitude of the internal point

DESCRIPTION SOURCE

U.S. Census Bureau

LIST OF VALUES

VALUE 00

DESCRIPTION Blank

ENUMERATED DOMAIN VALUE DEFINITION SOURCE U.S. Census Bureau

Metadata Details ►

METADATA LANGUAGE English (UNITED STATES)

METADATA CHARACTER SET utf8 - 8 bit UCS Transfer Format

SCOPE OF THE DATA DESCRIBED BY THE METADATA dataset

SCOPE NAME * dataset

* LAST UPDATE 2012-03-30

ARCGIS METADATA PROPERTIES

METADATA FORMAT ArcGIS 1.0

METADATA STYLE ISO 19139 Metadata Implementation Specification

STANDARD OR PROFILE USED TO EDIT METADATA ISO19139

CREATED IN ARCGIS 2012-03-30 11:18:27

LAST MODIFIED IN ARCGIS 2012-03-30 11:41:19

AUTOMATIC UPDATES

HAVE BEEN PERFORMED Yes

LAST UPDATE 2012-03-30 11:39:08

Metadata Contacts ►

METADATA CONTACT

INDIVIDUAL'S NAME Steve Walker

ORGANIZATION'S NAME MARIS

CONTACT'S POSITION GIS Operations Manager

CONTACT'S ROLE distributor

Metadata Maintenance ►

MAINTENANCE

UPDATE FREQUENCY not planned

FGDC Metadata (read-only) ▼

DETAILED DESCRIPTION

ENTITY TYPE

ENTITY TYPE LABEL precincts_12

ENTITY TYPE DEFINITION

2010 Census Voting District (VTD) County-based

ENTITY TYPE DEFINITION SOURCE U.S. Census Bureau

ATTRIBUTE

ATTRIBUTE LABEL FID

ATTRIBUTE DEFINITION

Internal feature number.

ATTRIBUTE DEFINITION SOURCE ESRI

ATTRIBUTE DOMAIN VALUES

UNREPRESENTABLE DOMAIN

Sequential unique whole numbers that are automatically generated.

ATTRIBUTE

ATTRIBUTE LABEL Shape

ATTRIBUTE DEFINITION

Feature geometry.

ATTRIBUTE DEFINITION SOURCE ESRI

ATTRIBUTE DOMAIN VALUES

UNREPRESENTABLE DOMAIN

Coordinates defining the features.

ATTRIBUTE

ATTRIBUTE LABEL STATEFP10

ATTRIBUTE DEFINITION

2010 Census state Federal Information Processing Standards (FIPS) code

ATTRIBUTE DEFINITION SOURCE U.S. Census Bureau

ATTRIBUTE DOMAIN VALUES
CODESET DOMAIN
CODESET NAME INCITS.38-200x (R2004), Codes for the Identification of the States, the District of Columbia, Puerto Rico, and the Insular Areas of the United States (Formerly FIPS 5-2)
CODESET SOURCE U.S. Census Bureau

ATTRIBUTE
ATTRIBUTE LABEL COUNTYFP10
ATTRIBUTE DEFINITION
2010 Census county Federal Information Processing Standards (FIPS) code
ATTRIBUTE DEFINITION SOURCE U.S. Census Bureau
ATTRIBUTE DOMAIN VALUES
CODESET DOMAIN
CODESET NAME INCITS.31-200x (R2007), Codes for the Identification of the Counties and Equivalent Areas of the United States, Puerto Rico, and the Insular Areas of the United States (Formerly FIPS 6-4)
CODESET SOURCE U.S. Census Bureau

ATTRIBUTE
ATTRIBUTE LABEL VTDST10
ATTRIBUTE DEFINITION
2010 Census voting district code
ATTRIBUTE DEFINITION SOURCE U.S. Census Bureau
ATTRIBUTE DOMAIN VALUES
ENUMERATED DOMAIN
ENUMERATED DOMAIN VALUE Any ASCII alphabetic or numeric character combination plus hyphens from one to six characters
ENUMERATED DOMAIN VALUE DEFINITION
Voting district code
ENUMERATED DOMAIN VALUE DEFINITION SOURCE
U.S. Census Bureau
ENUMERATED DOMAIN
ENUMERATED DOMAIN VALUE ZZZZZZ
ENUMERATED DOMAIN VALUE DEFINITION
No voting district defined
ENUMERATED DOMAIN VALUE DEFINITION SOURCE
U.S. Census Bureau

ATTRIBUTE
ATTRIBUTE LABEL GEOID10
ATTRIBUTE DEFINITION
Voting district identifier; a concatenation of 2010 Census state FIPS code, county FIPS code, and voting district code
ATTRIBUTE DEFINITION SOURCE U.S. Census Bureau
ATTRIBUTE DOMAIN VALUES
CODESET DOMAIN
CODESET NAME INCITS.38-200x (R2004), Codes for the Identification of the States, the District of Columbia, Puerto Rico, and the Insular Areas of the United States (Formerly FIPS 5-2), INCITS.31-200x (R2007), Codes for the Identification of the Counties and Equivalent Areas of the United States, Puerto Rico, and the Insular Areas of the United States (Formerly FIPS 6-4), and the voting district code found in VTDST10
CODESET SOURCE U.S. Census Bureau

ATTRIBUTE
ATTRIBUTE LABEL VTDI10
ATTRIBUTE DEFINITION

2010 Census voting district indicator
ATTRIBUTE DEFINITION SOURCE U.S. Census Bureau
ATTRIBUTE DOMAIN VALUES
ENUMERATED DOMAIN
ENUMERATED DOMAIN VALUE A
ENUMERATED DOMAIN VALUE DEFINITION

Actual
ENUMERATED DOMAIN VALUE DEFINITION SOURCE
U.S. Census Bureau
ENUMERATED DOMAIN
ENUMERATED DOMAIN VALUE P
ENUMERATED DOMAIN VALUE DEFINITION
Pseudo (adjusted)
ENUMERATED DOMAIN VALUE DEFINITION SOURCE
U.S. Census Bureau

ATTRIBUTE
ATTRIBUTE LABEL NAME10
ATTRIBUTE DEFINITION
2010 Census voting district name
ATTRIBUTE DEFINITION SOURCE U.S. Census Bureau
ATTRIBUTE DOMAIN VALUES
CODESET DOMAIN
CODESET NAME Refer to the Census 2000 Redistricting Data (Public Law 94 -171)
Summary File at URL: <http://www.census.gov/prod/cen2000/doc/pl94-171.pdf>
CODESET SOURCE U.S. Census Bureau

ATTRIBUTE
ATTRIBUTE LABEL NAMELSAD10
ATTRIBUTE DEFINITION
2010 Census name and the translated legal/statistical area description for voting
district
ATTRIBUTE DEFINITION SOURCE U.S. Census Bureau
ATTRIBUTE DOMAIN VALUES
UNREPRESENTABLE DOMAIN
Refer to the Census 2000 Redistricting Data (Public Law 94 -171) Summary File at
URL: <http://www.census.gov/prod/cen2000/doc/pl94-71.pdf> and the translated
legal/statistical area description codes for voting districts that appear in LSAD10

ATTRIBUTE
ATTRIBUTE LABEL LSAD10
ATTRIBUTE DEFINITION
2010 Census legal/statistical area description code for voting district
ATTRIBUTE DEFINITION SOURCE U.S. Census Bureau
ATTRIBUTE DOMAIN VALUES
ENUMERATED DOMAIN
ENUMERATED DOMAIN VALUE 00
ENUMERATED DOMAIN VALUE DEFINITION
Blank
ENUMERATED DOMAIN VALUE DEFINITION SOURCE
U.S. Census Bureau
ENUMERATED DOMAIN
ENUMERATED DOMAIN VALUE V1
ENUMERATED DOMAIN VALUE DEFINITION
Voting District
ENUMERATED DOMAIN VALUE DEFINITION SOURCE
U.S. Census Bureau
ENUMERATED DOMAIN

ENUMERATED DOMAIN VALUE V2
ENUMERATED DOMAIN VALUE DEFINITION
Voting District
ENUMERATED DOMAIN VALUE DEFINITION SOURCE
U.S. Census Bureau

ATTRIBUTE
ATTRIBUTE LABEL MTFCC10
ATTRIBUTE DEFINITION
MAF/TIGER feature class code
ATTRIBUTE DEFINITION SOURCE U.S. Census Bureau
ATTRIBUTE DOMAIN VALUES
ENUMERATED DOMAIN
ENUMERATED DOMAIN VALUE G5240
ENUMERATED DOMAIN VALUE DEFINITION
Voting District
ENUMERATED DOMAIN VALUE DEFINITION SOURCE
U.S. Census Bureau

ATTRIBUTE
ATTRIBUTE LABEL FUNCSTAT10
ATTRIBUTE DEFINITION
2010 Census functional status
ATTRIBUTE DEFINITION SOURCE U.S. Census Bureau
ATTRIBUTE DOMAIN VALUES
ENUMERATED DOMAIN
ENUMERATED DOMAIN VALUE F
ENUMERATED DOMAIN VALUE DEFINITION
Fictitious entity created to fill the Census Bureau geographic hierarchy
ENUMERATED DOMAIN VALUE DEFINITION SOURCE
U.S. Census Bureau
ENUMERATED DOMAIN
ENUMERATED DOMAIN VALUE N
ENUMERATED DOMAIN VALUE DEFINITION
Nonfunctioning legal entity
ENUMERATED DOMAIN VALUE DEFINITION SOURCE
U.S. Census Bureau
ENUMERATED DOMAIN
ENUMERATED DOMAIN VALUE S
ENUMERATED DOMAIN VALUE DEFINITION
Statistical entity
ENUMERATED DOMAIN VALUE DEFINITION SOURCE
U.S. Census Bureau

ATTRIBUTE
ATTRIBUTE LABEL ALAND10
ATTRIBUTE DEFINITION
2010 Census land area (square meters)
ATTRIBUTE DEFINITION SOURCE U.S. Census Bureau
ATTRIBUTE DOMAIN VALUES
ENUMERATED DOMAIN
ENUMERATED DOMAIN VALUE 0 to 9,999,999,999
ENUMERATED DOMAIN VALUE DEFINITION
Blank
ENUMERATED DOMAIN VALUE DEFINITION SOURCE
U.S. Census Bureau

ATTRIBUTE

ATTRIBUTE LABEL AWATER10
ATTRIBUTE DEFINITION
2010 Census water area (square meters)
ATTRIBUTE DEFINITION SOURCE U.S. Census Bureau
ATTRIBUTE DOMAIN VALUES
ENUMERATED DOMAIN
ENUMERATED DOMAIN VALUE 0 to 9,999,999,999
ENUMERATED DOMAIN VALUE DEFINITION
Blank
ENUMERATED DOMAIN VALUE DEFINITION SOURCE
U.S. Census Bureau

ATTRIBUTE
ATTRIBUTE LABEL INTPTLAT10
ATTRIBUTE DEFINITION
2010 Census latitude of the internal point
ATTRIBUTE DEFINITION SOURCE U.S. Census Bureau
ATTRIBUTE DOMAIN VALUES
ENUMERATED DOMAIN
ENUMERATED DOMAIN VALUE 00
ENUMERATED DOMAIN VALUE DEFINITION
Blank
ENUMERATED DOMAIN VALUE DEFINITION SOURCE
U.S. Census Bureau

ATTRIBUTE
ATTRIBUTE LABEL INTPTLON10
ATTRIBUTE DEFINITION
2010 Census longitude of the internal point
ATTRIBUTE DEFINITION SOURCE U.S. Census Bureau
ATTRIBUTE DOMAIN VALUES
ENUMERATED DOMAIN
ENUMERATED DOMAIN VALUE 00
ENUMERATED DOMAIN VALUE DEFINITION
Blank
ENUMERATED DOMAIN VALUE DEFINITION SOURCE
U.S. Census Bureau