Interstate_Exits (2010)

Metadata:

- Identification Information
- Data Quality Information
- Spatial Data Organization Information
- Spatial Reference Information
- Entity and Attribute Information
- Distribution Information
- Metadata Reference Information

Identification Information:

Citation:

Citation_Information: Originator: MARIS

Publication Date: July 2010

Title:

Interstate Exits (2010)

Geospatial Data Presentation Form: vector digital data

Online_Linkage: http://www.maris.state.ms.us/HTM/DownloadData/Statewide

<u>-Theme.htm</u> *Description:*

Abstract:

GIS Vector data set of Interstate Exits created, edited, and additional attributes added by MARIS staff.

GIS Vector data set of Interstate Exits created, edited, and additional attributes added by MARIS staff.

Purpose:

Data were compiled for use in accurate mapping and cartographic representation of highways.

Data were compiled for use in accurate mapping and cartographic representation of highways.

Supplemental Information:

Metadata for this statewide data set was created by MARIS staff.

Metadata for this statewide data set was created by MARIS staff.

Time_Period_of_Content:

Time_Period_Information:

Single_Date/Time:

Calendar_Date: July 2010 Currentness Reference:

publication date

publication date

Status:

Progress: Complete

Maintenance_and_Update_Frequency: As needed

Spatial Domain:

Bounding Coordinates:

West_Bounding_Coordinate: -90.936688 East_Bounding_Coordinate: -88.345649 North_Bounding_Coordinate: 34.995541 South_Bounding_Coordinate: 30.306323

Keywords: Theme:

Theme_Keyword_Thesaurus: ISO19115

Theme_Keyword: highways
Theme_Keyword: Interstates
Theme_Keyword: US Highways
Theme_Keyword: MS Highways
Theme Keyword: Transportation

Theme_Keyword: Exits

Theme Keyword: Interstates

Place:

Place_Keyword_Thesaurus: none

Place_Keyword: Mississippi

Place_Keyword: USA

Access_Constraints: none.

Use Constraints:

Data users are encouraged to read this metadata record to better comprehend and utilize the described data set. MARIS should be recognize as a source data provider on all data derived from this data set. The data are not survey products and not intended for legal use.

Data users are encouraged to read this metadata record to better comprehend and utilize the described data set. MARIS should be recognize as a source data provider on all data derived from this data set. The data are not survey products and not intended for legal use.

Point_of_Contact:

Contact Information:

Contact_Organization_Primary:

Contact_Organization: Mississippi Automated Resource Information System (MARIS)

Contact_Person: Steve Walker

Contact_Position: GIS Operations Manager

Contact_Address:

Address Type: mailing and physical address

Address:

3825 Ridgewood Road

3825 Ridgewood Road

City: Jackson

State_or_Province: MS Postal Code: 39211-6453

Country: USA

Contact_Voice_Telephone: (601) 432-6149 Contact Facsimile Telephone: (601) 432-6893

Contact Electronic Mail Address: swalker@ihl.state.ms.us

Data Set Credit:

Full credit for the spatial aspect of this data set should be given to MARIS.

Full credit for the spatial aspect of this data set should be given to MARIS.

Native Data Set Environment:

Microsoft Windows XP Version 5.1 (Build 2600) Service Pack 3; ESRI ArcCatalog 9.3.1.3000

Back to Top

Data_Quality_Information:

Attribute Accuracy:

Attribute Accuracy Report:

Attribute values were validated via cross-checks with exisiting data resources including photographs, maps, imagery, and scientific reports.

Attribute values were validated via cross-checks with exisiting data resources including photographs, maps, imagery, and scientific reports.

Logical_Consistency_Report:

All line work is checked for topological integrity and to ensure that polygons are fully enclosed, no duplicate lines or points exists, line segments are composed of sequentially numbered coordinate pairs, intersecting lines are separated by a node, and no dangling lines exist. Topological checks and strucuturing are performed using the ArcInfo software. Data dictionary specification are automatically implemented via the ESRI Info database management software. Data collected from external data providers are randomly verified.

All line work is checked for topological integrity and to ensure that polygons are fully enclosed, no duplicate lines or points exists, line segments are composed of sequentially numbered coordinate pairs, intersecting lines are separated by a node, and no dangling lines exist. Topological checks and strucuturing are performed using the ArcInfo software. Data dictionary specification are automatically implemented via the ESRI Info database

management software. Data collected from external data providers are randomly verified.

Completeness_Report:

The data are complete with respect to the data publication date and scale.

The data are complete with respect to the data publication date and scale.

Positional Accuracy:

Horizontal Positional Accuracy:

Horizontal Positional Accuracy Report:

Feature locations were were validated via cross-checks with exisiting data resources including photographs, maps, imagery, and scientific reports.

Feature locations were were validated via cross-checks with exisiting data resources including photographs, maps, imagery, and scientific reports.

Lineage:

Source Information:

Type of Source Media: chart

Source_Citation_Abbreviation:

MARIS

Source Contribution:

Primary source of both spatial data and attributes.

Primary source of both spatial data and attributes.

Source Information:

Type_of_Source_Media: chart

Source Citation Abbreviation:

MS DOT

Source Contribution:

Detailed description of all highway start and stop locations. Publication No. MDOT-85-2007-05

Detailed description of all highway start and stop locations. Publication No.

MDOT-85-2007-05

Source_Information:

Type_of_Source_Media: disc

 $Source_Citation_Abbreviation:$

NAIP

Source Contribution:

The Tangery used to align the vector placement of highways. NAIP from 2007 - 2009 was used in creation of original linework. Imagery was 2007 NAIP - 1 meter, 2009 NAIP - 1 meter ortho-rectified.

Imagery used to align the vector placement of highways. NAIP from 2007 - 2009 was used in creation of original linework. Imagery was 2007 NAIP - 1 meter, 2009 NAIP - 1 meter ortho-rectified.

 $Source_Information:$

Source_Citation:

Citation_Information:

Originator: MS Department of Environmental Quality

Title: MDEM

Type_of_Source_Media: digital tape media

Source Citation Abbreviation:

MDEM

Source Contribution:

MS Coordinating Council for Remote Sensing and Geographic Information Systems (MCCRSGIS) 2006 2 foot resolution leaf-off imagery was also used for alignment of highways.

MS Coordinating Council for Remote Sensing and Geographic Information Systems (MCCRSGIS) 2006 2 foot resolution leaf-off imagery was also used for alignment of highways.

Process Step:

Process Description:

The highway database was collected by heads-up digitization over aerial photography. Aerial Photography sources are MDEM and NAIP. Digital and hard copy sources are listed in Source Information "Other Sources".

The highway database was collected by heads-up digitization over aerial photography. Aerial Photography sources are MDEM and NAIP. Digital and hard copy sources are listed in Source Information "Other Sources".

Source_Used_Citation_Abbreviation:

NAIP

Source_Used_Citation_Abbreviation:

Other Sources

Source_Used_Citation_Abbreviation:

MDEM

Process Date: July 2010

Process_Contact:

Contact_Information:

Contact_Person_Primary:

Contact_Person: Jason Knight Contact_Organization: MARIS

Contact_Position: GIS Manager

Contact_Voice_Telephone: 601-432-6504

Contact_Electronic_Mail_Address: jknight@ihl.state.ms.us

Back to Top

Spatial Data Organization Information:

Indirect_Spatial_Reference_Method:

FIPS = 28 (Mississippi)

```
Direct Spatial Reference Method: Vector
      Point and Vector Object Information:
      SDTS Terms Description:
      SDTS Point and Vector Object Type: String
      Point and Vector Object Count: 232
Back to Top
Spatial Reference Information:
      Horizontal Coordinate System Definition:
      Planar:
      Map Projection:
      Map Projection Name: Transverse Mercator
      Transverse Mercator:
      Scale Factor at Central Meridian: 0.999834
      Longitude of Central Meridian: -89.750000
      Latitude of Projection Origin: 32.500000
      False Easting: 500000.000000
      False Northing: 1300000.000000
      Planar Coordinate Information:
      Planar Coordinate Encoding Method: coordinate pair
      Coordinate Representation:
```

Coordinate_Representation: Abscissa_Resolution: 0.000001 Ordinate_Resolution: 0.000001 Planar_Distance_Units: meters Geodetic Model:

Horizontal_Datum_Name: North American Datum of 1983

Ellipsoid_Name: Geodetic Reference System 80

Semi-major_Axis: 6378137.000000

 $Denominator_of_Flattening_Ratio:~298.257222$

Back to Top

```
Entity\_and\_Attribute\_Information:
```

Detailed_Description:

Entity_Type:

Entity_Type_Label: Interstate_Exits

Entity_Type_Definition:

Interstates off the US Interstates System in Mississippi

Entity_Type_Definition_Source:

MARIS

Attribute:

Attribute_Label: FID

```
Attribute Definition:
     Internal feature number.
Internal feature number.
Attribute Definition Source:
     ESRĪ
ESRI
Attribute Domain Values:
Unrepresentable Domain:
Sequential unique whole numbers that are automatically generated.
Attribute:
Attribute Label: Shape
Attribute Definition:
     Feature geometry.
Feature geometry.
Attribute Definition Source:
     ESRI
ESRI
Attribute Domain Values:
Unrepresentable Domain:
Coordinates defining the features.
Attribute:
Attribute Label: OBJECTID
Attribute Definition:
     Internal ID
Internal ID
Attribute Definition Source:
     ESRI
ESRI
Attribute Domain Values:
Unrepresentable Domain:
Coordinates defining the features.
Attribute:
Attribute Label: LENGTH
Attribute Definition:
     Segment Length
Segment Length
Attribute Definition Source:
     ESRI
ESRI
Attribute Domain Values:
Unrepresentable Domain:
Coordinates defining the features.
Attribute:
```

```
Attribute Label: HWYNAME
Attribute Definition:
     Primary Interstate Exit Name
Primary Interstate Exit Name
Attribute Definition Source:
     MARIS
MARIS
Attribute Domain Values:
Unrepresentable Domain:
Coordinates defining the features.
Attribute:
Attribute Label: Shape Leng
Attribute Definition:
     ESRI Internal arc length
ESRI Internal arc length
Attribute Definition Source:
     ESRI
ESRI
Attribute Domain Values:
Unrepresentable Domain:
Coordinates defining the features.
Attribute:
Attribute Label: EXITS
Attribute Definition:
     Exit Code from Data Creation
Exit Code from Data Creation
Attribute Definition Source:
     MARIS
MARIS
Attribute Domain Values:
Enumerated Domain:
Enumerated Domain Value: 9
Enumerated Domain Value Definition:
     Exit
Exit
Enumerated Domain Value Definition Source:
     MARIS
MARIS
Attribute:
Attribute Label: Class
Attribute Definition:
     Type of Road that the Interstate is exiting to
Type of Road that the Interstate is exiting to
Attribute Definition Source:
```

MARIS

Attribute Domain Values:

Enumerated Domain:

Enumerated Domain Value: 1

Enumerated Domain Value Definition:

Interstate

Interstate

Enumerated_Domain_Value_Definition_Source:

MARIS

Enumerated Domain:

Enumerated Domain Value: 2

Enumerated Domain Value Definition:

U.S. Highway

U.S. Highway

Enumerated_Domain_Value_Definition_Source:

MARIS

Enumerated Domain:

Enumerated Domain Value: 3

Enumerated Domain Value Definition:

One or two Digit State Highway

One or two Digit State Highway

Enumerated_Domain_Value_Definition_Source:

MARIS

Enumerated Domain:

Enumerated Domain Value: 4

Enumerated Domain Value Definition:

Three digit State highway

Three digit State highway

Enumerated_Domain_Value_Definition_Source:

MARIS

Enumerated Domain:

Enumerated Domain Value: 5

Enumerated Domain Value Definition:

Natchez Trace Parkway

Natchez Trace Parkway

Enumerated_Domain_Value_Definition_Source:

MARIS

Enumerated_Domain:

```
Enumerated Domain Value: 9
Enumerated Domain Value Definition:
Exit
Enumerated Domain Value Definition Source:
MARIS
Attribute:
Attribute Label: ALT1 DESIN
Attribute Definition:
     Interstate Name(s) exiting to
Interstate Name(s) exiting to
Attribute Definition Source:
     MARIS
MARIS
Attribute Domain Values:
Unrepresentable Domain:
Coordinates defining the features.
Attribute:
Attribute Label: ALT2 DESIN
Attribute Definition:
     U.S. Highway Name(s) exiting to
U.S. Highway Name(s) exiting to
Attribute Definition Source:
     MARIS
MARIS
Attribute Domain Values:
Unrepresentable Domain:
Coordinates defining the features.
Attribute:
Attribute Label: ALT3 DESIN
Attribute Definition:
     MS \frac{1}{1} & 2 Digit State Highway Name(s) exiting to
MS 1 & 2 Digit State Highway Name(s) exiting to
Attribute Definition Source:
     MARIS
MARIS
Attribute Domain Values:
Unrepresentable Domain:
Coordinates defining the features.
Attribute:
Attribute Label: ALT4 DESIN
Attribute Definition:
     MS \frac{1}{3} - Digit State Highway Name(s) exiting to
```

```
MS 3 - Digit State Highway Name(s) exiting to
Attribute Definition Source:
     MARIS
MARIS
Attribute Domain Values:
Unrepresentable Domain:
Coordinates defining the features.
Attribute:
Attribute_Label: ALT5_DESIN
Attribute Definition:
     Natchez Trace Parkway
Natchez Trace Parkway
Attribute Definition Source:
     MARIS
MARIS
Attribute Domain Values:
Unrepresentable Domain:
Coordinates defining the features.
Attribute:
Attribute Label: ALT6 DESIN
Attribute Definition:
     County Road Name(s) exiting to
County Road Name(s) exiting to
Attribute Definition Source:
```

MARIS

MARIS

Attribute Domain Values:

Unrepresentable Domain:

Coordinates defining the features.

Attribute:

Attribute Label: ALT7 DESIN

Attribute Definition:

City Street Name(s) exiting to

City Street Name(s) exiting to

Attribute Definition Source:

MARIS

MARIS

Attribute Domain Values:

Unrepresentable Domain:

Coordinates defining the features.

Back to Top

Distributor:

Contact Information:

Contact_Person_Primary:

Contact Person: Steve Walker

Contact Organization: Mississippi Automated Resource Information System

(MARIS)

Contact Position: GIS Operations Manager

Contact Address:

Address_Type: mailing and physical address

Address:

3825 Ridgewood Road

3825 Ridgewood Road

City: Jackson

State_or_Province: MS Postal Code: 39211-6453

Country: USA

Contact_Voice_Telephone: 601.432.6149 Contact_Facsimile_Telephone: 601.432.6893

Contact Electronic Mail Address: swalker@ihl.state.ms.us

Hours of Service: 8:00 a.m. - 4:00 p.m. CST

Resource Description: Map Files

Distribution Liability:

The information contained in this catalog and data distributed by the Board of Trustees / Institutions of Higher Learning's MARIS Technical Center (MTC) is derived from a variety of public and private sector sources considered to be dependable, but the accuracy, completeness, and currency thereof are not guaranteed. The IHL/MTC makes no warranties, expressed or implied as to the accuracy, completeness, currency, reliability, or suitability for any particular purpose of information or data contained in or generated from the state geographic database. Additionally, the State of Mississippi, the Board of Trustees for IHL or any employee thereof assume no liability associated with the use of these data.

The information contained in this catalog and data distributed by the Board of Trustees / Institutions of Higher Learning's MARIS Technical Center (MTC) is derived from a variety of public and private sector sources considered to be dependable, but the accuracy, completeness, and currency thereof are not guaranteed. The IHL/MTC makes no warranties, expressed or implied as to the accuracy, completeness, currency, reliability, or suitability for any particular purpose of information or data contained in or generated from the state geographic database. Additionally, the State of Mississippi, the Board of Trustees for IHL or any employee thereof assume no liability associated with the use of these data.

Standard_Order_Process:

Digital Form:

Digital Transfer Information:

Format_Name: ARCE (ArcInfo export), ArcGIS (shapefile)

File_Decompression_Technique: TAR, WinZip

Transfer_Size: 0.330
Digital Transfer Option:

Online Option:

Computer Contact Information:

Network Address:

Network Resource Name: http://www.maris.state.ms.us/Data_Warehouse/Do

wnload Data/download data.html

Offline Option:

Offline_Media: CD-ROM Recording Format: CD Write

Fees: Direct downloads and CDs of standard MARIS products are available

free of charge

Back to Top

Metadata_Reference_Information:

Metadata_Date: 20100713

Metadata_Contact: Contact Information:

Contact Organization Primary:

Contact_Organization: Mississippi Automated Resource Information System

(MARIS)

Contact Person: Steve Walker

Contact Position: GIS Operations Manager

Contact Address:

Address_Type: mailing and physical address

Address:

3825 Ridgewood Road

3825 Ridgewood Road

City: Jackson

State_or_Province: MS Postal Code: 39211-6453

Country: USA

Contact_Voice_Telephone: (601) 432-6149 Contact_Facsimile_Telephone: (601) 432-6893

Contact_Electronic_Mail_Address: swalker@ihl.state.ms.us

Metadata_Standard_Name: FGDC Content Standards for Digital Geospatial

Metadata

Metadata_Standard_Version: FGDC-STD-001-1998

Metadata_Time_Convention: local time Metadata_Access_Constraints: none

Metadata Use Constraints:

none

Metadata_Extensions:

Online_Linkage: http://www.esri.com/metadata/esriprof80.html

Profile_Name: ESRI Metadata Profile

Back to Top